HEAT APPLICATION

DTF • HEAT TRANSFER • SUBLIMATION



2026/27

$99 FREE FREIGHT

JDS

FEATURED NEW PRODUCTS




DTF Station, DTF Printer Packages
Page 10



American Flag PVC Patches with Kota Pro™ Adhesive
Page 191



2-Sided White Steel Bottle Opener
Page 157



ChromaLuxe® High Definition
Photo Panels
Page 101

Trifold Golf Towel with Carabiner
Page 148





French Cleat Hanging System
Page 107



Hats
Page 184

Square Laserable Leatherette® Patches
Premiere Creekside Collection
Page 186

Direct to Film



TABLE OF CONTENTS

2 JDS Programs

4 Resources

6 Services

9 Direct to Film

21 Direct to Film Resources

23 Heat Transfer Material

52 Heat Transfer Material Resources

55 Sublimation

179 Sublimation Resources

183 Hats, Pre-Cut Patches & Sheet Stock

197 Equipment & Accessories

230 Index

JDS Informational Icons

JDS EXCLUSIVE — Another JDS Exclusive!

made in the USA — Made in the United States of America.

FREE FREIGHT PROGRAM

Save more $$$ on shipping with JDS Industries' FREE FREIGHT Program! The minimum order to qualify is only $99. All JDS products are included in this program unless otherwise noted in the catalog and online. Those items are flagged in the catalog as no free freight.

MDF plaques, trophy marble and marble cup bases can not be included on $99 Free Freight orders, but are still included on Free Freight on orders of $500 or more.

Orders less than $99 or between $99 and $499 that include MDF or Marble, will qualify for our fixed rate shipping program. With this program you will know what your shipping cost is before your order is shipped. No Freight Surprises!!!

JDS Customer Service or our online shopping cart will be able to tell you what on your order does not qualify for free shipping and also be able to tell you what your shipping cost will be on those items.


With $99 free freight on most items, $500 Free Freight on MDF & Marble, and fixed rate shipping on the items not included on Free Freight, JDS makes your shipping a whole lot easier!

$99 FREE FREIGHT

Fixed Freight Shipping

For orders not qualifying for free freight

Orders 1-10 lbs $17.25
Orders 11-25 lbs $25.95
Orders 26-50 lbs $40.95
Orders 51-100 lbs $68.00
Orders 101-250 lbs $124.00
Orders 251+ lbs $159.00



**Offer applies to shipping within the 48 contiguous states. Customers outside the 48 states get a 5% discount in lieu of Free Freight, or Free Freight to a US address such as a broker or forwarder. Offer is good only on published prices or quote where it is specifically included. JDS will decide shipping method based on cost, if customer has a preferred method they would pay the difference between that option and the least expensive option. Any special requirements such as liftgate, COD, etc will be at customer's expense. COD charges through UPS are not considered part of freight cost and will be billed separately.*

ADVANTAGE PRICING PROGRAM

JDS Industries' Advantage Pricing program is available to those customers buying $5,000 or more annually. Agree to order $5,000 or more of any products from JDS during the year, and you will receive the best published price on all products purchased in unopened cases.*

Download and complete the Advantage Pricing form from our website, jdsindustries.com. Once it is submitted and accepted you will be eligible for Advantage Pricing.

Exceptions:

Aluminum, Brass & Steel Engraving Materials:
Order 25 sheets mixed for best price

Duets by Gemini™, JDS FLEX™ & JDS Plastics:
Order 10 quarter sheets mixed for best price
or
10 half sheets mixed for best price
or
5 full sheets mixed for best price

Gildan® or Vapor Apparel™:
Order 10 items mixed for best price

Pronto™ Individual Letters:
Order 25 letters or numbers mixed for best price

Bison River® Knives:
Order 10 items mixed for best price

Kota Pro™ ADA Signs
Order 25 items mixed for best price

All orders for less than case quantities will be billed at less than case price.

DISPLAY SAMPLE PROGRAM

Earn **FREE** samples and literature whenever you buy your products through JDS Industries. All JDS customers will be eligible to receive free samples or marketing literature, up to **1%** of your prior year purchases (freight not included). JDS customer sample accounts are automatically updated January 1 each year.

How to use your sample dollars




- Cost on samples will be considered end quantity price for the **1%** limit.
- Additional samples above 1% of prior year purchases will be made available at end quantity price.
- Customers will pay the cost of freight on the samples (unless the samples are part of a qualifying free freight order).
- Sample Program Credits have no cash value.
- Sample Program Credits cannot be used towards purchase of equipment or ink.
- International customers will be billed 50% of end quantity price due to customs regulations. The 50% reduction will be deducted from available sample balance.

Call us or log onto ***jdsindustries.com*** to check your current available balance.

ONLINE RESOURCES & TOOLS

We have put together a collection of resources to help promote your business and increase your sales! Includes websites, catalog and online tools to help you with your own marketing efforts.



SPANISH SPEAKING LINE
LINEA DE ESPAÑOL DIRECTA
855.661.2387

QUALITY ASSURANCE LINE
855.537.8478

FAX
605.339.1467

SIGN SUPPLY LINE
855.661.2388

IMAGES

FTP Site

- Download images, templates, catalogs, specials and more
- Create your own fliers, brochures, emails & websites
- PDF versions of retail catalogs, specials and other resources

Visit the Resources page at:
jdsindustries.com

OUR ARTWORK

The artwork that is shown on a majority of our products is, unfortunately, not available for distribution. They are purchased or created using parts of a purchased image, and the license or rights of use agreements do not allow JDS to distribute the artwork. We purchase most of the artwork you see on our product images due to the amount of time that is required to create everything from scratch.

On that note, we can tell you that we purchased the artwork from www.bigstock.com. If you search their site using keywords related to the image you are looking for, it will pull up a large variety of similar artwork.

Make sure to check the licensing agreements for each image you want to use to make sure you are purchasing the correct agreement for your intended usage.

CONNECT WITH US

@jds_industries
@jdssignsupply
@jdssublimation

youtube.com/JDSINDUSTRIES.COM

@jdsindustrieswholesale
JDS Laser Group
JDS Sublimation Group
JDS UV Printing Group

FABRICATION & WHOLESALE SIGN PRINTING SERVICES

SUBLIMATION • ENGRAVING • LASERING • SANDCARVING
UV PRINTING • CNC ROUTING • CUSTOM CUTTING

Quote Requests and Ordering Information:

All artwork and quote requests should be emailed to: *art@jdsindustries.com*
Artwork can also be uploaded directly to JDS Industries via the "Art Upload" feature located at *jdsindustries.com*
Once logged in, locate the "Art Upload" button located in the "Site Features" section. Click on the button and follow the instructions to quickly and easily upload your artwork.

Please follow the art requirements to ensure that your custom order is processed quickly and accurately.
Art charges will apply if art is not in an acceptable format.

F.O.B Sioux Falls, SD only.
$99 Free Freight applies to fabrication orders.

Production time does not include transit time and will vary with type of artwork and quantity needed.
Production time begins when order is confirmed and artwork and purchase order are received.
Most fabrication orders are 3-5 days.
Rush Service may be available for an additional charge.

We reserve the option to refuse any order which we consider impossible to reproduce within industry standards.

When ordering fabrication services please specify:

- Size and type of material (part number if possible)
- Quantity
- If holes, specify if rounded or notched corners or beveling are required (if applicable)
- If you need adhesive on the back (if applicable)
- Imprint colors (if applicable)
- Orientation
- Any special instructions

JDS CNC Router Services

JDS can cut shapes from any metal, plastic, hardboard or FRP Sheetstock in this catalog. This allows you to custom order unique shapes using our CNC router service.
Send your quote request and artwork to:
art@jdsindustries.com

Production time is typically 3-5 days (upon receipt of artwork and depending on size of order).

Certain parameters and requirements apply. Our Custom Order Specialists will help you in making this determination. Ask for details.



Direct Color Print

JDS can print full color images on many flat substrates & drinkware including Polar Camels, Laserable Leatherette, glass, crystal, acrylic, wood or plastic. Send your quote request and artwork to:
art@jdsindustries.com

Production time is typically 3-5 days (upon receipt of artwork and depending on size of order).

Large quantities may be more cost effective to produce using screen printing. Certain parameters and requirements apply. Our Customer Order Specialists will help you in making this determination. Ask for details.

Artwork Requirements:

Artwork is PREFERRED in the following PC formats: CorelDraw (.cdr) or Adobe Illustrator (saved as .eps or .pdf file format).

All digital artwork should be supplied as line art (vector art). For color artwork please specify the exact PMS colors used. All type must be converted to outlines (curves). Hard copy artwork should be as large as possible within an 8.5" x 11" for scanning purposes. Digital images should be vector artwork (not bitmapped/raster) and saved in either CorelDraw or Adobe Illustrator as an EPS (encapsulated PostScript) file WITHOUT COMPRESSION.

DO NOT send raster images that are embedded within another file, such as within Microsoft Word, PowerPoint, Publisher, etc.

Images that contain halftones, tints, grayscales or are intended for process color separation should have a bitmap resolution of at least 300 pixels-per-inch and supplied at finished size or larger. All artwork files should also be emailed in a PDF format for reference.

Word documents, faxes, photocopies, business cards & letterhead are NOT considered acceptable artwork and CANNOT BE USED FOR ARTWORK.

JPEGs, GIFFs, TIFFs and all other bitmap files (not vector based) can be submitted for use at a resolution of NO LESS than 300 pixels-per-inch and supplied at finished size or larger.

Sign Supply Services

JDS can print, cut and laminate digital print vinyl for vehicle graphics and full wraps as well as ready-to-install graphics for windows, walls, floors, point-of-purchase displays and stickers. Cut vinyl can also be weeded and masked for installation. Banner printing is available along with the options of adding grommets or attaching to a banner stand.

What if I don't have artwork or my artwork is not acceptable?

Layout of copy and art will be at JDS Industries discretion unless specifications are clearly marked on the order or finished art is supplied. Graphic design work performed by JDS employees will be billed at a rate of $75 per hour.

What if I need a PMS Match?

Please specify required PMS colors. We make every effort to match requested colors as closely as possible but cannot guarantee a 100% exact match.





Fabrication Services:

Phone: 855.537.2228

Email: *art@jdsindustries.com*

Mailing Address:
JDS Industries
Attn: Fabrication
1800 E 57th St N
Sioux Falls, SD 57104



Direct to Film

in this section:

PACKAGES & SUPPLIES	10
FAQ	21



checklist

What You Need To Start DTF

- ☐ DTF / UV Printer
- ☐ DTF Shaker
- ☐ Heat Press
- ☐ DTF / UV Inks
- ☐ DTF / UV Film
- ☐ Adhesive Powder
- ☐ Design Software
- ☐ Products for Application

NEW

DTF Station Prestige R2 Pro DTF Printer

DTF STATION

Unleash your printing potential with the DTF Station Prestige R2 Pro DTF Printer - true production printing at a value and size you can't find anywhere else. This 13.78" powerhouse boasts dual Epson i1600 print heads for enhanced reliability and vibrant, crisp prints, alongside a suite of features for easy use and maintenance. Elevate your printing today.

R2 Pro Bundles

	PRESTIGE-R2-PRO-V-BNDL	PRESTIGE-R2-PRO-O-BNDL
Printer:	Prestige R2 Pro	Prestige R2 Pro
Powder Shaker:	Miro 13 Max	Miro 13 Max
Software:	neoStampa (RIP) DTF Station Pilot (Driver)	neoStampa (RIP) DTF Station Pilot (Driver)
Consumable:	1 package Color Prime DTF Powder	1 package Color Prime DTF Powder
	1 set Color Prime Chroma DTF Ink (1 kg) Magenta, Yellow, Black, Cyan & White	1 set Color Prime Chroma DTF Ink (1 kg) Magenta, Yellow, Black, Cyan & White
	Color Prime DTF Quick Glide Film 13" x 109 yd Roll	Color Prime DTF Quick Glide Film 13" x 109 yd Roll
	Color Prime DTF Cleaning Solution	Color Prime DTF Cleaning Solution
	Isopropyl Alcohol, 16 oz.	Isopropyl Alcohol, 16 oz.
	Neo-Wipes, Lintless (30 pack)	Neo-Wipes, Lintless (30 pack)
	Foam Cleaning Swabs (50 pack)	Foam Cleaning Swabs (50 pack)
	2 Replacement Filters 1, side & 1, top	2 Replacement Filters 1, side & 1, top
Training:	Virtual	On-Site

Advantages

- **Desktop size** with production power and quality
- **White Ink Management System** (WIMS) to prevent clogging and maintain consistency
- **Head Strike Sensor** for printhead protection
- **Active/Passive Auto-Cleaning** for reduced downtime
- Backed by **lifetime** DTF Station **tech support**
- **1-Year Limited Warranty** on non-consumable parts
- **6-Month Warranty** on up to 2 printheads (with onsite training/installation)

Specifications

Max Printing Width	13" (33 cm)
Printing Speed	30-45 sq. ft / hour
Printer Head	(2) Epson i1600
Software	neoStampa (RIP), DTF Station Pilot (Driver)
Machine Dimensions	34" W x 26" D x 18" H 60.69 cm x 66.04 cm x 45.72 cm
Machine Weight	130 lbs (58.97 kg)
Daily Output	260 pcs (700 x 1200 DPI) 180 pcs (720 x 1800 DPI)
Power Requirements	700 W / 110 V / 6.5A

DTF bundles & equipment/machinery do not qualify free freight.

NEW DTF Station Prestige R2 Pro DTF Printer

DTF STATION



Components & Supplies

Part No.	Description
PRESTIGE-R2PRO	Prestige R2 Pro DTF Printer / Software
DTFS-MIRO13-MAX	Miro 13 Max DTF Powder Shaker and Dryer
DTFS-CP-P-1KG	Color Prime DTF Powder (1 kg)
DTFS-CP-C-M-1L	Color Prime Chroma DTF Ink - Magenta (1 kg)
DTFS-CP-C-Y-1L	Color Prime Chroma DTF Ink - Yellow (1 kg)
DTFS-CP-C-K-1L	Color Prime Chroma DTF Ink - Black (1 kg)
CMAX-DTF-W-1KG	Color Prime DTF Ink - White (1 kg)
DTFS-CP-C-C-1L	Color Prime Chroma DTF Ink - Cyan (1 kg)
DTFS-CP-QG-V3-13-78-R	Color Prime DTF Film Quick Glide - 13.78" x 109 yd Roll
CMAX-DTF-CL-1KG	Color Prime DTF Cleaning Solution (1 kg)
AA-ISOALC-16	Isopropyl Alcohol 16 oz.
NEO-WIPE	Lintless Wipes 4" x 4" (30 Pack)
DTFS-SWABS-FS707A-50	Cleaning Swabs - 7" Foam (50 Pack)
LOPO-J-03-06-0447	Replacement Filter for Miro 13 Max - Top Filter (1)
LOPO-J-03-06-0448	Replacement Filter for Miro 13 Max - Side Filter (1)
BNDL-LOPO-J-03-06-0447-2	Replacement Filters for Miro 13 Max - Top Filter (2 pack)
BNDL-LOPO-J-03-06-0448-2	Replacement Filters for Miro 13 Max - Side Filter (2 pack)

DTF bundles & equipment/machinery do not qualify free freight.

NEW

DTF Station Prestige XL2 DTF Printer

DTF STATION

Prestige XL2 is your perfect high-end DTF printer option, with dual printheads, premium print quality, and a smaller size in comparison to other printers with similar performance. Elevate your garment printing pipeline today with the Prestige XL2 DTF Printer.

XL2 Bundle

PRESTIGE-XL2-O-BNDL

Printer:	Prestige XL2
Powder Shaker:	Miro 24 DTF
Software:	neoStampa (RIP) DTF Station Pilot (Driver)
Tables:	PrintPro Table Small
Consumable:	1 package Color Prime DTF Powder
	1 set Color Prime Chroma DTF Ink (1 kg) Magenta, Yellow, Black, Cyan & White
	Color Prime DTF Quick Glide Film 23" x 109 yd Roll
	Color Prime DTF Cleaning Solution
	Isopropyl Alcohol, 16 oz.
	Neo-Wipes, Lintless (30 pack)
	Foam Cleaning Swabs (50 pack)
Training:	On-Site



Advantages

- **Speed & Efficiency:** 2, i3200 print heads make this printer one of the fastest performing DTF printers on the market
- **Compact Size/Smaller Footprint** (when compared to printers with similar print width and speed)
- **Dual Print Head:** Two i3200 print heads
- **Head Strike Sensor:** Prevents any head strikes
- **Print Width:** 23.62" roll media
- **Attachment Station:** Perfect for add-ons, such as the Printflo Barcode Automation System
- **White Ink Circulating System**
- **Unique Heating System**
- **Auto-Cleaning System**
- **Auto Alarming Ink Consumption System**

Specifications

Max Printing Width	23.62" (60 cm)
Printing Speed	80-100 sq. ft / hour
Printer Head	Dual Epson i3200
Software	neoStampa (RIP), DTF Station Pilot (Driver)
Machine Dimensions	52.75" W x 26" D x 55" H 133.99 cm x 66.04 cm x 139.7 cm
Machine Weight	339 lbs (154 kg)
Daily Output	500-600 pcs
Power Requirements	110 V

DTF bundles & equipment/machinery do not qualify free freight.

NEW DTF Station Prestige XL2 DTF Printer

DTF STATION



Components & Supplies

Part No.	Description
PRESTIGE-XL2-DTF	Prestige XL2 DTF Printer / Software
DTFS-MIRO24	Miro 24 Max DTF Powder Shaker and Dryer
DTFS-PP-TBLE-S	PrintPro Table Small
DTFS-CP-P-1KG	Color Prime DTF Powder (1 kg)
DTFS-CP-C-M-1L	Color Prime Chroma DTF Ink - Magenta (1 kg)
DTFS-CP-C-Y-1L	Color Prime Chroma DTF Ink - Yellow (1 kg)
DTFS-CP-C-K-1L	Color Prime Chroma DTF Ink - Black (1 kg)
CMAX-DTF-W-1KG	Color Prime DTF Ink - White (1 kg)
DTFS-CP-C-C-1L	Color Prime Chroma DTF Ink - Cyan (1 kg)
DTFS-CP-QG-V3-23-62-R	Color Prime DTF Film Quick Glide - 23.62" x 109 yd Roll
CMAX-DTF-CL-1KG	Color Prime DTF Cleaning Solution (1 kg)
AA-ISOALC-16	Isopropyl Alcohol 16 oz.
NEO-WIPE	Lintless Wipes 4" x 4" (30 Pack)
DTFS-SWABS-FS707A-50	Cleaning Swabs - 7" Foam (50 Pack)
BNDL-LOPO-J-03-06-0443-2	Replacement Filter for Miro 24 - Side Filter (2 pack)
BNDL-LOPO-J-03-06-0631-2	Replacement Filter for Miro 24 - Top Filter (2 pack)

DTF bundles & equipment/machinery do not qualify free freight.

DTF Station Prestige XL3 DTF Printer

Prestige XL3 adding RGBO colors, XL3 is the other 8-color printing system among DTF Station's printer line with RGBO colors. It is a perfect fit for businesses who are looking for a high standard of print quality on more colors. The Prestige XL3 features three Epson i3200 printheads, and a smaller size in comparison to other printers that offer similar performance.

XL3 Bundle

BNDL-PRXL3-L24R-PL2-QG

Printer:	Prestige XL3
Powder Shaker:	Seismo L24
Air Purifier:	L2 Portable Air Purifier
Software:	neoStampa (RIP) DTF Station Pilot (Driver)
Consumable:	1 package Color Prime DTF Powder
	1 set Color Prime Chroma DTF Ink (1 kg) Blue, Red, Magenta, Yellow, Black, Cyan, White, Orange & Green
	Color Prime DTF Quick Glide Film 23" x 109 yd Roll
	Color Prime DTF Cleaning Solution
	Isopropyl Alcohol, 16 oz.
	Neo-Wipes, Lintless (30 pack)
	Foam Cleaning Swabs (50 pack)
	1 Purifier L2 Air Filter
Training:	On-Site



Advantages

- **Expanded 9-color gamut** (CMYK, White, Orange, Red, Blue, Green) for maximum vibrancy
- **White Ink Management System** (WIMS) to prevent clogging and maintain consistency
- **Head Strike Sensor** for printhead protection
- **Media Tension Sensor** for smooth material handling
- **Active/Passive Auto-Cleaning** for reduced downtime
- Backed by **lifetime** DTF Station **tech support**
- **1-Year Limited Warranty** on non-consumable parts
- **6-Month Warranty** on up to 2 printheads (with onsite training/installation)

Specifications

Max Printing Width	23.62" (60 cm)
Printing Speed	65-75 sq. ft / hour
Printer Head	(3) Epson i3200
Software	neoStampa (RIP), DTF Station Pilot (Driver)
Machine Dimensions	75" W x 35" D x 65" H 190.5 cm x 88.9 cm x 165.1 cm
Machine Weight	445 lbs (201.85 kg)
Daily Output	440-540 pcs
Power Requirements	Printer: 1000 W / 110 V / 9 A Shaker: Seismo 220 V

DTF bundles & equipment/machinery do not qualify free freight.

NEW DTF Station Prestige XL3 DTF Printer

DTF STATION









Components & Supplies

Part No.	Description
PRESTIGE-XL3	Prestige XL3 DTF Printer / Software
L24R-SHAKER	Seismo L24R DTF Powder Shaker and Dryer
AA-PURIFIER-L2	Purifier L2 Portable Air Purifier
DTFS-CP-P-1KG	Color Prime DTF Powder (1 kg)
DTFS-CP-C-M-1L	Color Prime Chroma DTF Ink - Magenta (1 kg)
DTFS-CP-C-Y-1L	Color Prime Chroma DTF Ink - Yellow (1 kg)
DTFS-CP-C-K-1L	Color Prime Chroma DTF Ink - Black (1 kg)
CMAX-DTF-W-1KG	Color Prime DTF Ink - White (1 kg)
DTFS-CP-C-C-1L	Color Prime Chroma DTF Ink - Cyan (1 kg)
DTFS-CP-DTF-O-1L	Color Prime Chroma DTF Ink - Orange (1 kg)
DTFS-CP-DTF-R-1L	Color Prime Chroma DTF Ink - Red (1 kg)
DTFS-CP-DTF-G-1L	Color Prime Chroma DTF Ink - Green (1 kg)
DTFS-CP-DTF-B-1L	Color Prime Chroma DTF Ink - Blue (1 kg)
DTFS-CP-QG-V3-23-62-R	Color Prime DTF Film Quick Glide - 23.62" x 109 yd Roll
CMAX-DTF-CL-1KG	Color Prime DTF Cleaning Solution (1 kg)
AA-ISOALC-16	Isopropyl Alcohol 16 oz.
NEO-WIPE	Lintless Wipes 4" x 4" (30 Pack)
DTFS-SWABS-FS707A-50	Cleaning Swabs - 7" Foam (50 Pack)
LOPO-J-03-06-0449	Replacement Filter for Purifier L2 (1)



DTF bundles & equipment/machinery do not qualify free freight.

DTF Station Aries 124 UV-DTF Printer

Discover the Aries 124, the ultimate 2-in-1 printing and laminating solution. With impressive speeds and advanced maintenance features like the White Ink Management System and automatic cleaning, this all-in-one printer eliminates the need for additional lamination machines and allows you to create ready-to-use stickers effortlessly. Experience seamless media management with automated pressure adjustments, plus easy, intuitive access for any needed repairs.

124 Bundle

BNDL-DTFS-ARIES-124

Printer:	Aries 124
Software:	neoStampa (RIP) DTF Station Pilot (Driver)
Consumable:	1 set Color Prime UV-DTF Ink (1 kg) Black, White, Cyan, Magenta & Yellow
	1 Set Color Prime UV DTF Ink (500 ml) Light Light Black, Light Cyan, Light Magenta, Light Black
	1 UV DTF Varnish (1 kg)
	1 Color Prime UV DTF Film, Side A 24" x 109 yd Roll
	1 Color Prime UV DTF Film, Side B 24" x 109 yd Roll
	Color Prime UV DTF Cleaning Solution
	Isopropyl Alcohol, 16 oz.
	Neo-Wipes, Lintless (30 pack)
	Foam Cleaning Swabs (50 pack)
Training:	On-Site



Advantages

- 2-in-1 **printing and laminating** solution for permanent sticker application on rigid substrates
- **CMYKW + LC, LM, LK, LLK + Varnish** for raised stickers with an increased color gamut
- Patented **built-in air purification** system for safer, eco-friendly operation
- Easy to use - intuitive **touchscreen control panel**
- **White Ink Management System** (WIMS) to prevent clogging and maintain consistency
- **Active/Passive Auto-Cleaning** for reduced downtime
- Backed by **lifetime** DTF Station **tech support**

Specifications

Max Printing Width	23.6" (60 cm)
Printing Speed	30-60 sq. ft / hour
Printer Head	(4) Epson i1600
Software	neoStampa (RIP), DTF Station Pilot (Driver)
Machine Dimensions	88" W x 45" D x 65" H 223.52 cm x 114.3 cm x 165.1 cm
Machine Weight	720 lbs (326.58 kg)
Power Requirements	1900 W / 110 V / 17.3 A

DTF bundles & equipment/machinery do not qualify free freight.

NEW DTF Station Aries 124 UV-DTF Printer

DTF STATION





Components & Supplies

Part No.	Description
DTFS-ARIES-124-2	Aries 124 UV DTF Printer
DTFS-CP-UVD-K-1L	Color Prime UV DTF Ink - Black (1 kg)
DTFS-CP-UVD-W-1L	Color Prime UV DTF Ink - White (1 kg)
DTFS-CP-UVD-C-1L	Color Prime UV DTF Ink - Cyan (1 kg)
DTFS-CP-UVD-M-1L	Color Prime UV DTF Ink - Magenta (1 kg)
DTFS-CP-UVD-Y-1L	Color Prime UV DTF Ink - Yellow (1 kg)
DTFS-CP-UVD-V-1L	Color Prime UV DTF Ink - Varnish (1 kg)
DTFS-CP-UVD-LK-500ML	Color Prime UV DTF Ink - Light Black (500 mL)
DTFS-CP-UVD-LLK-500ML	Color Prime UV DTF Ink - Light Light Black (500 mL)
DTFS-CP-UVD-LC-500ML	Color Prime UV DTF Ink - Light Cyan (500 mL)
DTFS-CP-UVD-LM-500ML	Color Prime UV DTF Ink - Light Magenta (500 mL)
DTFS-CP-UVD-A-24-R	Color Prime UV DTF Film A Side - 24.4" x 109 yd
DTFS-CP-UVD-B-24-R	Color Prime UV DTF Film B Side - 24.4" x 109 yd
DTFS-CP-UVD-CL-1KG	Color Prime UV DTF Cleaning Solution (1 kg)
AA-ISOALC-16	Isopropyl Alcohol 16 oz.
NEO-WIPE	Lintless Wipes 4" x 4" (30 Pack)
DTFS-POLYSWAB-7-50	Cleaning Swabs - 7" Polyester (50 Pack)

DTF bundles & equipment/machinery do not qualify free freight.

DTF Station Aries 213 UV-DTF Printer

A Compact UV sticker printer built for consistent, efficient everyday runs.

DTF STATION

213 Bundle

BNDL-DTFS-ARIES-213

Printer:	Aries 213
Software:	neoStampa (RIP) DTF Station Pilot (Driver)
Consumable:	1 set Color Prime UV-DTF Ink (1 kg) Black, White, Cyan, Magenta & Yellow
	1 UV DTF Varnish (1 kg)
	1 Color Prime UV DTF Film, Side A 12" x 109 yd Roll
	1 Color Prime UV DTF Film, Side B 12" x 109 yd Roll
	Color Prime UV DTF Cleaning Solution
	Isopropyl Alcohol, 16 oz.
	Neo-Wipes, Lintless (30 pack)
	Foam Cleaning Swabs (50 pack)
Training:	On-Site



Advantages

- 2-in-1 **printing and laminating** solution for permanent sticker application on rigid substrates
- **CMYKW + Varnish** for vibrant stickers with depth
- Patented **built-in air purification** system for safer, eco-friendly operation
- Easy to use - intuitive **touchscreen control panel**
- **White Ink Management System** (WIMS) to prevent clogging and maintain consistency
- **Active/Passive Auto-Cleaning** for reduced downtime
- Backed by **lifetime** DTF Station **tech support**

Specifications

Max Printing Width	11.8" (30 cm)
Printing Speed	7-10 sq. ft / hour
Printer Head	Epson i3200HD-U1
Software	neoStampa (RIP), DTF Station Pilot (Driver)
Machine Dimensions	48" W x 36" D x 45" H 121.92 cm x 91.44 cm x 114.3 cm
Machine Weight	280 lbs (127kg)
Power Requirements	800 W / 110 V / 8.6 A

DTF bundles & equipment/machinery do not qualify free freight.

NEW DTF Station Aries 213 UV-DTF Printer

DTF STATION





Components & Supplies

Part No.	Description
DTFS-ARIES-213	Aries 213 UV DTF Printer
DTFS-CP-UVD-K-1L	Color Prime UV DTF Ink - Black (1 kg)
DTFS-CP-UVD-W-1L	Color Prime UV DTF Ink - White (1 kg)
DTFS-CP-UVD-C-1L	Color Prime UV DTF Ink - Cyan (1 kg)
DTFS-CP-UVD-M-1L	Color Prime UV DTF Ink - Magenta (1 kg)
DTFS-CP-UVD-Y-1L	Color Prime UV DTF Ink - Yellow (1 kg)
DTFS-CP-UVD-V-1L	Color Prime UV DTF Ink - Varnish (1 kg)
DTFS-CP-UVD-ACL-12-R	Color Prime UV DTF Film A Side - 12.2" x 109 yd
DTFS-CP-UVD-B-12-R	Color Prime UV DTF Film B Side - 11.81" x 109 yd
DTFS-CP-UVD-ML-1KG	Color Prime UV DTF Maintenance Solution (1 kg)
AA-ISOALC-16	Isopropyl Alcohol 16 oz.
NEO-WIPE	Lintless Wipes 4" x 4" (30 Pack)
DTFS-POLYSWAB-7-50	Cleaning Swabs - 7" Polyester (50 Pack)

DTF bundles & equipment/machinery do not qualify free freight.

NEW

DTF Station PrintPro Tables

DTF STATION

The PrintPro Tables are here to complete any DTF printing setup, and pair especially well with DTF Station's product line. This heavy-duty, fully metal stand provides sturdy support for your DTF printer or equipment. With enclosed storage, industrial wheels for easy mobility, and an outside holder for the waste bottle, the PrintPro Tables will keep your workspace mobile and clean. Elevate your DTF printing setup with this versatile accessory, boosting your productivity and streamlining your operations for superior results.

PrintPro Tables Bundle

BNDL-DTFS-PP-TBLE-SM

Tables: PrintPro Table Small
PrintPro Table Medium



Components

Part No.	Description
DTFS-PP-TBLE-S	PrintPro Table Small
DTFS-PP-TBLE-M	PrintPro Table Medium









Advantages

- **Heavy-Duty Construction:** fully metal housing for durability and reliability
- **Storage Space**: store your ink cartridges, supplies, and other items keeping your workspace organized
- **Industrial Wheels:** smooth movement and easy positioning of the table for optimal setup
- **Magnetic Doors:** magnetic doors mean your stuff is easy to access when you need it and stays secure when you don't

Specifications

Product Dimensions S	27.6" W x 23.6" D x 18.5" H 70 cm x 60 cm x 47 cm
Product Dimensions M	33" W x 20.7" D x 32.5" H 83.6 cm x 52.6 cm x 82.5 cm
Packaging Weight S	61.7 lbs (28 kg)
Packaging Weight M	92.6 lbs (42 kg)

DTF bundles & equipment/machinery do not qualify free freight.

FREQUENTLY ASKED QUESTIONS

My white ink is not printing.

Reason: Pooling, running, or bleeding ink

Caused by:
- Print mode settings
- Incompatible film and ink set
- Film PET coating defect
- Expired/separated ink

Solution: Do not use third party ink or film.

Confirm white ink is not expired.

Verify print mode and media settings on the queue and job tab underneath the preview window in Digital Factory.

Settings should reflect current ink and film in use.

If necessary, reduce white ink density.

I'm getting streak/track marks on the film.

Reason: Printhead Strike
Internal Roller dirty/debris inside printer
Damaged/dirty encoder strip

Solution: Special attention must be paid to the direction of the smearing or track marks.

If they are horizontal (i.e. the direction the print head travels) a head strike is the most likely cause.

Vertical marks indicate a dirty internal roller. This can be cleaned with the included cleaning solution and cleaning swabs.

If the marks appear to be in a random pattern or localized to one specifc area across different prints, visually inspect encoder strip for damage or dirt. Encoder strip can be cleaned with included cloth and isopropyl alcohol.

My color is not coming out correctly.
(after printing)

Reason: Colors issues can be caused by any number of variables in the printing process. With experience you will to come to recognize what causes discoloration or off colors in a given situation.

Solution: Do not use third party ink or film. Our print modes are tested exclusively with film and ink we endorse. Using third party ink or film will affect print quality and may void your warranty.

Print nozzle check pattern.

Verify the correct print queue and mode are selected on the queue and job tabs underneath the preview window in Digital Factory.

Perform damper function test of channel that appears most affected.

My color is not coming out correctly.
(after curing or transferring)

Reason: Discoloration during the curing or transfer processes is typically caused by excessive or improper temperature settings or defective film coating.

Solution: Verify you are using the correct time and temperature requirements for your method of curing (heat press, oven, dryer). If issue has not previously occurred and your process has not changed, then the film is the most probable cause. Perform 2-3 test prints and cures. If issue persists, contact support.

Live Tech Support

What is DTF Station Live Tech Support?

DTF Station customers can message DTF Station's Technical Support Team for quick access to the best technical support for DTF Station products.

DTF STATION
VIDEOS





Heat Transfer Material

in this section:

HEAT TRANSFER VINYL 24

FAQ & INFORMATION 52



Kota Pro™ Cut Heat Transfer Material

Enjoy the quality, speed and versatility of the Kota Pro heat transfer material. The color selection is expansive and the material presses beautifully at a lower temp in **4 SECONDS**. Kota Pro Heat Transfer Material is OEKO-TEX Certified. Enjoy the time and money you'll save with Kota Pro. ***NOT SUBLIMATABLE***

Heat Press Temp:	285° F/140° C	**Pressure:**	Medium
Peel:	Hot*	**Cut Direction:**	Mirror
Time:	**4 SECONDS**	**Thickness:**	3.1 mil (3.5 mil Neon)

PRESS TIME 4 SECONDS!

001 White	**012** Red		**023** Midnight	**034** Satin Blue		**044** Teal
002 Black	**013** Wine		**024** Bright Purple	**035** Baby Blue		**045** Ocean
003 Bright Yellow	**014** Lilac		**025** Satin Purple	**036** Lime Green		**046** Brown
004 Golden Yellow	**015** Light Purple		**026** Dark Blue	**037** Apple Green		**047** Almond
005 Marigold	**016** Light Pink		**027** Navy	**038** Bright Green		**048** Tan
006 Orange	**017** Pink		**028** Bright Blue	**039** Green		**049** Terracotta
007 Sunset	**018** Bubble Gum		**029** Royal Blue	**040** Forest Green		**050** Clay
008 Tangerine	**019** Rose		**030** Slate Blue	**041** Olive Green		**051** Bisque
009 Burnt Orange	**020** Fuchsia		**031** Azure	**042** Mint		**052** Light Grey
010 Coral Red	**021** Grape		**032** Electric Blue	**043** Turquoise		**053** Dark Grey
011 Bright Red	**022** Dark Purple		**033** Sky Blue			

*For 5 yards use KPEX-**1502**-Color #*

Understanding the Part Numbers

KPEX - 1554 - 001

- KPEX: Kota Pro ExPress Series
- 1554: Width = 15", Length = 162' (54 yard)
- 001: Color #

KotaPro Opaques, Specials & Neons
Size
15" x 5 yd
15" x 54 yd

101 Rose Gold		**201** Neon Yellow
102 Gold		**202** Neon Orange
103 Bronze		**203** Neon Pink
104 Copper		**204** Neon Green
105 Graphite		**205** Neon Blue
106 Silver		



Kota Pro™ Print Heat Transfer Material

Bring your custom apparel designs to life with this line of print heat transfer material from Kota Pro. You'll fly through production as it prints beautifully and presses in just **4 SECONDS**. The low temperature setting makes this an ideal material for almost any type of fabric. We recommend using Kota Pro Heat Transfer Mask as a transfer tape that also protects the film while pressing. Remove tape while hot. ***NOT SUBLIMATABLE***

Heat Press Temp:	285° F/140° C	**Pressure:**	Medium
Peel:	Hot	**Print Direction:**	Right Reading
Time:	**4 SECONDS**	**Thickness:**	3.1 mil

PRESS TIME 4 SECONDS!

Part No.	Size
KPEX-2027-501	20" x 27 yd
KPEX-3027-501	30" x 27 yd
KPEX-6027-501	60" x 27 yd




See pages 206-222 for heat presses

Kota Pro™ Heat Transfer Mask

This mask is required to transfer Kota Pro Heat Transfer Print material from the liner onto the shirt being pressed. Print your design, cut it and then mask it with Kota Pro Heat Transfer Mask. The mask is designed to keep your graphics registered and protected while in the heat press. This is a must-have when working with printable heat transfer material.

Part No.	Size
EXTAPE20A	20" x 27 yd
EXTAPE30A	30" x 27 yd
EXTAPE60A	60" x 27 yd



Kota Pro™ Clear Print Heat Transfer Material

If you're creating designs for light-colored fabrics, you need to try Kota Pro Clear Print. It delivers a feel that's similar to screen printing with an eye-catching transparent finish. Print your designs directly onto the adhesive - eliminating the need for transfer tape. ***NOT SUBLIMATABLE***

Heat Press Temp:	305° F/151° C	**Pressure:**	Medium
Peel:	Warm	**Print Direction:**	Mirror
Time:	10 seconds	**Thickness:**	2.0 mil

Part No.	Size
KPEX-2027-000	20" x 27 yd



See pages 206-222 for heat presses

AlbaChem® VLR Vinyl Letter Removing Solvent

Use VLR to completely remove vinyl letters and residues from most fabrics.

- Fast Drying
- Leaves No Stains
- Does Not Contain Any Chlorinated Solvents
- Safe for Most Fabrics

VLR can only be shipped by ground in the continental U.S.

VLR1020
Vinyl Letter Remover
20 oz.



May not remove "overheated" graphics

STAHLS' MASTER DISTRIBUTOR

PRE-CUT Numbers

Stahls' Pre-Cut Numbers are the most popular choice for personalizing team uniforms. They feature fast application and low cost, with high quality finishes and durability. Stocking Pre-Cut Numbers is perfect for walk-in business and allows you to create last-minute player additions with little to no notice. All numbers are cut from Thermo-Film® ***NOT SUBLIMATABLE***

Heat Press Temp: 330° F/166° C
Peel: Hot
Time: 6-8 seconds
Pressure: Medium (4 - 6)

W White
RD Red
NVY Navy
BK Black
GD Gold
RYL Royal

Package Size:
1" & 2": 20 Count
3", 4", 6", 8", 10" & 12": 10 Count

Height Part Number Codes	
Size	
1"	1010
2"	1020
3"	1030
4"	1040
6"	1060
8"	1080
10"	1100
12"	1120

PRO BLOCK Numbers (PB)

1234567890

Available in Sizes: 1", 2", 3", 4", 6", 8", 10", 12"
Numbers: 0, 1, 2, 3, 4, 5, 6/9, 7, 8

Understanding the Part Numbers

PB1010FIL1-0W

Style: PB | Height: 1010 | #: FIL1 | Color: 0W

Height = 1010 (1")

See pages 206-222 for heat presses





Varsity Numbers (VA)

1234567890

Available in Sizes: 4", 6", 8" & 10"
Numbers: 0, 1, 2, 3, 4, 5, 6/9, 7, 8

Understanding the Part Numbers

VA1040FIL1-1W

Style: VA | Height: 1040 | #: FIL1 | Color: 1W

Height = 1040 (4")

TEAM US Numbers (TU)

1234567890

Available in 4", 6", 8", 10"
Numbers: 0, 1, 2, 3, 4, 5, 6/9, 7, 8

Understanding the Part Numbers

TU1060FIL1-2W

Style: TU | Height: 1060 | #: FIL1 | Color: 2W

Height = 1060 (6")

CAD-CUT® UltraWeed™

STAHLS' MASTER DISTRIBUTOR

Your go-to material for everyday projects. UltraWeed provides a matte finish and soft feel with effortless weeding and cutting. With a low application temp, it delivers the ultimate, worry-free experience from start to finish. ***NOT SUBLIMATABLE***

Heat Press Temp: 260°-300° F/126°-149° C
Peel: Hot
(280-300°F if garment contains 50% or more cotton)

Time: 12 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001 White		**003** Red		**011** Purple	**110** Lime*		**048** Neon Pink		
007 Gray		**014** Cardinal		**418** Carolina Blue	**113** Greenery		**561** Neon Raspberry		
002 Black		**118** Dark Crimson		**092** Light Blue	**513** Apple Green		**132** Neon Blue		
199 Pale Yellow		**010** Maroon		**012** Columbia*	091 Green		**049** Neon Green		
037 Maize		**185** Coral		**004** Royal	008 Kelly		**137** Metallic Black		
090 Yellow		**017** Pink*		**055** Cyan*	015 Dark Green		**060** Vegas Gold		
005 Gold		**420** Medium Pink*		**176** Light Navy	**042** Cream*		**061** Metallic Gold		
018 Old Gold		**319** Dark Pink		**006** Navy	**210** Medium Brown*		**187** Rose Gold		
041 Texas Orange		**039** Lilac		**209** Bahama Blue	**051** Neon Yellow		**062** Metallic Silver*		
009 Orange		**250** Amethyst		**111** Mint Blue*	**050** Neon Orange				
134 Bright Red		**114** Ultra Violet		**034** Shark Teal					


*Not Available in 20"

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends • Lycra®/Spandex

UltraWeed		
Size	**Size**	**Size** *Not available in every color
12" x 5 yd	15" x 5 yd	20" x 5 yd
12" x 10 yd	15" x 10 yd	20" x 10 yd
12" x 25 yd	15" x 25 yd	20" x 25 yd
12" x 50 yd	15" x 50 yd	20" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	**Blade**	**Force**	**Offset**	**Speed**
Graphtec	45°	7-9	0	20 cm/s

Understanding the Part Numbers



See pages 206-222 for heat presses



CAD-CUT® Thermo-FILM® & Thermo-GRIP®

STAHLS' MASTER DISTRIBUTOR

The #1 choice for contact sports uniforms, Thermo-FILM and Thermo-GRIP have a semi-gloss finish with the strength to stick and stay on. Thermo-FILM offers extreme durability and enhanced abrasion resistance. Its superior opacity is perfect for inhibiting dye migration. Thermo-GRIP, the best choice for nylon athletic garments, has a patented adhesive specially formulated to decorate Dazzle and nylon mesh with ease. ***NOT SUBLIMATABLE***

Heat Press Temp: 330° F/166° C
Peel: Thermo-FILM: Hot
Thermo-GRIP: Warm

Time: 6-8 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001 White*		**018** Old Gold		**010** Maroon*	**012** Columbia		**008** Kelly
002 Black*		**009** Orange*		**017** Pink	**004** Royal*		**015** Dark Green*
007 Gray*		**003** Red*		**011** Purple*	**006** Navy*		**060** Vegas Gold
037 Maize		**014** Cardinal		**068** Brown	**034** Shark Teal		**062** Metallic Silver
005 Gold*							

*Available in Thermo-GRIP

See pages 206-222 for heat presses

MATERIAL COMPATIBILITY

THERMO-FILM
Cotton • Polyester • Cotton/Poly Blends

THERMO-GRIP
Cotton • Polyester • Cotton/Poly Blends • Nylon Mesh

Thermo-FILM & Thermo-GRIP	
Size	**Size**
15" x 5 yd	20" x 5 yd
15" x 10 yd	20" x 10 yd
15" x 25 yd	20" x 25 yd
15" x 50 yd	20" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	**Blade**	**Force**	**Offset**	**Speed**
Graphtec	45°	18-20	0	30 cm/s

Understanding the Part Numbers

MC150FLM001-5

Width | Material | Color | Length

Width = 150 (15")
Length = 5 (5 yd)

Understanding the Part Numbers

MC150GRP001-5

Width | Material | Color | Length

Width = 150 (15")
Length = 5 (5 yd)



CAD-CUT® Premium Plus™

STAHLS' MASTER DISTRIBUTOR

Perfect for personalization on performance wear. With its soft, lightweight feel, high stretch and rebound properties, Premium Plus is one of the most versatile heat transfer materials available. This low-temp material with a soft, silky matte finish is the ideal choice when decorating heat-sensitive performance wear. ***NOT SUBLIMATABLE***

Heat Press Temp: 280°-300° F/138°-148° C
Peel: Hot
Time: 8-12 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001	White	041	Texas Orange		418	Carolina Blue	513	Apple Green	050	Neon Orange
007	Gray	003	Red		012	Columbia	008	Kelly	048	Neon Pink
329	Charcoal	505	Burgundy		055	Cyan	015	Dark Green	132	Neon Blue
002	Black	010	Maroon		004	Royal	417	Camel	049	Neon Green
037	Maize	017	Pink		427	University Blue	210	Medium Brown	062	Metallic Silver
005	Gold	420	Medium Pink		006	Navy	068	Brown	061	Metallic Gold
018	Old Gold	043	Fuchsia		209	Bahama Blue	051	Neon Yellow		
009	Orange	011	Purple		013	Teal				

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends
Lycra®/Spandex


Premium Plus
Size
20" x 5 yd
20" x 10 yd
20" x 25 yd
20" x 50 yd

See pages 206-222 for heat presses

CUTTING INSTRUCTIONS

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	9-11	0	20 cm/s

Understanding the Part Numbers





CAD-CUT® SportFilm Lite™

STAHLS' MASTER DISTRIBUTOR

Best value material for lightweight garments. With a semi-matte finish, SportFilm Lite is thin, flexible and durable. It cuts and weeds easily. Not recommended for layered 2-color applications. ***NOT SUBLIMATABLE***

Heat Press Temp: 302° F/150° C
Peel: Warm
Time: 10-12 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001	White	009	Orange		012	Columbia	015	Dark Green	132	Neon Blue
007	Gray	003	Red		004	Royal	068	Brown	049	Neon Green
002	Black	010	Maroon		006	Navy	051	Neon Yellow	062	Metallic Silver
037	Maize	011	Purple		034	Shark Teal	050	Neon Orange	060	Vegas Gold
180	Athletic Gold	506	Sky Blue		008	Kelly	048	Neon Pink	061	Metallic Gold

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends
Lycra®/Spandex • Nylon

SportFilm Lite
Size
20" x 5 yd
20" x 10 yd
20" x 25 yd
20" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	9-11	0	30 cm/s

See pages 206-222 for heat presses

Understanding the Part Numbers

MC200SFL007-5

Width = 200 (20")
Length = 5 (5 yd)



CAD-CUT® Silicone Dye-Block™

STAHLS' MASTER DISTRIBUTOR

Eliminate dye migration – even on sublimated polyester sports jerseys. Trust the industry's first cuttable solution to fully block dye migration. With application temps as low as 290°F, this material has a matte finish and rubber-like feel. Finished apparel is stretchable with good recovery. ***NOT SUBLIMATABLE***

Heat Press Temp: 290°-302° F/143°-150° C
Peel: Cold
Time: 10-15 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001 White
002 Black
506 Sky Blue
008 Kelly
007 Gray
003 Red
004 Royal

MATERIAL COMPATIBILITY
Sublimated Polyester • Cotton • Polyester
Cotton/Poly Blends • Uncoated Nylon

Silicone Dye-Block
Size
20" x 5 yd
20" x 10 yd
20" x 25 yd
20" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	11-13	0	20 cm/s

See pages 206-222 for heat presses

Understanding the Part Numbers

MC200SI2001-5

Width | Material | Color | Length

Width = 200 (20")
Length = 5 (5 yd)



CAD-CUT® GORILLA GRIP® II

STAHLS' MASTER DISTRIBUTOR

Best choice for heat printing on nylon. Ideal for decorating equipment bags and jackets, GORILLA GRIP II vinyl adheres to difficult fabrics such as tightly woven nylons, oxfords, satin, crinkle, and rip stop nylon. Its finish is a soft matte. ***NOT SUBLIMATABLE***

Heat Press Temp: 320° F/160° C
Peel: Cold
Pressure: Light (1 - 3)

Time: Tack 2 seconds, peel cold, cover & seal 10 seconds

001 White
002 Black
003 Red
004 Royal
005 Gold
006 Navy
008 Kelly
059 Hot Pink
060 Vegas Gold
061 Metallic Gold
062 Metallic Silver

MATERIAL COMPATIBILITY
Cotton • Cordura® • Nylon

Gorilla Grip II
Size
19" x 5 yd
19" x 10 yd
19" x 25 yd
19" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	20 cm/s

See pages 206-222 for heat presses

Understanding the Part Numbers

MC190GGP001-5

Width | Material | Color | Length

Width = 190 (19")
Length = 5 (5 yd)



CAD-CUT® Soft Foam

STAHLS' MASTER DISTRIBUTOR

Upgrade apparel with this specialty dimensional material. Soft and pliable when heat is applied, CAD-CUT Soft Foam offers all the benefits of traditional HTV with a unique, raised look and feel. Its ultra-matte finish, velvet-like texture and dimensional effect is perfect for creating premium designs for everyday fashion, spirit wear, athletics, and more. ***NOT SUBLIMATABLE***

Heat Press Temp: 300° F/150° C
Peel: Cold
Time: 15 seconds
Pressure: Light/Medium (3 - 4)

COMPATIBLE WITH LASER CUTTER

001 White	**074** Raven Gold		**006** Navy	**431** Textured Black		**436** Textured Mint
054 Eagle Gray	**134** Bright Red		**417** Camel	**432** Textured Pink		**433** Textured Dark Tan
002 Black	**004** Royal		**430** Textured White	**435** Textured Light Blue		**434** Textured Brown

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Soft Foam
Size
20" x 5 yd
20" x 10 yd
20" x 25 yd

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	24-26	0	30 cm/s

Understanding the Part Numbers

MC200SFM001-5

Width | Material | Color | Length

Width = 200 (20")
Length = 5 (5 yd)

See pages 206-222 for heat presses



CAD-CUT® Soft Flock

STAHLS' MASTER DISTRIBUTOR

Create textured designs with this vibrant, suede-like material. CAD-CUT Soft Flock is a budget-friendly alternative to embroidery for left chest logos and more. Delivering a matte finish, it's made with high-density, high-quality fibers that produce vibrant and long-lasting colors. ***NOT SUBLIMATABLE***

Heat Press Temp: 311° F/155° C
Peel: Warm
Time: 15 seconds
Pressure: Medium (4 - 6)

001 White	**294** Boot Yellow		**218** Pale Pink	**004** Royal		**091** Green
007 Gray	**005** Gold		**043** Fuchsia	**006** Navy		**532** Olive
329 Charcoal	**009** Orange		**505** Burgundy	**045** Turquoise		**068** Brown
002 Black	**134** Bright Red		**011** Purple	**296** Sea Glass		**295** Baby's Breath
085 Lemon Yellow	**219** Deep Red		**555** Pale Blue			

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Soft Flock	
Size	Size
12" x 5 yd	15" x 5 yd
12" x 10 yd	15" x 10 yd
12" x 25 yd	15" x 25 yd
12" x 50 yd	15" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12	0	25 cm/s

Understanding the Part Numbers

MC120SFK001-5

Width | Material | Color | Length

Width = 120 (12")
Length = 5 (5 yd)

See pages 206-222 for heat presses



CAD-CUT® Glitter Flake™

STAHLS' MASTER DISTRIBUTOR

Ideal for cheer and spirit wear, Stahls' most popular special effect material will create looks that sparkle and shine. Highly durable with a textured finish, Glitter Flake stands out on the playground, on the sidelines, on campus, or anywhere else you'll find fan wear, cheer apparel, and fashion garments. ***NOT SUBLIMATABLE***

Heat Press Temp: 290°-302° F/143°-150° C
Peel: Hot
Time: 10-12 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001	White	185	Coral	011	Purple	331	Light Green	122	Light Multi
182	Rainbow White	225	Rainbow Coral	035	Eggplant	008	Kelly	126	Black/Silver
329	Charcoal	003	Red	183	Periwinkle	015	Dark Green	124	Black/Gold
002	Black	010	Maroon	012	Columbia	098	Fluorescent Yellow	223	Vintage Gold
186	Rainbow Black	321	Light Pink	004	Royal	100	Fluorescent Orange	005	Gold
199	Pale Yellow	420	Medium Pink	178	Bright Royal	101	Fluorescent Pink	201	Hologram Gold
121	Yellow Gold	017	Pink	006	Navy	104	Fluorescent Purple	125	Confetti
009	Orange	127	Cherry	123	Aqua	103	Fluorescent Blue	212	Florida Orange
187	Rose Gold	059	Hot Pink	198	Beach Blue	099	Fluorescent Green	214	Teakwood
196	Copper	224	Rainbow Plum	184	Mint	064	Silver	306	Peacock Teal
069	Bronze	149	Plum	084	Jade	200	Hologram Silver	213	Coronado Gold
068	Brown	307	Lavender	091	Green				

See pages 206-222 for heat presses

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Glitter Flake	
Size	Size
12" x 5 yd	20" x 5 yd
12" x 10 yd	20" x 10 yd
12" x 25 yd	20" x 25 yd
12" x 50 yd	20" x 50 yd

Understanding the Part Numbers

MC120GFL001-5

- MC120 — Width
- GFL — Material
- 001 — Color
- 5 — Length

Width = 120 (12")
Length = 5 (5 yd)

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	18-22	0	30 cm/s



STAHLS' MASTER DISTRIBUTOR

CAD-CUT® Hologram

Bright lights and big impact - Hologram heat transfer vinyl has a shiny, high-gloss prism-like finish which creates a rainbow effect that shifts as the garment moves. Create a distinct and unique look with this prism-like material. ***NOT SUBLIMATABLE***

Heat Press Temp: 320° F/160° C
Peel: Cold
Time: 10-15 seconds
Pressure: Firm (7 - 9)

COMPATIBLE WITH LASER CUTTER

002 Black	**043** Fuchsia	**022** Blue	**091** Green	**241** Multi Rainbow
009 Orange	**011** Purple	**006** Navy	**064** Silver	**256** Crystal
003 Red	**092** Light Blue	**123** Aqua	**005** Gold	**242** Gold Crystal
017 Pink				

See pages 206-222 for heat presses

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Hologram
Size
20" x 5 yd
20" x 25 yd

CUTTING INSTRUCTIONS

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	15-17	0	30 cm/s

Understanding the Part Numbers

MC200HOL002-5

Width | Material | Color | Length

Width = 200 (20")
Length = 5 (5 yd)



CAD-CUT® UV Shift

STAHLS' MASTER DISTRIBUTOR

Color changing HTV that transforms in sunlight. Give custom apparel a creative edge with this magical, color changing material that appears white until activated by sun or UV light. With a matte finish and a soft hand, UV Shift is ideal for t-shirts, hoodies, and children's apparel. ***NOT SUBLIMATABLE***

Heat Press Temp: 302° F/150° C
Peel: Hot
Time: 10-12 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

090 Yellow
207 Magenta
022 Blue
096 Violet

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

UV Shift
Size
12" x 5 yd
12" x 10 yd
12" x 25 yd
12" x 50 yd

See pages 206-222 for heat presses

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8	0	30 cm/s

Understanding the Part Numbers

MC120UVS022-5

Width = 200 (20")
Length = 5 (5 yd)

- MC120 — Width
- UVS — Material
- 022 — Color
- -5 — Length



STAHLS' MASTER DISTRIBUTOR

CAD-CUT® Glow

Create glow-in-the-dark graphics to personalize Halloween costumes, spirit wear, promotional t-shirts, bags and accessories. Thin, soft and extremely durable, Glow has a matte finish. The color appears in normal lighting and emits a colored glow when the lights are out. ***NOT SUBLIMATABLE***

Heat Press Temp: 305°F/152° C
Peel: Warm
Time: 10-15 seconds
Pressure: Medium (4 - 6)

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	30 cm/s

048 Neon Pink
049 Neon Green
050 Neon Orange
051 Neon Yellow
132 Neon Blue
135 White/Lime

Understanding the Part Numbers

MC120GLW048-5

Width | Material | Color | Length

Width = 120 (12")
Length = 5 (5 yd)

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Glow	
Size	Size
12" x 5 yd	20" x 5 yd
12" x 10 yd	20" x 10 yd
12" x 25 yd	20" x 25 yd
12" x 50 yd	20" x 50 yd

See pages 206-222 for heat presses



CAD-CUT® Soft Metallic

STAHLS' MASTER DISTRIBUTOR

The foil-like finish and soft feel of Metallic HTV lets you personalize apparel with a higher-perceived value. With a low temp 1-step application, Metallic is easy to cut and weed, thin and stretchable with the ability to hold fine detail. ***NOT SUBLIMATABLE***

Heat Press Temp: 285° F/141° C
Peel: Cold
Time: 8-10 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

069 Bronze	**003** Red	**059** Hot Pink	**092** Light Blue	**064** Silver
068 Brown	**261** Rose	**011** Purple	**004** Royal	**005** Gold

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Metallic
Size
20" x 5 yd
20" x 10 yd
20" x 25 yd
20" x 50 yd

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	30 cm/s

Understanding the Part Numbers

MC200MET005-5

Width = 200 (20")
Length = 5 (5 yd)

See pages 206-222 for heat presses



STAHLS' MASTER DISTRIBUTOR

CAD-CUT® Heat Transfer Foil

Perfect for fashion-forward decoration, creating attention-grabbing designs and two-tone looks. With vibrant colors available, Heat Transfer Foil is the easy, no-mess alternative to screen printing metallic finishes on garments when used with CAD-CUT Heat Press Adhesive. Create matte, distressed or multi-colored looks. ***NOT SUBLIMATABLE***

Heat Press Temp: 300° F/149° C
Peel: Cold
Time: 8-10 seconds
Pressure: Firm (7 - 9)

CK2 Black	**CRA** Burgundy	**CV2** Amethyst	**CN1** Green	**CMCAA01** Classic Rainbow	
CHC Bright Gold*	**CHJ** Rose Gold	**CBH** Sapphire Blue	**CS5** Bright Silver*		
CH4 Yellow Gold*	**CPC** Light Rose	**CBA** Teal	**CSOK114** Silver Waterfall		
CR4 Red	**CP1** Pink	**CNE** Kiwi	**CSOZP02** Halo Rainbow Silver		

*Available in 12" x 200'

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Heat Transfer Foil
Size
12" x 25 ft
12" x 200 ft

Understanding the Part Numbers

HTFCK21225

Material | Color | Width | Length

Length = 25 (25 ft)
Length = 200 (200 ft)



CAD-CUT® Heat Press Adhesive

Trust for long-lasting foil embellishments. Heat transfer foils are known for being short-term embellishments when added to transfer papers and plastisol inks. This foil adhesive solves that problem by permanently binding the foil. May be cut in a laser. ***NOT SUBLIMATABLE***

Heat Press Temp: 300° F/149° C
Peel: Hot
Time: 3-5 seconds
Pressure: Light (2 - 3)

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Heat Press Adhesive	
Part No.	Size
MC118CCH000-5	11.8" x 5 yd
MC118CCH000-10	11.8" x 10 yd
MC118CCH000-25	11.8" x 25 yd
MC118CCH000-50	11.8" x 50 yd

Heat Press Adhesive	
Part No.	Size
MC200CCH000-5	20" x 5 yd
MC200CCH000-10	20" x 10 yd
MC200CCH000-25	20" x 25 yd
MC200CCH000-50	20" x 50 yd

COMPATIBLE WITH LASER CUTTER

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	7-9	0	20 cm/s



CAD-CUT® Metallic Puff

STAHLS' MASTER DISTRIBUTOR

Transform your custom apparel with Metallic Puff, a unique heat transfer polyurethane that starts smooth and flat for easy cutting and puffs up with a metallic sheen when applied with heat. Add dimension and eye-catching shine to your designs on t-shirts, hoodies, fleece, jackets and more. Metallic Puff is best for simple or larger applications. ***NOT SUBLIMATABLE***

Heat Press Temp: 300° F/149° C
Peel: Cold
Time: 10 seconds
Pressure: Medium (4 - 6)

005 Gold
064 Silver

See pages 206-222 for heat presses

MATERIAL COMPATIBILITY
Cotton • Polyester
Cotton/Poly Blends

Puff
Size
12" x 5 yd
12" x 10 yd
12" x 25 yd

Understanding the Part Numbers

MC120MPU005-5

Width = 120 (12")
Length = 5 (5 yd)

COMPATIBLE WITH LASER CUTTER



CUTTING INSTRUCTIONS

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	9	0	20 cm/s

CAD-CUT® Puff

STAHLS' MASTER DISTRIBUTOR

Elevate your apparel with the perfect material to create popular cloud-like designs. With Puff, you can easily create a trendy dimensional look with just one layer of HTV. The material starts flat for easy cutting and puffs up after heat application. Available in a variety of colors with a textured matte finish, Puff is best for simple or larger designs. ***NOT SUBLIMATABLE***

Heat Press Temp: 280° F/138° C
Peel: Hot
Time: 8-10 seconds
Pressure: Medium/Firm (6 - 7)

COMPATIBLE WITH LASER CUTTER

001 White
509 Beige
420 Medium Pink
513 Apple Green
050 Neon Orange
002 Black
520 Chocolate Brown
011 Purple
091 Green
132 Neon Blue
005 Gold
003 Red
092 Light Blue
051 Neon Yellow
009 Orange
321 Light Pink
006 Navy

CUTTING INSTRUCTIONS

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-9	0	30 cm/s

MATERIAL COMPATIBILITY
Cotton • Polyester
Cotton/Poly Blends

Puff
Size
12" x 5 yd
12" x 10 yd
12" x 25 yd

Understanding the Part Numbers

MC120PUF001-5

Width = 120 (12")
Length = 5 (5 yd)



CAD-CUT® Chroma-TWILL™

STAHLS' MASTER DISTRIBUTOR

Create shimmering, colorful twill designs without embroidery equipment. This glossy heat transfer material features an iridescent finish with the look and feel of a traditional fabric twill. Chroma-TWILL can be layered on top of itself. ***NOT SUBLIMATABLE***

Heat Press Temp: 302° F/150° C
Peel: Cold
Time: 20 seconds
Pressure: Medium (4 - 6)

COMPATIBLE WITH LASER CUTTER

001 White	**081** Nugget Gold	**506** Sky Blue	**193** Artic Green	**048** Neon Pink
064 Silver	**116** Poppy Red	**094** Lime Green	**051** Neon Yellow	**049** Neon Green
090 Yellow	**017** Pink	**084** Jade	**050** Neon Orange	

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Chroma-Twill	
Size	Size
12" x 5 yd	20" x 5 yd
12" x 10 yd	20" x 10 yd
12" x 25 yd	20" x 25 yd
12" x 50 yd	20" x 50 yd

See pages 206-222 for heat presses

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12	0	20 cm/s

Understanding the Part Numbers

MC120CHT001-5

Width | Material | Color | Length

Width = 120 (12")
Length = 5 (5 yd)



CAD-CUT® Reflective II

STAHLS' MASTER DISTRIBUTOR

Add high-visibility reflective graphics that get noticed. Excellent for use as an accent on sports uniforms and accessories. Use for added visibility on backpacks, jackets, fashion apparel and more. PVC-free with a lower application temp, Reflective II works well on synthetic materials. ***NOT SUBLIMATABLE***

Heat Press Temp: 290° F/143° C
Peel: Hot
Time: 10-12 seconds
Pressure: Medium (4 - 6)

002 Black
013 Teal
186 Rainbow Black

COMPATIBLE WITH LASER CUTTER

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	11-13	0	30 cm/s



MATERIAL COMPATIBILITY
Cotton • Polyester
Cotton/Poly Blends • Nylon

Reflective II	
Part No.	Size
MC200RII002-5	20" x 5 yd
MC200RII002-10	20" x 10 yd
MC200RII002-25	20" x 25 yd
MC200RII002-50	20" x 50 yd
MC200RII013-5	20" x 5 yd
MC200RII013-10	20" x 10 yd
MC200RII013-25	20" x 25 yd
MC200RII013-50	20" x 50 yd
MC200RII186-5	20" x 5 yd
MC200RII186-10	20" x 10 yd
MC200RII186-25	20" x 25 yd
MC200RII186-50	20" x 50 yd

000 Silver



MATERIAL COMPATIBILITY
Cotton • Polyester
Cotton/Poly Blends • Nylon

Reflective II	
Part No.	Size
MC200RII-5	20" x 5 yd
MC200RII-10	20" x 10 yd
MC200RII-25	20" x 25 yd
MC200RII-50	20" x 50 yd

See pages 206-222 for heat presses

CAD-CUT® ReflectPRO

STAHLS' MASTER DISTRIBUTOR

Made with 3M™ Scotchlite™ Reflective, this material brightly reflects vehicle headlights, making it perfect for high-visibility apparel used by emergency workers, joggers, bikers, and anyone else who needs to be seen at night. ***NOT SUBLIMATABLE***

Heat Press Temp: 325°-350° F/163°-177° C
Peel: Hot
Time: 10-20 seconds
Pressure: Firm (7 - 9)

064
Silver

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12-14	0	30 cm/s

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends
Nylon • Cordura® • Lycra®/Spandex

ReflectivePRO	
Part No.	Size
MC160RPR064-5	16" x 5 yd
MC160RPR064-10	16" x 10 yd
MC160RPR064-25	16" x 25 yd
MC160RPR064-50	16" x 50 yd
MC240RPR064-5	24" x 5 yd
MC240RPR064-10	24" x 10 yd
MC240RPR064-25	24" x 25 yd
MC240RPR064-50	24" x 50 yd

See pages 206-222 for heat presses



CAD-CUT® Glimmer

STAHLS' MASTER DISTRIBUTOR

Elevate your apparel with a smooth, shimmering touch. This HTV combines a sleek finish with ultra-fine glitter particles that add a glimmering effect to any design. Perfect for t-shirts, hoodies, tote bags, and more. This material introduces a dynamic, shifting gradient effect that dazzles as light reflects off of it. ***NOT SUBLIMATABLE***

Heat Press Temp: 302° F/150° C
Peel: Hot
Time: 10 ceconds
Pressure: Medium (4 - 6)

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	11	0	25 cm/s

003 Red		**064** Silver	
009 Orange		**094** Lime Green	
017 Pink		**298** Bright Blue	
039 Lilac		**505** Burgundy	

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends


Glimmer	
Size	Size
12" x 5 yd	20" x 5 yd
12" x 10 yd	20" x 10 yd
12" x 25 yd	20" x 25 yd
12" x 50 yd	20" x 50 yd

Understanding the Part Numbers

MC120GLM003-5

MC = Width (120 = 12") · GLM = Material · 003 = Color · -5 = Length (5 = 5 yd)

See pages 206-222 for heat presses



CAD-COLOR® Chroma-TWILL™

STAHLS' MASTER DISTRIBUTOR

Create full-color logos with a woven fabric feel, an iridescent color shift and no sewing required. Great for sports, fanwear, headwear, and branding. With its glossy finish and dimensional, textured feel, CAD-COLOR Chroma-TWILL allows you to bring a premium product offering into new markets. This specialty, printable HTV can be layered on itself. It is not recommended for finely detailed designs. ***NOT SUBLIMATABLE***

Heat Press Temp: 305° F/152° C
Peel: Cold
Time: 20 ceconds

Pressure: Medium (4 - 6)
Print Directions: Mirror

CUTTING INSTRUCTIONS

Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12	0	20 cm/s

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Chroma-TWILL

Part No.	Size
MC200PCT001-5	20" x 5 yd
MC200PCT001-10	20" x 10 yd
MC200PCT001-25	20" x 25 yd
MC300PCT001-5	30" x 5 yd
MC300PCT001-10	30" x 10 yd
MC300PCT001-25	30" x 25 yd

See pages 206-222 for heat presses



CAD-COLOR® Express Print®

STAHLS' MASTER DISTRIBUTOR

Stahls' most popular and cost-effective printable media. Durable and lightweight with a semi-matte finish, Express Print is perfect for creating full color transfers with solvent or eco-solvent based printers. It's a production favorite with a fast dry time, easy weeding, and quick masking. Note – not compatible with laser cutters or inkjet/laser printers. ***NOT SUBLIMATABLE***

Heat Press Temp: 300° F/149° C
Peel: Warm
Time: 15-20 seconds
Pressure: Medium (4 - 6)

Polypropylene Only
Heat Press Temp: 250° F/121° C
Peel: Hot
Time: 15 seconds
Pressure: Medium (4 - 6)

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends
Lycra®/Spandex • Polypropylene

Express Print	
Part No.	Size
MC200XPT001-5	20" x 5 yd
MC200XPT001-10	20" x 10 yd
MC200XPT001-25	20" x 25 yd
MC300XPT001-5	30" x 5 yd
MC300XPT001-10	30" x 10 yd
MC300XPT001-25	30" x 25 yd
MC540XPT001-5	54" x 5 yd
MC540XPT001-10	54" x 10 yd
MC540XPT001-25	54" x 25 yd

RECOMMENDED MASK:
Medium Tack Magic Mask®

See pages 206-222 for heat presses



ECO SOLVENT SOLVENT

CAD-COLOR® Soft Opaque II

New and improved printable material that is light and soft to the touch. Enjoy fast production with a low application temp of only 250° F. Thin and stretchable, Soft Opaque II is ideal for a variety of fabrics and will stretch along with them. Its superior opacity means the colors will stay bright and stand out on even the darkest garments. ***NOT SUBLIMATABLE***

Heat Press Temp: 250° F/121° C
Peel: Hot
Time: 5-7 seconds
Pressure: Medium (4 - 6)

ECO SOLVENT SOLVENT

MATERIAL COMPATIBILITY
Cotton • Polyester
Cotton/Poly Blends • Lycra®/Spandex

Soft Opaque II	
Part No.	Size
MC200SO2001-5	20" x 5 yd
MC200SO2001-10	20" x 10 yd
MC200SO2001-25	20" x 25 yd
MC300SO2001-5	30" x 5 yd
MC300SO2001-10	30" x 10 yd
MC300SO2001-25	30" x 25 yd

RECOMMENDED MASK:
Medium Tack Magic Mask®



STAHLS' MASTER DISTRIBUTOR

CAD-COLOR® SUPERTEK® Sublistop™

Inhibit bleed-through with a material designed to inhibit dye migration. A charcoal-based liner and patented STiX2™ adhesive keep transfers vibrant and true on sublimated and brightly colored polyester garments. Lightweight, with a soft hand, semi-matte finish, excellent stretch and rebound; this material has a low application temp of 280°F to 300°F to avoid scorching heat-sensitive performance fabrics. ***NOT SUBLIMATABLE***

Heat Press Temp: 280°F-300°F/138°-149° C
Peel: Warm
Time: Tack 5 seconds, peel, cover & seal 5 seconds
Pressure: Medium (4 - 6)

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends
Lycra®/Spandex • Nylon • Cordura®
Leather • Neoprene

SuperTEK Sublistop	
Part No.	**Size**
MC200SSU001-5	20" x 5 yd
MC200SSU001-10	20" x 10 yd
MC200SSU001-25	20" x 25 yd
MC400SSU001-25	40" x 25 yd

RECOMMENDED MASK:
Solutions® Mask

See pages 206-222 for heat presses



ECO SOLVENT SOLVENT

CAD-COLOR® SUPERTEK® Opaque

Create stunning full color transfers for dark garments. With excellent opacity, stretch and rebound plus a low application temperature, it's perfect for stretchy heat-sensitive performance fabrics. Patented STiX2™ adhesive applies to almost any fabric. SUPERTEK Opaque delivers a semi-matte finish and incredibly soft hand. ***NOT SUBLIMATABLE***

Heat Press Temp: 280°F-300°F/138°-149° C
Peel: Warm
Time: Tack 5 seconds, peel, cover & seal 5 seconds
Pressure: Medium (4 - 6)

ECO SOLVENT SOLVENT

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends
Lycra®/Spandex • Nylon • Cordura®
Leather • Neoprene

SuperTEK Opaque	
Part No.	**Size**
MC200SOP120-5	20" x 5 yd
MC200SOP120-10	20" x 10 yd
MC200SOP120-25	20" x 25 yd
MC400SOP120-25	40" x 25 yd

RECOMMENDED MASK:
Solutions® Mask



CAD-COLOR® SUPERTEK® Matte/Gloss Clear

Superior finishes for white or light fabrics. Masks aren't needed when you use this print HTV. With exceptional stretch and rebound properties plus a low application temperature and the patented STiX2™ adhesive, this printable material is perfect for performance garments. ***NOT SUBLIMATABLE***

Heat Press Temp: 280° F-300° F/138°-150° C
Peel: Cold, cover & seal 5 seconds
Time: Tack 5 seconds, peel, cover & seal 5 seconds
Pressure: Medium (4 - 6)
Print Directions: Mirror

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends
Lycra®/Spandex • Nylon

SuperTEK Clear	
Part No.	Size
MC200SMA000-5	20" x 5 yd
MC200SMA000-10	20" x 10 yd
MC200SMA000-25	20" x 25 yd

See pages 206-222 for heat presses



CAD-COLOR® Glitter

Print full color bling designs with a unique glitter/shimmer finish that is ideal for decorating fashion, cheer and fan wear. ***NOT SUBLIMATABLE***

Heat Press Temp: 302° F/150° C
Peel: Hot
Time: 12 seconds
Pressure: Medium (4 - 6)

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Glitter	
Part No.	Size
MC200GLR001-5	20" x 5 yd
MC200GLR001-10	20" x 10 yd
MC200GLR001-25	20" x 25 yd

RECOMMENDED MASK:
High Tack Magic Mask®



CAD-COLOR® Soft Foam

Create full color dimensional designs that add a raised effect to any item. With a smooth, velvet-like texture Soft Foam is perfect for creating premium looks for everyday fashion, spirit wear, athletics and more. Due to the porous texture of the material, printed designs will have a matte finish with soft, muted colors. ***NOT SUBLIMATABLE***

Heat Press Temp: 302° F/150° C
Peel: Hot
Time: 15 seconds
Pressure: Light/Medium (3 - 4)

MATERIAL COMPATIBILITY
Cotton • Polyester • Cotton/Poly Blends

Soft Foam	
Part No.	**Size**
MC200SOM001-5	20" x 5 yd
MC200SOM001-10	20" x 10 yd
MC200SOM001-25	20" x 25 yd

RECOMMENDED MASK:
Medium Tack Magic Mask®

See pages 206-222 for heat presses




CAD-COLOR® Masks

SOLUTIONS® Masks

Easily pull printed transfers from the carrier with this mask and transfer them to the garment for application. Just peel the mask off the carrier, squeegee over weeded design, peel mask to remove printed design and place the design on your substrate or garment. Recommended for use with TEK™ printable materials.

Solutions	
Part No.	**Size**
MC230SMM000-10	23" x 10 meter
MC230SMM000-20	23" x 20 meter
MC400SMM000-25	40" x 25 yd



MAGIC MASK® – Medium Tack

Recommended for CAD-COLOR Express Print, Soft Foam and Soft Opaque II. Transfer designs cut on your vinyl cutter from the HTV carrier to the substrate. Medium tack mask is designed for materials with medium thickness and weight.

Magic Mask - Medium Tack	
Part No.	**Size**
MC150STM000-10	15" x 10 yd
MC150STM000-25	15" x 25 yd
MC200STM000-5	20" x 5 yd
MC200STM000-10	20" x 10 yd
MC200STM000-25	20" x 25 yd
MC300STM000-10	30" x 10 yd
MC300STM000-25	30" x 25 yd

MAGIC MASK® – High Tack

Best used on fabrics like CAD-COLOR Glitter. High tack allows you to remove and transfer thicker materials.

Magic Mask - High Tack	
Part No.	**Size**
MC200M15000-10	20" x 10 yd
MC200M15000-25	20" x 25 yd

FREQUENTLY ASKED QUESTIONS

What are the differences between heat transfer vinyl and sublimation?

Heat transfer vinyl (HTV) is like a sticker that uses a heat press to activate the adhesive and attach it to a surface that is often fabric. HTV lies on top of the substrate. Even though the thickness can be quite small, you will still feel the HTV when you run your hand over it.

By comparison, sublimation inks become a gas when heat is applied. The molecules dye the surface, becoming a part of it. That's why you can't feel the design. Surfaces that accept sublimation must be polyester or have a poly-coating. They must also be white or light-colored.

What materials or surfaces are suitable for HTV?

Heat transfer can be applied to a wide variety of flat and slightly curved surfaces. Shirts, jackets, hats, patches and bags are all popular applications. Surfaces may be smooth or slightly textured. HTV is a durable and washable. It can also be used to decorate diverse surfaces such as portfolios, wall décor, drink coasters and other materials made with leather or leatherette.

How do I know which HTV material to use?

Each HTV product in our catalog includes a list of compatible materials. Fabric composition and sensitivity to heat are primary considerations. Finish and dimension/thickness options are more subjective, giving you flexibility to meet your customers' design preferences.

What if my customer wants a design with more than one color?

Two options are available when producing multi-color designs. First, use a white, printable HTV material. Wide-format printers with solvent or eco-solvent inks can produce full color designs with high image definition. Printable HTV delivers vibrant colors and the same washer durability of other heat transfer vinyls.

The second option is to apply layers of solid colored material. This option works well for shops that don't have a roll-to-roll printer. As many as three layers may be applied, adding not only color variety but also eye-catching dimensionality.

When should I consider using HTV rather than a different process?

Every process (heat transfer, sublimation, DTF) has its own pros, cons and best uses. HTV is considered best for:

- Team jerseys, names and numbers
- Branded corporate wear
- Custom shirts with solid colors or simple logos
- Specialty finishes such as glitter, metallic, holographic or even UV-sensitive glow-in-the-dark
- Leather and leatherette surfaces that are flat or slightly curved
- One-off personalization jobs

How durable is heat transfer vinyl?

High-quality HTV, like the options offered in this catalog, will look good after 50 or more washes. Washing inside-out in cold water and avoiding high-heat drying is recommended to extend the life of the garment and transfer.

If my HTV transfer is peeling, what went wrong?

Common causes are not using enough pressure, too little or too much heat when pressing, incompatible vinyls were layered and the garment was washed too soon after pressing (wait at least 24 hours).

Is HTV safe on kids' clothing?

Yes, most major brands, like the ones found here, are CPSIA certified, meaning they're safe for children's garments. Always check the product listing to confirm.

JDS Print Process Icons

ECO Solvent Ink - Low-solvent ink requires a longer drying period than Solvent ink, and Lifespan of two to three years.

Solvent Ink - Oil based ink that maintains pigment while bonding more effectively to the substrate. Widely used for outdoor applications.



Compatible Laser Cutter CAD-CUT® HTV

UltraWeed	Silicone Dye-Bock™	Soft Metallic
Thermo-FILM™	Soft Foam	Puff
Thermo-Grip®	Glitter Flake™	Chroma-TWILL™
Premium Plus™	Hologram	Reflective II
SportFilm Lite™	UV Shift	Metallic Puff




PALMS
RESORT
OCEAN WAVE



Sublimation

in this section:

DRINKWARE	56
CONTAINERS	74
BAGS	76
BURLAP ITEMS	82
PATCHES	86
CERAMIC TILES & STONES	88
PLAQUES	90
PHOTO PANELS, DISPLAYS & FRAMES	96
GLASS & ACRYLIC	117
BUSINESS CARDS, NAME BADGES & BAG TAGS	122
KEYCHAINS, TAGS & MAGNETS	128
ORNAMENTS	138
GIFTS & PROMOTIONAL ITEMS	146
SHEET STOCK, MDF, METAL & DIECUTS	163
APPAREL & ACCESSORIES	172
FAQ, TERMS & DEFINITIONS	179

checklist

What You Need To Start Sublimation

- ☐ Sublimation Printer
- ☐ Sublimation Ink
- ☐ Sublimation Paper
- ☐ Heat Press
- ☐ Sublimation Blanks
- ☐ Design Software
- ☐ Heat Tape/Adhesive Spray
- ☐ Butcher Paper

Polar Camel™ 12 & 20 oz. Water Bottles

Stainless Steel double wall vacuum insulation for maximum heat and cold retention.

Case Qty: **24**

HIGH ENDURANCE drinkware



SWB912
12 oz.
Stainless Steel
Water Bottle



SWB913
12 oz.
White Water Bottle



SWB920
20 oz.
Stainless Steel
Water Bottle



SWB921
20 oz.
White Water Bottle

How-To Video!

HAND WASHING RECOMMENDED

U.S. D937,038 PATENT


BPA FREE



Sublimation Wraps for use with 12, 20 & 30 oz. Polar Camel™ Water Bottles.



MGWRP6
Sublimation Wrap
Size: 24 1/2" x 6 1/2"
Case Qty: 1



HSF03
Shrink Wrap Film
Size: 6 3/4" x 11"
(Sold in packs of 100)



CRB101
Black
Carabiner

Great for attaching your Polar Camel™ Water Bottle.



CRB102
Gray
Carabiner

Polar Camel™ 30 oz. Water Bottles

Stainless Steel double wall vacuum insulation for maximum heat and cold retention.

Case Qty: **12**

HIGH ENDURANCE drinkware



SWB930
30 oz.
Stainless Steel
Water Bottle



SWB931
30 oz.
White Water Bottle



HAND WASHING RECOMMENDED

Polar Camel™ Water Bottle Lug Lid

D B R L S SC

Perfect for on the go. This is an optional lid for your water bottle if you prefer not to use the straw. Fits all Polar Camel water bottles.



BPA FREE

LWBL2
Water Bottle Lug Lid



JDS EXCLUSIVE

Polar Camel™ Drinkware

Stainless Steel double wall vacuum insulation for maximum heat and cold retention.
Skinny Tumblers fit most cup holders and include slider lid.

Case Qty: **24**

HIGH ENDURANCE drinkware



STM681
22 oz.
Stainless Steel
Skinny Tumbler



STM682
22 oz.
White Skinny Tumbler



Slider Lid Included

Sublimation Wraps for use with Polar Camel™ Skinny Tumblers.



MGWRP6
Sublimation Wrap
for STM681 & STM682
Size: 24 1/2" x 6 1/2"
Case Qty: 1



HSF03
Shrink Wrap Film
Size: 6 3/4" x 11"
(Sold in packs of 100)



Polar Camel™ Beverage Holders

Stainless Steel double wall vacuum insulation for maximum heat and cold retention.
Slim beverage holders fit most cup holders. Stemless Wine Tumbler includes clear lid.

Case Qty: **24**

How-To Video!

HIGH ENDURANCE drinkware

Slim Beverage Holders fit slim cans. Screw on lid holds in your beverage with rubber seal neck.



SBH13
Slim Stainless Steel
Beverage Holder
Fits Slim cans

SBH14
Slim White
Beverage Holder
Fits Slim cans

Beverage Holders fit 12 or 16 oz. can or bottle. Screw on lid holds in your beverage with rubber seal neck.



SBH12
White
Beverage Holder



SBH11
Stainless Steel
Beverage Holder

SBH11, SBH12, SBH13 & SBH14 all fit in a standard mug press

and in GKDK3D double mug press



Heat Conductive Pad for use with Polar Camel™ Slim Beverage Holders in standard mug press.



GKHCR18510
Heat Conductive Pad
Size: 1/8" x 5" x 9 7/8"
Case Qty: 1



MGWRP7
Sublimation Wrap
for STM611 & STM612
Size: 23" x 3 1/8"
Case Qty: 1



STM612
12 oz. White
Stemless Wine Tumbler



STM611
12 oz. Stainless Steel
Stemless Wine Tumbler



Great for larger items like Polar Camel™ Drinkware!

HSF03
Shrink Wrap Film
Size: 6 3/4" x 11"
(Sold in packs of 100)

How-To Video!



Shown on STM612

JDS EXCLUSIVE

Sublimation

Polar Camel™ Drinkware

Stainless Steel double wall vacuum insulation for maximum heat and cold retention. Tumblers fit most cup holders and include clear lid.

Case Qty: **24**

HIGH ENDURANCE drinkware



STM642
16 oz. White Pint



MGWRP8
Sublimation Wrap for STM641 & STM642
Size: 23 1/2" x 6 1/8"
Case Qty: 1



Slider Lid Included

STM641
16 oz. Stainless Steel Pint



STM671
20 oz. Stainless Steel Pilsner



STM662
14 oz. White Pilsner



STM672
20 oz. White Pilsner



U.S. D867,066 PATENT

STM661
14 oz. Stainless Steel Pilsner



STM662, STM672, STM661 & STM671 all fit in a standard mug press!

and in GKDK3D double mug press

JDS EXCLUSIVE

Sublimation

Polar Camel™ Drinkware

Stainless Steel double wall vacuum insulation for maximum heat and cold retention.
Tumblers fit most cup holders and include clear lid.

Case Qty: **24**

HIGH ENDURANCE drinkware



STM621
20 oz. Stainless Steel
Ringneck Tumbler



STM622
20 oz. White
Ringneck Tumbler




STM631
30 oz. Stainless Steel
Ringneck Tumbler




STM632
30 oz. White
Ringneck Tumbler

Great for larger items like Polar Camel™ Drinkware!



HSF03
Shrink Wrap Film
Size: 6 3/4" x 11"
(Sold in packs of 100)

How-To Video!



MGWRP6
Sublimation Wrap
for STM632, STM622,
STM621 & STM631
Size: 24 1/2" x 6 1/2"
Case Qty: 1

JDS EXCLUSIVE

Polar Camel™ Drinkware

Stainless Steel double wall vacuum insulation for maximum heat and cold retention.
Travel Mugs and Talls fit most cup holders and include a clear lid.

HIGH ENDURANCE drinkware



SCM201
15 oz.
Stainless Steel Mug
Case Qty: 12

Slider Lid Included



SCM202
15 oz. White Mug
Case Qty: 12



STM651
20 oz.
Stainless Steel Tall
Case Qty: 24



STM652
20 oz. White Tall
Case Qty: 24



SCM205
20 oz. Stainless Steel
Travel Mug
Case Qty: 24

JDS EXCLUSIVE



SCM206
20 oz. White
Travel Mug
Case Qty: 24

Slider Lid Included



SCM201, SCM202, STM651, STM652, SCM205 & SCM206 all fit in a standard mug press!

and in GKDK3D double mug press

Polar Camel™ Optional Lids



LTM20MG
Magnetic Lid for
10 oz., 15 oz., 16 oz., 20 oz.
Tumblers or 20 oz. Pilsners
Case Qty: 24

PATENT PENDING



LTM30MG
Magnetic Lid for 30 oz.
Tumblers
Case Qty: 24

Magnetic Lids slide to close and easily unattach for cleaning.



Snap Lids snap to close!





LTM20SN
Snap Lid for
10 oz., 15 oz., 16 oz., 20 oz.
Tumblers or 20 oz. Pilsners
Case Qty: 24



LTM30SN
Snap Lid for 30 oz.
Tumblers
Case Qty: 24



LTM30SNA
Snap Lid with Straw hole for 30 oz.
Tumblers
Case Qty: 24



LTM12L
Slider Lid for
12 oz. or 16 oz.
Stemless Tumblers,
14 oz. Pilsners or 22 oz. Skinnys
Case Qty: 24



LTM20L
Slider Lid for
10 oz., 15 oz., 16 oz., 20 oz.
Tumblers
or 20 oz. Pilsners
Case Qty: 24



LTM30L
Slider Lid for 30 oz.
Tumblers
Case Qty: 24

Lids are BPA Free.

JDS EXCLUSIVE

Polar Camel™ POP Display

Countertop Point of Purchase Polar Camel Display.



Polar Camel Drinkware products sold separately

Perfect for your showroom or in your customer's store.

JDS EXCLUSIVE

PPDISPLAY1
Countertop POP
Polar Camel Display
Tall: 22"
Front to back: 13 1/2"
Right to left: 24 1/2"



Assembly Instructions included.



Assembly How-To Video!

Polar Camel™ POP Display

Self-Standing Point of Purchase Polar Camel Display.



Polar Camel Drinkware products sold separately

Perfect for your showroom or in your customer's store.

JDS EXCLUSIVE

Assembly Instructions included.



Assembly How-To Video!



PPDISPLAY2
Self-Standing POP
Polar Camel Display
Tall: 66"
Front to back: 16 1/2"
Right to left: 24 1/2"

Drinkware



SM10C
10 oz. Clear Glass Mug
Case Qty: 36



SM10F
10 oz. Frosted Glass Mug
Case Qty: 36



For use with 11 oz. and 15 oz. sublimatable ceramic mugs.

MGWRP1
Mug Wrap
Size: 9 1/2" x 5"
Case Qty: 1



SG16F
16 oz. Frosted Beer Glass
with Handle
Case Qty: 24

- *BPA Free!*
- *Less breakage than ceramic mugs.*
- *Lighter weight for lower shipping cost.*
- *Sublimates in 1/2 the time.*



PM11W
11 oz. Gloss White
Polymer Material Mug
Case Qty: 48



PM11TOOL
Aluminum Tool for PM11W
Case Qty: 1

Instructions:

1. Wrap the transfer and a piece of plain copy paper around the mug and tape it.
2. Place the aluminum tool into the mug.
3. Place the mug and tool into the center of the mug press.
4. Press the mug at 400 degrees for 3 to 3 ½ minutes with medium pressure.
5. Remove items from the press and IMMEDIATELY remove the aluminum tool. Use heat resistant gloves if necessary - the items will be very hot.
6. Remove the scratch paper and the transfer and let the mug cool. Placing the mug into water is not necessary.



How-To Video!

Drinkware

Sublimatable ceramic mugs will fit any standard mug press.
Case Qty: **36**

Orca Coating for Consistent Results



SM11W
11 oz. White

SM15W
15 oz. White



SM11BKW
11 oz. Black/White
Banner Mug

SM15BKW
15 oz. Black/White
Banner Mug



SM11GN
11 oz. White/Green

SM11MN
11 oz. White/Maroon



These mugs all fit in a standard mug press!

and in GKDK3D double mug press



SM11BK
11 oz. White/Black

SM11BU
11 oz. White/Blue

SM11CC
11 oz. Color Changing Mug

Ceramic Mugs with White Box

11 oz. and 15 oz. sublimatable mugs packaged in white corrugated cardboard box for added protection & presentation.
Case Qty: **36**

JDSub
Coated for Consistency & Quality



EXCLUSIVE

JMUG11WB
11 oz. White Mug
in White Box



JMUG15WB
15 oz. White Mug
in White Box

Individually boxed for presentation and protection.



MUGBX11W
11 oz. White Corrugated Cardboard Mug Box
(ships flat)



MUGBX15W
15 oz. White Corrugated Cardboard Mug Box
(ships flat)

made in the USA

Stein, Latte Mug & Wraps



SM22W
18 oz. White Stein
Case Qty: 18

MGWRP2
Stein Wrap
Size: 9" x 4 3/4"
Case Qty: 1



SM17W
17 oz. White
Ceramic Latte Mug
Case Qty: 24



MGWRP3
Sublimation Wrap
for SM17W
Size: 13" x 7.375"
Case Qty: 1

Water Bottles

Water bottles are made of aluminum and include 2 lids and a carabiner.

Case Qty: **24**



For best results when sublimating water bottles use Heat Conductive Pad. See page 230

SB20S
20 oz. Silver Aluminum
Water Bottle
(includes 2 lids and carabiner)

SB20W
20 oz. White Aluminum
Water Bottle
(includes 2 lids and carabiner)

Shot Glasses



SSG10G
1 1/2 oz. Shot Glass
with Gold Rim (glass)
Case Qty: 12



SSG20W
1 1/2 oz. Shot Glass
(ceramic)
Case Qty: 12



SSH10G
2 1/2 oz. Shooter with
Gold Rim (glass)
Case Qty: 12



MGWRP4
Shot Glass
Sublimation Wrap
Size: 12.95" x 4.6"
Case Qty: 1



MGWRP5
Shooter
Sublimation Wrap
Size: 11.6" x 5.3"
Case Qty: 1

HSF01
Shrink Wrap Film
Size: 3 1/2" x 6"
Case Qty: 100
(Sold in full cases only)



How-To Video!

Unisub® Premium Coasters

Gloss White MDF Coasters with cork backing.
Thickness: .25"
Case Qty: **24**



UN4933M
Square
Size: 3.78" x 3.78"



UN4934M
Round
Size: 3.75" Diameter

Unisub® Coasters



UN4942
Gloss White MDF
Bottle Cap Coaster
Size: 3.625" x .125" thick
Case Qty: 40



UN4026
Gloss White MDF
Square Coaster
Size: 3.5" x 3.5" x .125"
Case Qty: 40



UN4597
Semi-Gloss White MDF
Square Coaster
Size: 3.5" x 3.5" x .125"
Case Qty: 40



UN5677
Gloss White MDF
Square Coaster with Cork Back
Size: 3.75" x 3.75" x .157"
Case Qty: 40



UN1009
Gloss White MDF
Square Coaster
Size: 4" x 4" x .125"
Case Qty: 40



UN5822
Gloss White MDF
Round Coaster with Cork Back
Size: 3.75" Diameter x .157"
Case Qty: 40



UN4028
Gloss White MDF
Round Coaster
Size: 3.5" Diameter x .125"
Case Qty: 40



UN5701
Mahogany Slotted
Coaster Holder
Size: 2.5" x 3"
Case Qty: 10



UN5701 shown with UN5677

Sublimation

Coasters



Car coasters fit in most vehicle beverage holders



SBL132
Round Neoprene
Car Coaster
Size: 2 1/2" Diameter
Case Qty: 25



SBL129
Gloss White Ceramic
Car Coaster
Size: 2 1/2" Diameter
Case Qty: 8



SBL472
Round Wood
Car Coaster
Size: 2 1/2" Diameter
Case Qty: 25



SBL470
Square Wood Coaster
Size: 3 3/4" x 3 3/4"
Case Qty: 6



SBL471
Round Wood Coaster
Size: 3 3/4" Diameter
Case Qty: 6



SC4W
Round Sandstone Coaster
with Cork Backing (unattached)
Size: 4 1/4" Diameter
Case Qty: 10

Coasters



Glass Coasters come with four clear round self-adhesive plastic bumpers to be attached after personalization. SC



SBL093
Glass Round Coaster
Size: 4" Diameter
Case Qty: 48

SBL094
Glass Square Coaster
Size: 4" x 4"
Case Qty: 48



SBT006
Square Subli-Tru Coaster
Size: 4" x 4"
Case Qty: 6

EXCLUSIVE



SBT007
Round Subli-Tru Coaster
Size: 4" Diameter
Case Qty: 6



SC5W
Square Rubber Backed
Flexible Coaster
Size: 3 3/4" x 3 3/4"
Case Qty: 50



SBL113
Round Neoprene Coaster
Size: 4" Diameter
Case Qty: 50




SBL114
Square Neoprene Coaster
Size: 4" x 4"
Case Qty: 50

Neoprene Beverage Holders



SBL130
16 oz. Can
Beverage Holder
Case Qty: 50

Designed to fit slim cans



SBL131
Slim Can
Beverage Holder
Case Qty: 50



SBL031
Can Beverage Holder
Case Qty: 50



SBL081
Bottle Beverage
Holder with Zipper
Case Qty: 50

Enamel Containers With Flexible Plastic Lid

Cold Rolled Steel is .5mm thick/25 gauge. Lid is made of plastic.
Case Qty: **8**

SAMPLE SET #SBL411SET
1 of each tall Enamel Container with Lid

SAMPLE SET #SBL421SET
1 of each short Enamel Container with Lid



SBL411
27 oz. Tall Container
Size: 3.5" x 4.75" Diameter



SBL412
40 oz. Tall Container
Size: 3.875" x 5.5" Diameter




SBL413
57 oz. Tall Container
Size: 4.25" x 6.28" Diameter



MGWRP6
Sublimation Wrap
Size: 24 1/2" x 6 1/2"



SBL421
24 oz. Short Container
Size: 2.25" x 5.5" Diameter



HSF05
Shrink Wrap Film
Size: 10 13/32" x 15 3/4"
(Sold in packs of 100)



SBL422
34 oz. Short Container
Size: 2.44" x 6.28" Diameter



SBL423
50 oz. Short Container
Size: 2.58" x 7" Diameter

Orca Coatings

Enamel Canisters With Lid

SAMPLE SET #SBL405SET
1 of each Canister

Cold Rolled Steel is .5mm thick/25 gauge.
Case Qty: **6**



SBL405
Small
Size: 4.15" x 3.1" Diameter



SBL406
Medium
Size: 5.25" x 3.9" Diameter



SBL407
Large
Size: 6.25" x 4.7" Diameter

Ceramic Bowls With Flexible Plastic Lid

SAMPLE SET #SBL401SET
1 of each Ceramic Bowl with Lid

Ceramic storage bowl with vented lid.
Case Qty: **6**



SBL401
Small Bowl
Size: 2.36" x 3.85" Diameter



SBL402
Medium Bowl
Size: 2.6" x 5" Diameter



Vented Lid



SBL403
Large Bowl
Size: 3" x 5.7" Diameter

Orca Coatings

Canvas Bags

White canvas products allow 2-sided, full color personalization.
Case Qty: **10**



SBL371
Drawstring Bag
Size: 6 1/4" x 9"



SBL372
Gift Bag with
3" Gusseted Bottom
Size: 8" x 10" x 3"



SBL373
Gift Bag with
5 1/2" Gusseted Bottom
Size: 10" x 12" x 5 1/2"



SBL374
Bag
Size: 15 1/4" x 15 1/2"

EXCLUSIVE

Canvas Products

White canvas products allow 2-sided, full color personalization.
Case Qty: **10**





Laserable Leatherette® Bottom



SBL375
Bag with
6 1/2" Gusseted Bottom
Size: 15 1/2" x 15 1/2" x 6 1/2"

SBL376
Bag with
5" Rawhide Laserable Leatherette®
Gusseted Bottom
Size: 19" x 12" x 5"





SBL377
Back Sack
Size: 11 1/2" x 15"

SBL378
Pillow Wrap
Size: 40" x 8"

JDS EXCLUSIVE

Burlap/Leatherette Bags

SAMPLE SET #GFT2281SET
1 of each Burlap/Leatherette Bag

Burlap products allow full color personalization with
8" x 9" Laserable Leatherette® pocket & 5" gusseted bottom.

Case Qty: **10**




GFT2281
Bag with
Rawhide/Black Pocket
Size: 19" x 12" x 5"

GFT2282
Bag with
Black/Gold Pocket
Size: 19" x 12" x 5"

GFT2283
Bag with
Rustic/Gold Pocket
Size: 19" x 12" x 5"

GFT2284
Bag with
Teal/Black Pocket
Size: 19" x 12" x 5"

Front Side has a 8" x 9" Laserable Pocket



Laserable Leatherette® Bottom

Back Side is Sublimatable



JDS EXCLUSIVE

White Canvas/Leatherette Bags

White canvas products allow full color personalization with 8" x 9" Laserable Leatherette® pocket & 5" gusseted bottom.


Case Qty: **10**

SAMPLE SET #GFT2291SET
1 of each White Canvas/Leatherette Bag

JDS EXCLUSIVE



Laserable Leatherette® Bottom



Back Side is Sublimatable



GFT2291
Bag with
Rawhide/Black Pocket
Size: 19" x 12" x 5"

GFT2292
Bag with
Black/Silver Pocket
Size: 19" x 12" x 5"

GFT2293
Bag with
Rustic/Silver Pocket
Size: 19" x 12" x 5"

GFT2294
Bag with
Teal/Black Pocket
Size: 19" x 12" x 5"

GFT2295
Bag with
Blue/Silver Pocket
Size: 19" x 12" x 5"

Bags

Bags are sublimatable on both sides and allow full color personalization.

Case Qty: **10**



SBL454
White Poly Fabric Bag
with Black Straps and
4" Gusseted Bottom
Size: 16" x 20" x 4"



SBL455
Linen Bag with
with 4" Gusseted Bottom
Size: 16" x 20" x 4"

Tote bags ***SBL024 - SBL027*** are made of recycled poly and are sublimatable on all sides.

Case Qty: **25**



SBL022
Canvas Tote Bag
Size: 15" x 15 3/4"



SBL024
Shopping Bag with
7" Gusseted Bottom
Size: 15 3/4" x 15 3/4" x 7"



SBL025
Wine Bag with
3 1/2" Gusseted Bottom
Size: 13 1/2" x 4" x 3 1/2"



SBL026
Gift Bag with
3 1/2" Gusseted Bottom
Size: 8" x 10" x 3 1/2"



SBL027
Gift Bag with
5 1/2" Gusseted Bottom
Size: 10" x 12" x 5 1/2"



Main compartment zippers shut for additional security.



SBL020
Bag with Adustable
Shoulder Strap
Size: 8 1/2" x 7"
Case Qty: 6

White flap is removable for easy decorating. Replacement flaps available: SBL020FLAP



SBL049
Drawstring Backpack
Size: 12" x 15 3/4"
Case Qty: 10

Back Sack has white front and black back.

Burlap Bags

Burlap products allow full color personalization.
Case Qty: **10**



SBL361
Drawstring Bag
Size: 6 1/4" x 9"



SBL362
Gift Bag with
3" Gusseted Bottom
Size: 8" x 10" x 3"



SBL363
Gift Bag with
5 1/2" Gusseted Bottom
Size: 10" x 12" x 5 1/2"

JDS EXCLUSIVE



SBL364
Gift Bag
Size: 15 1/4" x 15 1/2"



SBL366
Shopping Bag with
5" Rawhide Laserable Leatherette®
Gusseted Bottom
Size: 19" x 12" x 5"



Rawhide Laserable Leatherette® Bottom



SBL365
Gift Bag with
6 1/2" Gusseted Bottom
Size: 15 3/4" x 15 1/2" x 6 1/2"



SBL367
Back Sack
Size: 12" x 15"

Sublimation

Burlap Gift Items

Burlap products allow full color personalization.



SBL368
Pillow Wrap
Size: 40" x 8"
Case Qty: 10



SBL335
2-sided Oval Keychain
Size: 3" x 1 3/4"
Case Qty: 50



SBL336
2-sided Rectangle Keychain
Size: 2 3/4" x 1 1/4"
Case Qty: 50



SBL337
Luggage Tag
Size: 4 1/4" x 2 3/4"
Case Qty: 10



SBL338
Passport Holder
Size: 4 1/4" x 5 1/2"
Case Qty: 6



SBL349
Folding Tray
with Silver Snaps
Size: 6" x 6"
Case Qty: 6



SBL352
Folding Tray
with Silver Snaps
Size: 9" x 9"
Case Qty: 6

EXCLUSIVE

Burlap Gift Items

Burlap products allow full color personalization.



SBL343
Bottle Opener
Size: 1 1/2" x 7"
Case Qty: 25



SBL344
Coaster with
Bottle Opener
Size: 4" x 4"
Case Qty: 6



SBL345
Round Coaster
Size: 4" Diameter
Case Qty: 6



SBL346
Coaster
Size: 4" x 4"
Case Qty: 6



SBL347
Round Coaster Set
Includes 6 coasters
Size: 4" Diameter
Case Qty: 4



SBL348
Coaster Set
Includes 6 coasters
Size: 4" x 4"
Case Qty: 4

JDS EXCLUSIVE


Burlap Products

Burlap products allow full color personalization.





SBL353
Sketch Book with
Unlined Paper
Size: 5 1/4" x 8 1/4"
Case Qty: 4




SBL354
Journal with
Lined Paper
Size: 7" x 9 3/4"
Case Qty: 4




SBL355
Sketch Book with
Unlined Paper
Size: 7" x 9 3/4"
Case Qty: 4



SBL342
Journal with
Lined Paper
Size: 5 1/4" x 8 1/4"
Case Qty: 4



SBL339
Portfolio
Size: 9 1/2" x 12"
Case Qty: 4



SBL340
Portfolio
Size: 7" x 9"
Case Qty: 4



SBL341
Pad/Pen Set
Size: 3 1/4" x 4 3/4"
Case Qty: 10


JDS EXCLUSIVE

Burlap Portfolios

Burlap products allow full color personalization.



SBL351
Burlap and Rawhide Portfolio
Size: 7" x 9"
Case Qty: 4



SBL350
Burlap and Rawhide Portfolio
Size: 9 1/2" x 12"
Case Qty: 4

Burlap Frames

Burlap products allow full color personalization.


SAMPLE SET #SPFSET3
1 of each Sublimatable Burlap Frame



SPF346
Photo Frame
Holds 4" x 6" Photo
Size: 6 3/4" x 8 3/4"
Case Qty: 12



SPF3810
Photo Frame
Holds 8" x 10" Photo
Size: 10 3/4" x 12 3/4"
Case Qty: 6



SPF357
Photo Frame
Holds 5" x 7" Photo
Size: 7 3/4" x 9 3/4"
Case Qty: 12

JDS EXCLUSIVE

Heat Apply Burlap Patches

Burlap patches have heat apply adhesive on the back and allow full color personalization.

Case Qty: **25**

SAMPLE SET #PTHSETBP2
1 of each Sublimatable Burlap Patch

How-To Video!



PTH242
Hexagon
Size: 3 1/2" x 2 1/2"



PTH142
Hexagon
Size: 3" x 2"




PTH212
Rectangle
Size: 3 1/2" x 2 1/2"



PTH612
Oval
Size: 3 1/2" x 2 1/2"



PTH412
Round
Size: 3" Diameter



PTH112
Rectangle
Size: 3" x 2"



PTH512
Oval
Size: 3" x 2"



PTH312
Round
Size: 2 1/2" Diameter

HEAT APPLY PATCHES

Patches Have Heat Apply Adhesive Backing!



EXCLUSIVE



PTH712
Square
Size: 2 1/2" x 2 1/2"



PTH812
Square
Size: 3" x 3"

Heat Apply White Patches

Patches have heat apply adhesive on the back and a black stitched border.
Case Qty: **25**

SAMPLE SET #SBL230SET2
2 of each patch

How-To Video!



SBL235
Round
Size: 3" Diameter



SBL236
Square
Size: 3" x 3"



SBL237
Oval
Size: 3 1/2" x 2 1/2"



SBL238
Rectangle
Size: 3 1/2" x 2 1/2"



SBL239
Shield
Size: 3" x 3 1/2"



SBL240
Shield with 3 Points
Size: 3" x 3 1/2"



SBL241
Shield with 4 Points
Size: 3" x 3 1/2"



SBL230
Round
Size: 2 1/2" Diameter



SBL231
Square
Size: 2 1/2" x 2 1/2"



SBL232
Oval
Size: 3" x 2"



SBL233
Rectangle
Size: 3" x 2"



SBL234
Shield
Size: 2 1/2" x 3"



Ceramic Tiles

Gloss white ceramic tiles are perfect for custom murals & backsplashes.



STL44W
Size: 4 1/4" x 4 1/4" x 3/16"
Case Qty: 48



STL66W
Size: 6" x 6" x 3/16"
Case Qty: 36



STL68W
Size: 6" x 8" x 1/4"
Case Qty: 36



STL88W
Size: 8" x 8" x 1/4"
Case Qty: 36



STL810W
Size: 8" x 10" x 1/4"
Case Qty: 36

Rectangle & Square SubliStone

Matte and gloss finish sublimatable stones include stands. SubliStone can be used horizontally or vertically.

Case Qty: **1**



SBL060
Rectangle Matte Finish
Size: 5 1/2" x 7 1/2"

SBL160
Rectangle Gloss Finish
Size: 5 1/2" x 7 1/2"



SBL061
Rectangle Matte Finish
Size: 7 1/2" x 11 1/2"

SBL161
Rectangle Gloss Finish
Size: 7 1/2" x 11 1/2"



SBL062
Square Matte Finish
Size: 5 1/2" x 5 1/2"

SBL162
Square Gloss Finish
Size: 5 1/2" x 5 1/2"



SBL063
Square Matte Finish
Size: 7 1/2" x 7 1/2"

SBL163
Square Gloss Finish
Size: 7 1/2" x 7 1/2"

Round & Oval SubliStone

D B R L **S** SC

Gloss finish sublimatable stones include stands. SubliStone can be used horizontally or vertically.

Case Qty: **1**



SBL064
Round Gloss Finish
Size: 6" Diameter



SBL065
Round Gloss Finish
Size: 7" Diameter



SBL066
Round Gloss Finish
Size: 8" Diameter

How-To Video!

See page 230 for heat conductive pads



SBL067
Oval Gloss Finish
Size: 5 1/2" x 8"



SBL068
Oval Gloss Finish
Size: 7 1/2" x 11"



SBL069
Oval Gloss Finish
Size: 10 1/2" x 13"

Cherry Edge Unisub® Plaques

Cherry MDF plaques with gloss white finish feature a cove edge and keyholes for wall display.
Thickness: .625"

Profile



UN5670
Size: 5" x 7"
Case Qty: 28




UN1005
Size: 6" x 8"
Case Qty: 21



UN1006
Size: 7" x 9"
Case Qty: 20



UN1007
Size: 8" x 10"
Case Qty: 14



UN1008
Size: 9" x 12"
Case Qty: 12

Black Edge Unisub® Plaques

Black MDF plaques with gloss white finish feature a cove edge and keyholes for wall display.
Thickness: .625"

unisub®

Profile



UN5669
Size: 5" x 7"
Case Qty: 28




UN1001
Size: 6" x 8"
Case Qty: 21



UN1002
Size: 7" x 9"
Case Qty: 20



UN1003
Size: 8" x 10"
Case Qty: 14



UN1004
Size: 9" x 12"
Case Qty: 12


Specialty Shaped Unisub® Plaques

MDF plaque shapes with a gloss white finish feature a black beveled edge and keyholes for wall display.
Thickness: .625"


Profile



UN5757
Football
Size: 6" x 10"
Case Qty: 12



UN5765
Round
Size: 8.125" Diameter
Case Qty: 12



UN5680
Large Home Plate
Size: 10" x 10"
Case Qty: 12

UN5679
Small Home Plate
Size: 6" x 6"
Case Qty: 15



UN5616
Shield
Size: 7.5" x 9.125"
Case Qty: 6

Flat Edge Plaque

Black edge MDF plaque with flat profile and keyholes for wall display.
Thickness: .625"

Profile



UN5664
Size: 8" x 10"
Case Qty: 14

Luster Plaques


SAMPLE SET #LSBSET1
1 of each size Luster Sublimation Plaques

MDF plaques with a gloss white finish feature a black cove edge and keyholes for hanging.
Thickness: 5/8"







LSB157
Size: 5" x 7"
Case: Qty: 24




LSB168
Size: 6" x 8"
Case: Qty: 24



LSB179
Size: 7" x 9"
Case: Qty: 12



LSB1810
Size: 8" x 10"
Case: Qty: 12



LSB1912
Size: 9" x 12"
Case: Qty: 12

Aluminum Border Discs

Thickness: .020"
Case Qty: **10**




Perpetual plaque AMRA11215 shown with SBL167.



SBL165
Gold Border
Size: 2 3/4" Diameter



SBL166
Gold Border
Size: 3 1/2" Diameter



SBL167
Gold Border
Size: 4 1/4" Diameter

Unisub® Cross Plaque

Oval gloss white MDF tile comes with pre-applied adhesive. Attach tile after sublimation.



UN5783M
Mahogany Cross
with Tile Insert (#UN5726M)
Size: 7" x 11"
Case Qty: 10



UN5726M
Oval MDF Insert
Size: 4.219" x 5.969" x .25"
Case Qty: 20

Unisub® Streamline Awards & Display Stands

Gloss white MDF with black edge.
Thickness: .25"
Case Qty: **20**



UN5811M
Large Round
Size: 5 3/4"

Display Stand Sold Separately



UN5827M
Cross
Size: 5 1/4" x 6 7/8"



UN5804
Mahogany Round Wood Stand
Size: 2"

DynaSub™ Shield Plaque Plates

Case Qty: **25**






SPP52WT
White DynaSub™ Shield
Size: 5 1/2" x 6"

Completed Examples
Plaques Sold Separately.
See the Awards Catalog
for matching shield plaques.





SPP61WT
White DynaSub™ Shield
Size: 4 1/4" x 5 5/8"

SPP62WT
White DynaSub™ Shield
Size: 5 1/4" x 6 5/8"

SPP63WT
White DynaSub™ Shield
Size: 6" x 7 5/8"

Custom Shape State Plaque Plates

All state shaped plates are designed to fit our state plaques. They are not designed to be used by themselves or with other plaques. Plates are non-returable.



**Special order.*
Please allow 3-5 days for production of plates.
F.O.B Sioux Falls, SD only.

Completed Example
Shown with White DynaSub™ **ALUM361**
on USA Plaque **STUSA191.**



Plaques Sold Separately.

ChromaLuxe® High Definition Photo Panels

High definition metal photo panels with radius corners are scratch and UV resistant.
Thickness: .045"
Case Qty: **10**

ChromaLuxe®




Size: 2" x 3"

CLX4308
Gloss White



Size: 4" x 4"

CLX4302
Gloss White
CLX4304
Matte White
CLX4549
Semi-Gloss White




Size: 4" x 6"

CLX4113
Gloss White



Size: 5" x 5"

CLX4294
Gloss White



Size: 5" x 7"


CLX4054
Gloss White
CLX4055
Matte White
CLX4056
Gloss Silver
CLX4057
Matte Silver
CLX4550
Semi-Gloss White
CLX4580
Semi-Gloss Silver



Size: 5" x 10"

CLX4114
Gloss White

See pages 106 & 107 for easels and wall mount options.




Size: 5" x 11"

CLX4295
Gloss White



Size: 5" x 17"

CLX4296
Gloss White



Size: 6" x 6"

CLX4066
Gloss White



Size: 8" x 8"

CLX4071
Gloss White
CLX4182
Gloss Silver




Size: 8" Diameter

CLX4144
Gloss white


ChromaLuxe® High Definition Photo Panels

High definition metal photo panels with radius corners are scratch and UV resistant.
Thickness: .045"
Case Qty: **10**

ChromaLuxe®



Size: 8" x 10"
CLX5881
Gloss White
CLX4008
Matte White
CLX5996
Gloss Silver
CLX4012
Matte Silver
CLX4551
Semi-Gloss White
CLX4581
Semi-Gloss Silver



Size: 8" x 12"
CLX4130
Gloss White
CLX4135
Gloss Silver
CLX4552
Semi-Gloss White

Larger sizes available by drop ship or special order from the factory. Full case orders only.

Size: 9" x 21"
CLX4067
Gloss White



Size: 10" x 10"
CLX4072
Gloss White
CLX4254
Gloss Silver

Size: 10" x 20"
CLX4116
Gloss White


ChromaLuxe® High Definition Photo Panels

High definition metal photo panels with radius corners are scratch and UV resistant.
Thickness: .045"
Case Qty: **10**



Size: 11" x 11"

CLX4297
Gloss White



Size: 11" x 14"

CLX5882
Gloss White


CLX4009
Matte White

CLX5997
Gloss Silver

CLX4013
Matte Silver

CLX4553
Semi-Gloss White

CLX4583
Semi-Gloss Silver



Size: 11" x 17"

CLX4287
Gloss White


See pages 106 & 107 for easels and wall mount options.



Size: 11.75" x 11.75"

CLX4059
Gloss White

CLX4065
Gloss Silver



Size: 12" x 12"

CLX4115
Gloss White

CLX4256
Gloss Silver



Size: 12" x 18"

CLX4131
Gloss White

CLX4136
Gloss Silver

CLX4554
Semi-Gloss White


CLX4584
Semi-Gloss Silver

ChromaLuxe® High Definition Photo Panels

High definition metal photo panels with radius corners are scratch and UV resistant.
Thickness: .045"
Case Qty: **10**


ChromaLuxe®

Larger sizes available by drop ship or special order from the factory. Full case orders only.



Size: 12" x 24"

CLX4118
Gloss White
CLX4257
Gloss Silver




Size: 14" x 18"

CLX4111
Gloss White



Size: 15" x 18.75"

CLX4020
Gloss White



Size: 15" x 15"

CLX4183
Gloss White



Size: 16" x 16"

CLX4117
Gloss White
CLX4258
Gloss Silver

ChromaLuxe® High Definition Photo Panels

High definition metal photo panels with radius corners are scratch and UV resistant.
Thickness: .045"
Case Qty: **10**



Size: 16" x 20"

CLX4016
Gloss White
CLX4018
Matte White
CLX4017
Gloss Silver
CLX4019
Matte Silver
CLX4555
Semi-Gloss White
CLX4585
Semi-Gloss Silver

Size: 16" x 24"

CLX4129
Gloss White
CLX4134
Gloss Silver
CLX4556
Semi-Gloss White
CLX4586
Semi-Gloss Silver



Size: 20" x 20"

CLX4119
Gloss White
CLX4275
Gloss Silver

Size: 20" x 24"

CLX4120
Gloss White
CLX4276
Gloss Silver



Size: 24" x 24"

CLX4121
Gloss White

ChromaLuxe® High Definition Photo Panels

High definition metal photo panels with radius corners are scratch and UV resistant.
Thickness: .045"

ChromaLuxe®




NEW

Size: 20" x 30"

CLX4069

Gloss White

Case Qty: 10



NEW


Size: 24" x 36"

CLX4123

Gloss White

Case Qty: 10

Full case orders only.



NEW

Size: 30" x 40"

CLX4125

Gloss White

Case Qty: 10



NEW

Size: 40" x 60"

CLX5912

Gloss White

Case Qty: 3

White Textured Aluminum ChromaLuxe® Panel

ChromaLuxe textured aluminum gives photos, illustrations, signage and art reproductions a makeover. This textured metal provides a unique tactile feel along with the durability and features that you have come to expect from other ChromaLuxe products.

Description: Metal prints
Uses/Applications: High traffic areas, wall decor, wall coverings and vibrant image reproductions.
Thickness: 0.045" aluminum
Finish: White Textured
Case Qty: **10**

ChromaLuxe®

ChromaLuxe® products feature an advanced, highly durable and UV resistant coating.





CLX4877
Size: 5" x 7"




CLX4878
Size: 8" x 10"



CLX4879
Size: 8" x 12"




CLX4880
Size: 11" x 14"



CLX4881
Size: 12" x 18"



CLX4882
Size: 16" x 20"



CLX4883
Size: 16" x 24"

ChromaLuxe® Outdoor Premium Panels
Gloss Silver


ChromaLuxe Outdoor Premium Panels gives users the ability to take prints outdoors, or into direct sunlight with the image quality and durability they've come to expect from other ChromaLuxe products. These UV resistant panels come in a variety of common sizes to serve the signage, display and outdoor photography markets.

Description: UV resistant metal prints rated for outdoor use.
Uses/Applications: Outdoor art, photography, signage and display.
Thickness: 0.045" aluminum
Finish: Gloss Silver
Case Qty: **10**


ChromaLuxe®

ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.

Outdoor Life Expectancy of 5+ years!



CLX4810
Size: 5" x 7"




CLX4815
Size: 6" x 12"



CLX4811
Size: 8" x 10"




CLX4812
Size: 11" x 14"



CLX4813
Size: 12" x 18"



CLX4814
Size: 16" x 20"



CLX4816
Size: 18" x 24"

ChromaLuxe® Outdoor Premium Panels
Gloss White

Description: UV resistant metal prints rated for outdoor use.
Uses/Applications: Outdoor art, photography, signage and display.
Thickness: 0.045" aluminum
Finish: Gloss White
Case Qty: **10**

ChromaLuxe®
ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.



Size: 5" x 7"
CLX4750



Size: 6" x 12"
CLX4751



Size: 8" x 10"
CLX4752



Size: 11" x 14"
CLX4753



Size: 12" x 18"
CLX4754



Size: 16" x 20"
CLX4766



Size: 18" x 24"
CLX4755

Outdoor Life Expectancy of 5+ years!

Matte White

Description: UV resistant metal prints rated for outdoor use.
Uses/Applications: Outdoor art, photography, signage and display.
Thickness: 0.045" aluminum
Finish: Matte White
Case Qty: **10**

ChromaLuxe®
ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.



Size: 5" x 7"
CLX4890



Size: 6" x 12"
CLX4891



Size: 8" x 10"
CLX4892



Size: 11" x 14"
CLX4893



Size: 12" x 18"
CLX4894



Size: 16" x 20"
CLX4895



Size: 18" x 24"
CLX4896

ChromaLuxe® Photo Panels

ChromaLuxe®

ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.

Matte Maple Photo Panels

MDF with maple veneer. Each panel is unique so grain may vary. Size 8" x 10" and smaller have dual keyhole & kickstand. Size 10" x 10" and larger are only available with 2 keyholes.
Thickness: .625"

Dual Keyhole & Kickstand

CLX4723
Size: 5" x 7"
Case Qty: 27

CLX4721
Size: 6" x 6"
Case Qty: 28

CLX4528
Size: 8" x 8"
Case Qty: 14


CLX4529
Size: 8" x 10"
Case Qty: 14

2 Keyholes

CLX4530
Size: 10" x 10"
Case Qty: 14

CLX4531
Size: 11" x 14"
Case Qty: 9

CLX4532
Size: 16" x 20"
Case Qty: 5



Great for desktop or wall display!

Wood Photo Panels

Gloss white wood photo panels are made from MDF with a black edge & back. Size 8" x 10" and smaller have dual keyhole & kickstand. Size 11" x 14" and larger are only available with 2 keyholes.
Thickness: .625"

Dual Keyhole & Kickstand

CLX4722
Size: 5" x 7"
Case Qty: 27

CLX4724
Size: 8" x 8"
Case Qty: 14

CLX4286
Size: 8" x 10"
Case Qty: 10

2 Keyholes

CLX5877
Size: 11" x 14"
Case Qty: 9

CLX4126
Size: 16" x 20"
Case Qty: 5



ChromaLuxe® Displays

Black Shadow Displays

Black MDF display blocks come with pre-applied adhesive and keyholes for easy wall display of ChromaLuxe® metal photo panels.



CLXM4006
Square Shadow Display
(use with 6" x 6" and larger)
Size: 4" x 4" x .5"
Case Qty: 20



CLXM5903
Shadow Display
(use with 11" x 14" and larger)
Size: 9" x 12" x .5"
Case Qty: 10



Black wood spacer blocks with keyholes for floating a ChromaLuxe® aluminum photo panel off a wall.

Photo panel sold separately.

Shadow Mount Display Sets & Easels

Natural MDF display blocks come with pre-applied adhesive and keyhole for easy wall display of ChromaLuxe® metal photo panels.



CLXM4058
Small Easel
(use with vertical 5" x 7" up to 8" x 10")
Size: 1.994" x 5.5" x .040"
Case Qty: 20



CLXM4060
Small Easel
(use with vertical 5" x 7" up to 8" x 10")
Size: 1.994" x 5.5" x .040"
Case Qty: 100

Easels have 2-sided adhesive pre-applied



CLXM4084
Large Easel
(use with 10" up to 11" x 14")
Size: 2.76" x 9.23" x .040"
Case Qty: 20



CLXM4220
Silver Mini Easel
(use with 4" x 4" and up to 5" x 7" horizontal)
Size: 1.5" x 3.5" x .040"
Case Qty: 20



Photo panel sold separately.

CLXM5902
Shadow Mount Display Set
Size: 2" x 2" & 3" x 4"
Case Qty: 10




CLXM4005
Aluminum Shadow Mount Display with Wood Spacer
Size: 5" x 5" x .5"
Case Qty: 10

ChromaLuxe® Displays

French Cleat Hanging System

Lightweight hanging system with pre-applied adhesive and an integrated level for easy and accurate installation.













Part No.	Description	Case Qty.
001-4WFC0301	for 4" x 4", 4" x 6" or 6" x 6" Photo Panels - 2 piece	1
001-4WFC0601	for 8" x 8", 8" x 10" or 10" x 10" Photo Panels - 2 piece	1
001-4WFC1114	for 11" x 14" Photo Panels - 5 piece	1
001-4WFC1212	for 12" x 12" Photo Panels - 5 piece	1
001-4WFC1218	for 12" x 18" Photo Panels - 5 piece	1
001-4WFC1224	for 12" x 24" Photo Panels - 5 piece	1
001-4WFC1530	for 15" x 30" Photo Panels - 5 piece	1
001-4WFC1616	for 16" x 16" Photo Panels - 5 piece	1
001-4WFC1620	for 16" x 20" Photo Panels - 5 piece	1
001-4WFC1624	for 16" x 24" Photo Panels - 5 piece	1
001-4WFC2020	for 20" x 20" Photo Panels - 5 piece	1
001-4WFC2024	for 20" x 24" Photo Panels - 5 piece	1
001-4WFC2030	for 20" x 30" Photo Panels - 5 piece	1
001-4WFC2424	for 24" x 24" Photo Panels - 5 piece	1
001-4WFC2430	for 24" x 30" Photo Panels - 5 piece	1
001-4WFC2436	for 24" x 36" Photo Panels - 5 piece	1
001-4WFC2448	for 24" x 48" Photo Panels - 5 piece	1
001-4WFC3030	for 30" x 30" Photo Panels - 5 piece	1
001-4WFC3040	for 30" x 40" Photo Panels - 5 piece	1
001-4WFC3045	for 30" x 45" Photo Panels - 5 piece	1
001-4WFC4060	for 40" x 60" Photo Panels - 5 piece	1

How-To Video!

Unisub® Textured Kickstand Photo Panels

Textured white photo panels with kickstand and keyholes.

Wood Photo Panels

Thickness: .625"



UN4823
Size: 5" x 7"
Case Qty: 27



UN4825
Size: 8" x 8"
Case Qty: 14





Back View

UN4826
Size: 8" x 10"
Case Qty: 14

Unisub® Textured Photo Panels

Textured white photo panels with keyholes.

Wood Photo Panels *No Kickstand*

Thickness: .625"



UN4827
Size: 11" x 14"
Case Qty: 9



UN4828
Size: 12" x 18"
Case Qty: 9



UN4829
Size: 16" x 20"
Case Qty: 5

MDF Kickstand Photo Panels

Thickness: .25"



CLX4834M
Size: 5" x 5"
Case Qty: 20



CLX4835M
Size: 5" x 7"
Case Qty: 20



CLX4836M
Size: 6" x 6"
Case Qty: 20





Back View

CLX4837M
Size: 8" x 10"
Case Qty: 15

ChromaLuxe® Wall Tiles

Gloss white MDF with repositionable adhesive (Includes Adhesive Mount)
Thickness: .25"

ChromaLuxe®

ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.



CLX4928M
Square
Size: 8" x 8"
Case Qty: 12



CLX4931M
Hexagon
Size: 8" x 9"
Case Qty: 12



CLX4932M
Rectangle
Size: 6" x 8"
Case Qty: 12



Repositionable Adhesive Mount!



CLXM4929
Replacement Repositionable Adhesive Mount
Size: 2" x 2"
Case Qty: 20

Tabletop Photo Panel Set

Gloss white MDF hinged photo panels have a black back and edge.
Sets include brass hinges to connect multiple panels together.
Thickness: .25"



CLX5863M
Duo-Panel Set (2 pcs)
Size: 3.5" x 5" & 5" x 7"
Case Qty: 15 (sets)

ChromaLuxe® Photo Panel

Gloss white MDF with black edges and back with kickstand.
Thickness: .25"

ChromaLuxe®

ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.



Back View



CLX4905M
Hexagon
Photo Panel
Size: 7.5" x 6.53"
Case Qty: 10

Photo Panels with Kickstand

Semi-gloss white MDF with black edges and back. Stands on all 4 sides.
Thickness: .25"



CLX4601M
Rectangle Kickstand
Photo Panel
Size: 5" x 7"
Case Qty: 20



CLX4602M
Rectangle Kickstand
Photo Panel
Size: 8" x 10"
Case Qty: 15

ChromaLuxe® Photo Panels

Photo Panels with Easel

Gloss white MDF easeled photo panels have a black radius edge and back with matching pre-attached easel for easy table top display.
Thickness: .25"

ChromaLuxe®

ChromaLuxe® products feature an advanced, highly durable and extremely smooth UV resistant coating.



CLX5857M
Size: 5" x 7"
Case Qty: 12



CLX5859M
Size: 8" x 10"
Case Qty: 12



CLX5931M
Size: 6" x 6"
Case Qty: 10

Outdoor Garden Flag

Heavy-duty, 2-sided 100% polyester garden flag. One 12 1/2" end has a 1 3/4" pole pocket opening to slide over a garden flag stand in the ground or mounted to a wall or fence. The flag stand/pole is not included.

Case Qty: **25**

How-To Video!



SBL490
Size: 17 1/4" x 12 1/2"





Pole Pocket

Unisub® Outdoor Garden Stakes & Yard Signs

All signs are 1-sided, made of durable aluminum, UV resistant and are .045" thick.

Case Qty: **10**



UN4774
Rectangle Yard Sign
Size: 7.75" x 10"




UN4776
Square Yard Sign
Size: 7.75" x 15.75"

Mini Bag Toss Game & Sublimatable Face Panel

Face panel is 1/8" thick Unisub® MDF with high gloss white coating.
Case Qty: **1**

JDS EXCLUSIVE






GFT229
L Laserable wood Mini Bag Toss Game Includes 4 red & 4 blue bags. Has black nylon handle on side of each board for carrying.
Size: 10 1/2" x 15 3/4"





GFT229 shown completed with **GFT230SUB**
Attach panels after sublimation with a wood/ceramic adhesive or Gold-Line tape.



GFT230SUB Made in the USA
Sublimatable Face Panel for GFT229 Mini Bag Toss Game
Size: 10 1/2" x 15 3/4" x .125"

Sublimation

Unisub® Mini-Basketball Hoop

unisub® made in the USA

Gloss white MDF Mini-Basketball Hoop with white netting, plastic rim and clear hang tabs.
Case Qty: **15**



UN5548
Mini-Basketball Hoop
Size: 7.5" x 9" x .75"

Wood Photo Frames


Thickness: 1/4"

Case Qty: **12**

SAMPLE SET #SPFSET4
1 of each SPF446 & SPF457



SPF446
Holds 4" x 6" photo
Size: 8" x 10"



SPF457
Holds 5" x 7" photo
Size: 9" x 11"

Glass not included

Unisub® Photo Frames

made in the USA

unisub



UN1019
Gloss White MDF Frame
with Easel and Glass
Holds 4" x 6" photo
Size: 8" x 10" x .625"
Case Qty: 14



Frames can hang or stand horizontally or vertically.

UN5607
Gloss White MDF Offset Frame
with Easel and Glass
Holds 4" x 6" photo
Size: 8" x 10" x .625"
Case Qty: 12

Subli-Tru Photo Frames

Smooth white sublimatable fabric frames.
Thickness: 1/4"

Subli-Tru®

SAMPLE SET #SPFSET1
1 of each SPF146, SPF1810 & SPF157

Frames can hang or stand horizontally or vertically.



SPF146
Holds 4" x 6" photo
Size: 6 3/4" x 8 3/4"
Case Qty: 12



SPF1810
Holds 8" x 10" photo
Size: 10 3/4" x 12 3/4"
Case Qty: 6



SPF157
Holds 5" x 7" photo
Size: 7 3/4" x 9 3/4"
Case Qty: 12

Subli-Tru®

Subli-Tru® (sub·li·troo) *noun*
Smooth, white, sublimatable fabric designed for producing beautiful full color designs. Brought to you exclusively by JDS Industries.

Frames can hang or stand horizontally or vertically.

How-To Video!

SAMPLE SET #SPFSET2
1 of each SPF246 & SPF257



SPF246
Holds 4" x 6" photo
with 4 1/2" x 8" engraving area
Size: 8 1/8" x 9 1/4"
Case Qty: 12



SPF257
Holds 5" x 7" photo
with 4 1/2" x 9" engraving area
Size: 9 1/8" x 10 1/4"
Case Qty: 12


JDS EXCLUSIVE

Unisub® MDF Signs/Message Boards

1-sided gloss white MDF signs/message boards with radius corners.
Thickness: .125"
Case Qty: **20**



UN1010
MDF Panel
Size: 7.5" x 9"




UN1011
MDF Panel
Size: 8" x 10.3"



UN1012
MDF Panel
Size: 9" x 12.5"

Steel Signs/Message Magnetic Boards

1-sided magnetic gloss white finish steel boards with radius corners unless otherwise noted.
Thickness: .023"
Case Qty: **10**



UN5960
Steel Panel with
Straight Corners
Size: 11.875" x 23.875"

UVSub™ Aluminum Signs

1-sided UVSub™ aluminum with gloss white finish and 1/2" Round Corners.
Case Qty: **30**




UV207
Street Sign
Size: 13 1/2" x 4" x .025"



UV208
Street Sign
Size: 18" x 4" x .025"



UV204
Rectangle Sign
2 Holes - Hole Size: 1/4"
Size: 8" x 12" x .025"



UV205
Rectangle Sign
2 Holes - Hole Size: 1/4"
Size: 12" x 18" x .025"



UV304
Street Sign
2 Holes - Hole Size: 1/4"
Size: 8" x 12" x .032"



UV305
Street Sign
2 Holes - Hole Size: 1/4"
Size: 12" x 18" x .032"

Sublimatable Glass

Glass is clear with a white back. Glass is available in 8 options; 4 vertically standing pieces and 4 horizontally standing pieces.
Thickness: 3/16"
Case Qty: **10**

SAMPLE SET #SBGSET1
1 of each SBG146-SBG1710 Vertical Glass

SAMPLE SET #SBGSET2
1 of each SBG264-SBG2107 Horizontal Glass



SBG157
Vertical Glass with 1 Pin
Size: 5" x 7"



SBG146
Vertical Glass with 1 Pin
Size: 4" x 6"



SBG168
Vertical Glass with 1 Pin
Size: 6" x 8"



SBG1710
Vertical Glass with 2 Pins
Size: 7" x 10"



SBG264
Horizontal Glass with 1 Pin
Size: 6" x 4"



All sublimatable glass includes silver pin(s) for standing.



SBG275
Horizontal Glass with 1 Pin
Size: 7" x 5"



SBG286
Horizontal Glass with 2 Pins
Size: 8" x 6"



SBG2107
Horizontal Glass with 2 Pins
Size: 10" x 7"

Sublicrylic

Thickness: 1"
Paperweight Thickness: 3/4"
Case Qty: **10**

Special Requirements:
- *Swing-away Heat Press*
- *Heat Conductive Pad*

SAMPLE SET #SACSET1
1 of each SAC012, SAC021 & SAC032

Bold, Vibrant, Beautiful Colors!



SAC011
Sublicrylic Circle
Size: 4" x 3 1/2"




SAC012
Sublicrylic Circle
Size: 5" x 4 1/2"



SAC013
Sublicrylic Circle
Size: 6" x 5 1/2"



SAC021
Sublicrylic Rectangle
Size: 4" x 6"



SAC022
Sublicrylic Rectangle
Size: 5" x 7"



SAC023
Sublicrylic Rectangle
Size: 6" x 8"

For best results when sublimating use Heat Conductive Pad. See page 230



SAC032
Sublicrylic Diamond
Size: 5" x 7"



SAC033
Sublicrylic Diamond
Size: 5 3/4" x 8"



SAC044
Sublicrylic Paperweight
Size: 3 3/4" x 3 3/4" x 3/4"

Impress Acrylics

Includes adhesive on acrylic bottom for permanent attachment.
Acrylic is shipped unattached from base.
Thickness: 1"
Case Qty: **6**

Special Requirements:
- *Swing-away Heat Press*
- *Heat Conductive Pad*

Sample Set #SUBiMP200SET1
Sample Set #SUBiMP300SET1

How-To Video!

Peel & Stick!



SUBiMP201
Beveled Impress Acrylic
Overall Size: 5" x 6"
Blank Size: 3 1/2" x 5 1/4" x 1"



SUBiMP202
Beveled Impress Acrylic
Overall Size: 5" x 7"
Blank Size: 3 1/2" x 6 1/4" x 1"



SUBiMP203
Beveled Impress Acrylic
Overall Size: 5" x 8"
Blank Size: 3 1/2" x 7 1/4" x 1"



SUBiMP301
Diamond Impress Acrylic
Overall Size: 5 1/4" x 6 3/4"
Blank Size: 5 1/4" x 6" x 1"



SUBiMP302
Diamond Impress Acrylic
Overall Size: 5 1/4" x 7 3/4"
Blank Size: 5 1/4" x 7" x 1"

For best results when sublimating use Heat Conductive Pad. See page 230



SUBiMP303
Diamond Impress Acrylic
Overall Size: 5 1/4" x 8 3/4"
Blank Size: 5 1/4" x 8" x 1"


Acrylic Paperweights

Thickness: 3/4"
Case Qty: **12**

Special Requirements:
- *Swing-away Heat Press*
- *Heat Conductive Pad*


Sample Set #SUBAPWSET2
1 of each Acrylic Paperweight

How-To Video!



SUBAPW34
Rectangle
Size: 4 1/2" x 3 1/2"

For best results when sublimating use Heat Conductive Pad. *See page 230*



SUBAPW37
Square
Size: 3 3/4" x 3 3/4"



SUBSTA5
Star
Size: 5" x 5"



Subli-Tru

EXCLUSIVE

SBT015
1-sided Smooth White Sublimatable Fabric Subli-Tru Phone Wallet
Size: 2 3/8" x 3 1/8"
Case Qty: 25



SBL087
2-in-1 Black Silicone Phone Wallet with 1-sided Microfiber Cloth
Size: 2 1/4" x 3 3/8"
Case Qty: 25

Subli-Tru®

Subli-Tru® (sub·li·troo) *noun*
Smooth, white, sublimatable fabric designed for producing beautiful full color designs. Brought to you exclusively by JDS Industries.

How-To Video!



Holds 2 credit cards.

Screen cleaning cloth easy to take on & off!



SBL088
2-sided Microfiber Cleaning Cloth
Size: 6" x 6"
Case Qty: 50



SBL089
2-sided Microfiber Cleaning Cloth
Size: 10" x 10"
Case Qty: 50

Business Cards



SBL525
2-sided, Flexible Plastic
Business Card
Size: 3.5" x 2" x .030"
Case Qty: 50



CLX4329
2-sided Gloss White
Aluminum Business Card
Size: 3.5" x 2" x .050"
Case Qty: 50

Sublimation

Unisub® Aluminum Name Badges

1-sided rectangle have radius corners of 1/8".
Badge findings not included. See jdsindustries.com for badge findings & magnets.
Thickness: .025"
Case Qty: **100**



UN4460
Gloss White Rectangle
Size: 3" x 1.25"



UN4461
Gloss White Rectangle
Size: 3" x 1.5"

UN4466
Matte White Rectangle
Size: 3" x 1.5"



UN4467
Gloss White Rectangle
Size: 3" x 2"

UN4470
Matte White Rectangle
Size: 3" x 2"



UN4462
Gloss White Rectangle
Size: 3.375" x 2.125"



UN5950
Gloss Silver Rectangle
Size: 3" x 2" x .045"
Case Qty: 150

Unisub® Aluminum Name Badges

1-sided gloss white metal name badges have square or radius corners.
Badge findings not included. See jdsindustries.com for badge findings & magnets.
Thickness: .03"

Case Qty: **50**



UN5733
Rectangle with
Radius Corners
Size: 3.5" x 2"



UN5731
Rectangle with
Square Corners
Size: 3.5" x 2.5"

Unisub® Fiber Reinforced Plastic (FRP) Name Badges

1-sided badges come in a rectangle or oval shape. Rectangles have radius corners of 1/8".
Badge findings not included. See jdsindustries.com for badge findings & magnets.
Thickness: .09"



UN5501
Gloss White Rectangle
Size: 3" x 1"
Case Qty: 250

UN5515
Matte White Rectangle
Size: 3" x 1"
Case Qty: 250



UN5502
Gloss White Rectangle
Size: 3" x 1.25"
Case Qty: 200

UN5516
Matte White Rectangle
Size: 3" x 1.25"
Case Qty: 200



UN5786
Gloss White Rectangle
Size: 3" x 1.5"
Case Qty: 150

UN4001
Matte White Rectangle
Size: 3" x 1.5"
Case Qty: 150



UN5530
Gloss White Rectangle
Size: 3" x 2"
Case Qty: 150

UN5531
Matte White Rectangle
Size: 3" x 2"
Case Qty: 150



UN5532
Gloss White Oval
Size: 3" x 1.5"
Case Qty: 150

UVSub™ Aluminum Die Cuts, Luggage Tags & Keychains

1-sided gloss white UV resistant sublimatable aluminum.
Badge findings not included. See jdsindustries.com for badge findings & magnets.
Thickness: .025"
Case Qty: **50**



UV101
Name Badge
1/8" Round Corners
Size: 3" x 1"



UV102
Name Badge
1/8" Round Corners
Size: 3" x 1 1/4"




UV103
Name Badge
1/8" Round Corners
Size: 3" x 1 1/2"



UV104
Name Badge
1/8" Round Corners
Size: 3" x 2"




UV105
Business Card
1/4" Round Corners
Size: 3 1/2" x 2"



UV106
Dash Plate
1/8" Round Corners
Size: 2 3/4" x 4"

Precut to accept standard straps
(Sold separately #UN4157)



UV107
Luggage Tag
1/4" Round Corners with Slot
Size: 2" x 3 1/2"



UV108
Rectangle Keychain
1/8" Round Corners with 1/8" Hole
Size: 1" x 3"



UV109
Rectangle Keychain
1/8" Round Corners with 1/8" Hole
Size: 1 1/4" x 3"



UV110
Rectangle Keychain
1/8" Round Corners with 1/8" Hole
Size: 1 1/2" x 3"

Metal Name Badge Plates

1-sided metal name badge plates for engraving, sublimation or UV printing.
Badge findings not included. See jdsindustries.com for badge findings & magnets.
Thickness: .020"
Case Qty: **100**



574-21
Satin Gold Brass
Size: 2 3/4" x 7/8"

575-22
Satin Gold Brass
Size: 3" x 1"



574-60
White DynaSub™ Aluminum
Size: 2 3/4" x 7/8"

575-60
White DynaSub™ Aluminum
Size: 3" x 1"

Bag Tags



SBL529
2-sided, Flexible Plastic, Rectangle
Size: 2 3/4" x 4" x .030"
Case Qty: 50



SBL270
Oval
Size: 3" x 2" x 3/16"
Case Qty: 15



2-sided white poly bag tags include black strap.



UV113
2-sided Gloss White Aluminum Rectangle
Size: 2 1/8" x 3 3/8" x .032"
Case Qty: 50



SBL271
Rectangle
Size: 3" x 2" x 3/16"
Case Qty: 15

Subli-Tru® Bag Tag

1-sided, smooth white sublimatable fabric on the front, gray canvas on the back.
Thickness: 1/8"
Case Qty: **10**



SBT004
Subli-Tru Luggage Tag
Size: 4 1/4" x 2 3/4"

Subli-Tru®

Subli-Tru® (sub·li·troo) *noun*
Smooth, white, sublimatable fabric designed for producing beautiful full color designs. Brought to you exclusively by JDS Industries.

How-To Video!

JDS EXCLUSIVE

Sublimation

Unisub® Acrylic Bag Tags

1-sided white acrylic bag tags.
Thickness: .125"
Case Qty: **25**



UN4955
Rectangular
Size: 4" x 2.75"



UN4956
Round
Size: 3.5" Diameter

Unisub® Aluminum Bag Tags

2-sided semi-gloss white aluminum bag tags.
Precut to accept standard bag tag straps (Sold separately #UN4157).
Thickness: .045"
Case Qty: **50**



UN4621
Rectangle
Size: 2.5" x 4.25"



UN4623
Rectangle
Size: 2.75" x 4"



UN4625
Round
Size: 3.5" Diameter




UN4624
Rectangle
Size: 1.75" x 3.5"



UN4157
Clear Plastic Bag Tag Loops
Size: 9"

Unisub® Fiber Reinforced Plastic (FRP) Bag Tags

2-sided gloss white FRP bag tags.
Precut to accept standard bag tag straps (Sold separately #UN4157).
Thickness: .09"
Case Qty: **50**



UN5503
Rectangle
Size: 2.75" x 4"



UN5505
Rectangle
Size: 3" x 5.5"



UN5507
Round
Size: 4" Diameter



UN5556
Rectangle
Size: 1.75" x 3.5"



UN5649
Square
Size: 3.5" x 3.5"



UN5897
Megaphone
Size: 4" x 2.75"



UN5655
Rectangle
Size: 2.5" x 4.25"

Keychains with Leather Straps

1-sided keychains have a white aluminum insert for decorating.
Thickness: 1/16"



SBL151
Round
with White Insert
Tag Size: 3 3/8" x 1 3/8"
Insert Size: 1" Diameter
Case Qty: 20

SBL151iNSERT
Round White
Replacement Insert
Insert Size: 1" Diameter
Case Qty: 1



SBL152
Oval
with White Insert
Tag Size: 3 5/8" x 1 3/8"
Insert Size: 1 1/2" x 1" Oval
Case Qty: 20

SBL152iNSERT
Oval White
Replacement Insert
Insert Size: 1 1/2" x 1" Oval
Case Qty: 1



SBL153
Rectangle
with White Insert
Tag Size: 3 3/4" x 1 1/4"
Insert Size: 1 1/2" x 3/4" Rectangle
Case Qty: 20

SBL153iNSERT
Rectangle White
Replacement Insert
Insert Size: 1 1/2" x 3/4" Rectangle
Case Qty: 1



SBL154
Square
with White Insert
Tag Size: 3 3/4" x 1 3/8"
Insert Size: 1" x 1 1/4" Square
Case Qty: 20

SBL154iNSERT
Square White
Replacement Insert
Insert Size: 1" x 1 1/4" Square
Case Qty: 1

Unisub® Fiber Reinforced Plastic (FRP) Keychains

made in the USA

unisub

2-sided gloss white FRP keychains include rings and tabs.
Thickness: .09"
Case Qty: **50**



UN4936
Vintage Hotel
Size: 3.125" x 1.5"



UN5520
Heart
Size: 2.5" x 2.25"



UN5521
Round
Size: 2.5" Diameter



UN5524
Square with Radius Corners
Size: 2.25" x 2.25"



UN5525
Rectangle with Radius Corners
Size: 3" x 1.25"

Unisub® Acrylic Keychains

1-sided white acrylic keychain includes ring and tab.
Thickness: .125"
Case Qty: **25**



UN4957
Rectangular
Size: 2.25" x 1.6"



UN4958
Square
Size: 2.25" x 2.25"

Unisub® Aluminum Keychains

Aluminum keychains includes ring and tab.
Thickness: .045"
Case Qty: **50**



UN4600
1-sided, Semi-gloss White
Square with Radius Corners
Size: 2.25" x 2.25"



UN4106
2-sided Gloss White
Rectangle with Radius Corners
Size: 1.25" x 3"



UN4107
2-sided Gloss White
Square with Radius Corners
Size: 2.25" x 2.25"



UN4411
2-sided Gloss White
Round
Size: 2" Diameter



UN4408
2-sided Gloss White
t-shirt
Size: 2.75" x 2.5"



UN5917
2-sided Gloss White
Oval
Size: 1.375" x 2.5"



UN5995
2-sided Gloss White
Rectangle with Radius Corners
Size: 1.6" x 2.25"

Sublimation

Wood Keychains

1-sided wood keychains include ring and tab.
Thickness: 1/8"
Case Qty: **30**



SBL465
Round
Size: 1 3/4" Diameter



SBL467
Oval
Size: 2 5/8" x 1 7/8"



SBL466
Rectangle
Size: 2 5/8" x 1 7/8"

Subli-Tru® Keychains

2-sided smooth white sublimatable fabric on both front and back.
Thickness: 1/8"
Case Qty: **50**



SBT001
Oval Keychain
Tag Size: 3" x 1 3/4"



SBT002
Rectangle Keychain
Tag Size: 2 3/4" x 1 1/4"

How-To Video!

Subli-Tru®

Subli-Tru® (sub·li·troo) *noun*
Smooth, white, sublimatable fabric designed for producing beautiful full color designs. Brought to you exclusively by JDS Industries.

Metal Keychains

1-sided keychains have a white aluminum insert for decorating.
Thickness: 1/8"

Aluminum inserts also available separately.
Add "insert" to the end of the part #.



SBL010
Rectangle Keychain
with White Insert
Tag Size: 1" x 1 3/8"
Insert Size: 1 1/8" x 13/16"
Case Qty: 20
Adhesive Included.



SBL011
Pear Keychain
with White Insert
Tag Size: 1 1/4" x 1 3/4"
Insert Size: 15/16" Diameter
Case Qty: 20
Adhesive Included.



SBL013
Rectangle Keychain
with White DynaSub™ Insert
Tag Size: 1 15/16" x 1 3/16"
Insert Size: 1 5/8" x 7/8"
Case Qty: 50
Adhesive Not Included.



SBL014
Oval Keychain
with White DynaSub™ Insert
Tag Size: 1 5/8" x 1 3/16"
Insert Size: 1 5/16" x 7/8"
Case Qty: 50
Adhesive Not Included.



SBL015
Round Keychain
with White DynaSub™ Insert
Tag Size: 1 1/2" Diameter
Insert Size: 1 1/8" Diameter
Case Qty: 50
Adhesive Not Included.

Aluminum Tags

2-sided gloss white aluminum.
Thickness: .045"
Case Qty: **25**



PET202SUB
White Dog Bone
Size: 1 1/2" x 1"



PET207SUB
White Round
Size: 1 1/4" Diameter



PET209SUB
White Heart
Size: 1 1/4" x 1 1/4"



TAG201SUB
White ID Tag
Size: 1" x 2"

Unisub® Aluminum Pet Tags

1-sided gloss white aluminum pet tags come with nickel plated triangles for attachment.
Thickness: .045"
Case Qty: **25**



UN5771
Dog Bone
Size: 1.5" x 1"



UN5773
Round
Size: 1.25" x 1.5"



Nickel Plated Triangle

UVSub™ Dog Tags

1-sided gloss white UVSub™ aluminum.
Thickness: .025"
Case Qty: **50**



UV111
Standard White Dog Tag
1/2" Round Corners with 1/8" hole
Size: 1 1/8" x 2"



UV112
Large White Dog Tag
1" Round Corners with 1/4" hole
Size: 2 1/4" x 4"

Unisub® Aluminum I.D. Tags

Case Qty: **50**



UN5588
1-Sided Gloss White ID Tag
Size: 1.15" x 2" x .045"




UN5916
2-Sided Gloss White ID Tag
Size: 1.15" x 2" x .045"

White Aluminum Die Cuts

2-sided gloss white aluminum.
Thickness: .040"

Case Qty: **100**



523-60
Size: 2" x 3 1/2"



530-60
Size: 1 1/8" x 2"



530A-60
Size: 1 1/8" x 1 7/8"



554-60
Size: 1 1/2" Diameter



DTCHAIN2
30" Chain / .1" Diameter Balls
(Die Cut Tags Sold Separately)
Case Qty: 25

Unisub® Magnets

made in the USA

unisub

Semi-Gloss Aluminum

1-sided semi-gloss white aluminum includes self-adhesive magnet to attach after sublimating.
Thickness: .045"
Case Qty: **50**



UN4863
Rectangle
Size: 2" x 3"



UN4864
Square
Size: 2.25" x 2.25"

Gloss Aluminum

1-sided gloss white aluminum magnets include self-adhesive magnet to attach after sublimating.
Thickness: .03"
Case Qty: **50**



UN5734
Rectangle
with Radius Corners
Size: 2" x 3"

Fiber Reinforced Plastic (FRP) Magnets

1-sided gloss white FRP magnets include self-adhesive magnet to attach after sublimating.
Thickness: .09"
Case Qty: **50**



UN5523
Square with Radius Corners
Size: 2.25" x 2.25"



UN5522
Round
Size: 2.5" Diameter

MDF Magnets

1-sided gloss white MDF has a black edge and includes self-adhesive magnet to attach after sublimating.
Thickness: .125"
Case Qty: **50**



UN4051
Square with
Straight Corners
Size: 2.25" x 2.25"



UN4052
Rectangle with
Straight Corners
Size: 2" x 3"

Lanyard



SBL120
2-Sided Lanyard with Clip
Size: 7/8" x 36"
Case Qty: 25

Features break-away clip for safety and for easy heat pressing.

Unisub® Button & Pin

made in the USA

unisub®

Fiber Reinforced Plastic Button



UN5665
1-Sided Gloss White FRP Round Button includes Self-Adhesive Pin
Size: 2.5" Diameter x .09"
Case Qty: 50

Aluminum Lapel Pin



UN5666
1-Sided Gloss White Aluminum Round Lapel Pin with Clasp
Size: 0.875" Diameter x .03"
Case Qty: 25

Unisub® Car Accessories

Case Qty: **50**



UN4566
Gloss White Aluminum
License Plate Frame
Size: 12.25" x 6.5" x .030"



UN4567
Gloss White Aluminum
License Plate Frame
Size: 12.21" x 6.46" x .030"



UN4568
Gloss White Aluminum
License Plate Frame
Size: 12.25" x 6.46" x .030"



UN5948
Gloss Silver Aluminum
License Plate
Size: 11.88" x 5.88" x .045"



UN5656
Gloss White Aluminum
License Plate
Size: 11.88" x 5.88" x .030"



UN4565
Gloss White Aluminum
Mini License Plate
Size: 5.88" x 2.94" x .030"

UVSub™ License Plates

1-sided UVSub™ aluminum with gloss white finish.



UV201
Bicycle License Plate
1/2" Round Corners
2 Holes - Hole Size: 1/4"
Size: 6" x 3" x .025"
Case Qty: 50



UV202
Motorcycle License Plate
1/2" Round Corners
2 Holes - Hole Size: 1/4"
Size: 7" x 4" x .025"
Case Qty: 50



UV203
ATV License Plate
1/2" Round Corners
2 Holes - Hole Size: 1/4"
Size: 8" x 5" x .025"
Case Qty: 50



UV210
Auto Plate
1/2" Round Corners
4 Holes
Size: 12" x 6" x .025"
Case Qty: 30



UV310
Auto Plate
1/2" Round Corners
4 Holes
Size: 12" x 6" x .032"
Case Qty: 30

Bookmarks, Ribbon & Stocking



SBL527
2-sided, White, Flexible Plastic Bookmark
Size: 1 1/4" x 5"
Case Qty: 50



SBL119
Pinked Ribbon/Bookmark
Size: 2" x 8"
Case Qty: 100



SBL118
Ribbon with Card & String
Size: 2" x 8"
Case Qty: 100



SBL451
White Polyester Stocking
Size: 10 x 14"
Case Qty: 10

Car Flags

Heavy Duty, Double Thickness Car Flags!



SBL046
2-Sided Flag with Pole
Size: 12" x 8"
Case Qty: 25



Replacement Car Flags and Poles available separately. Call for details.

SBL045
2-Sided Flag with Pole
Size: 16" x 10 1/2"
Case Qty: 25

Acrylic Ornaments

1-sided ornaments with red ribbon for hanging.
Thickness: 3/16"
Case Qty: **10**

SAMPLE SET #SACSET2
1 of each Acrylic Ornament



SAC101
Oval
Size: 2 1/4" x 3"



SAC102
Tree
Size: 3" x 4"





SAC103
Round
Size: 2 1/2" Diameter



SAC104
Snowflake
Size: 3" Diameter



SAC105
Bone
Size: 2 1/4" x 3 13/16"

Acrylic Ornaments

1-sided ornaments with red ribbon for hanging.
Thickness: 3/16"
Case Qty: **10**

SAMPLE SET #SACSET2
1 of each Acrylic Ornament



SAC106
Stocking
Size: 2 3/8" x 2 3/4"



SAC107
Benelux
Size: 3" x 4 1/4"



SAC109
Paw
Size: 3 3/4" x 3 1/2"



SAC108
Heart
Size: 3"

Unisub® Ornaments

1-sided white acrylic ornaments.
Thickness: .125"
Case Qty: **25**



UN4950
Benelux
Size: 3.95" x 2.85"



UN4951
Prague
Size: 2.95" x 2.95"



UN4952
Square
Size: 3.12" x 3.12"



UN4953
Round
Size: 3.12" Diameter



UN4954
Christmas Bulb
Size: 3" x 3.37"

Unisub® Ornaments

2-sided gloss white aluminum ornaments with ribbon for hanging.
Thickness: .045"
Case Qty: **50**



UN4935
Snow Globe
with Red Ribbon
Size: 3.75" x 3"



UN4855
Cross
with White Ribbon
Size: 3" x 3.5"

2-sided matte maple ornaments
with red ribbon for hanging.
Thickness: .156"
Case Qty: **25**



UN4797
Berlin
Size: 4" x 2.75"

1-sided gloss white aluminum ornaments
with white ribbon for hanging.
Thickness: .045"
Case Qty: **50**



UN4859
Square
Size: 2.75" x 2.75"




UN4733
Round
Size: 2.75" Diameter

Unisub® Ornaments

2-sided gloss white HD aluminum creative border ornaments with red ribbon for hanging.
Thickness: .045"

Case Qty: **50**



UN4193
Prague
Size: 2.95" x 2.95"



UN4331
Star
Size: 3.98" x 3.81"



UN4194
Berlin
Size: 3.95" x 2.74"



UN4332
Heart
Size: 3" x 2.87"



UN4335
Ball
Size: 3" x 3.37"



UN4102
London
Size: 3" x 3"

Unisub® Ornaments

2-sided gloss white HD aluminum creative border ornaments with red ribbon for hanging.
Thickness: .045"

Case Qty: **50**



UN4103
Benelux
Size: 3.95" x 2.76"



UN4171
Oval
Size: 2.35" x 3"



UN4170
Round
Size: 2.75" Diameter



UN4172
Hexagon
Size: 2.6" x 3"



UN4173
Landscape Rectangle (horizontal)
Size: 3" x 2"



UN4174
Portrait Rectangle (vertical)
Size: 2" x 3"



UN4449
Paw
Size: 3.7" x 3.5"



UN4598
1-Sided
Semi-Gloss White Benelux
Size: 3.95" x 2.76"



UN4599
1-Sided
Semi-Gloss White Round
Size: 2.75" Diameter

Subli-Tru® Ornaments

Smooth white sublimatable fabric on the front, gray canvas on back with a gold string for hanging.
Thickness: 1/8"
Case Qty: **25**

JDS EXCLUSIVE

Subli-Tru
SAMPLE SET #SBTSET2
1 of each Subli-Tru Ornament

How-To Video!



SBT046
Oval
Size: 3" X 4 1/2" Oval



SBT048
Tree
Size: 4" X 4 1/4" Tree



SBT047
Round
Size: 3 3/4" Diameter

Insert Holder Ornaments

2-sided plastic ornaments with silver string for hanging. 2" inserts sold separately.
Case Qty: **50**

See pages 167-170 for sublimatable inserts.



HH101
Clear Snowflake Ornament
Size: 4 1/8"



HH103
Antique Silver Round
Holiday Ornament
Size: 3" Diameter



HH102
Clear Snowflake Ornament
Size: 3 5/8"



HH104
Antique Silver
Holiday Tree Ornament
Size: 4"

Ceramic Ornaments

Ceramic ornaments have a gloss white surface with gold string for hanging.
Thickness: 1/8"
Case Qty: **25**

SAMPLE SET #SBLSET002
Includes 1 of each ceramic ornament



SBL001
1-Sided
Round Doily
Size: 4" Diameter



SBL002
2-Sided
Oval Doily
Size: 3 3/4"



SBL003
2-Sided
Snowflake
Size: 3"

How-To Video!




Nomex Pad recommended for ceramic ornaments. See page 230 for pads.



SBL004
2-Sided
Christmas Tree
Size: 3 1/4"



SBL005
2-Sided Round
Size: 2 1/2" Diameter



SBL006
2-Sided Star
Size: 3 1/8"

Pickleball Paddle Cover

Case Qty: **10**



SBL256
1-Sided White
Neoprene Paddle Cover
Size: 12" x 9"
(Paddle not included)

Pet Scarves





Pet Scarves easily slide on to a variety of dog collars.



SBL155A
Small Pet Scarf
Size: 5 3/4" x 4 1/4"
Case Qty: 10



SBL156A
Medium Pet Scarf
Size: 7 1/2" x 5 1/2"
Case Qty: 10



SBL157A
Large Pet Scarf
Size: 9" x 6 1/2"
Case Qty: 10

Ceramic Pet Bowls

Case Qty: **6**

SAMPLE SET #SBL431SET
1 of each Ceramic Pet Bowl



SBL431
Small Pet Bowl
Size: 2.36" x 6.1" Diameter



SBL432
Large Pet Bowl
Size: 2.95" x 7" Diameter

Pet Urns

Pet Urns are made from solid red alder and designed to accept a ceramic or MDF tile.
Tiles sold separately. See pages 88 & 164 for available tiles.

Case Qty: **4**

URN02 & URN12 are both using **STL44W** ceramic tile.



URN02
3 1/4" Tall Red Alder Pet Urn
Box Dimensions: 5" x 5" x 2 1/2"
Base Dimensions: 5 1/2" x 5 1/2" x 3/4"
Inside Dimensions: 3 1/2" x 3 1/2" x 1 7/8"
Accepts Tile Size: 4 1/4" x 4 1/4" x 1/4"



URN12
4 1/2" Tall Red Alder Pet Urn
Box Dimensions: 5 3/4" x 5 3/4" x 3 3/4"
Base Dimensions: 6 1/2" x 6 1/2" x 3/4"
Inside Dimensions: 4 1/4" x 4 1/4" x 3"
Accepts Tile Size: 4 1/4" x 4 1/4" x 1/4"

⚠WARNING
CANCER AND REPRODUCTIVE HARM
www.P65Warnings.ca.gov

Golf Accessories

Sublimatable golf towels






NEW

SBL486
Trifold Golf Towel
with Carabiner
Size: 17" x 17"
Case Qty: 24



Sublimatable on both sides!

SBL047
Small Microfiber
Golf/Bar Towel
Size: 7 1/2" x 13"
Case Qty: 10



SBL048
Large Microfiber
Golf/Bar Towel
Size: 12" x 17 1/2"
Case Qty: 10

Golf Accessories

Sublimatable golf ball markers are magnetized to stay firmly in place.
Include a 1" sublimatable steel disc.





Magnetized!

GFT205
Gold Divot Repair Tool
With 1" Sublimatable
Ball Marker Insert
Case Qty: 10



Reverse Side



GFT206
Silver Divot Repair Tool
With 1" Sublimatable
Ball Marker Insert
Case Qty: 10



543-61
1" White Sublimatable
Steel Disc
Case Qty: 100



Clips to a hat!



GFT207
Antique Gold Hat Clip
With 1" Sublimatable
Ball Marker Insert
Case Qty: 10

GFT208
Antique Silver Hat Clip
With 1" Sublimatable
Ball Marker Insert
Case Qty: 10

Banners

Banner includes wooden pole, spear tips and cord.
Case Qty: **25**



SBL043
Size: 7 7/8" x 11 13/16"



SBL044
Size: 9 1/2" x 15 3/4"

Pennants

2-sided Pennant

Case Qty: **10**



SBL050
Size: 5" x 12"



SBL051
Size: 8" x 12"




SBL052
Size: 8" x 18"

Unisub® Office Products

Each clipboard includes a clip that is attached with enclosed “speedy rivets.” Each case includes 25 rivets.


made in the USA

unisub




UN5634
2-Sided Gloss White MDF
Clipboard with Flat Clip
Size: 9" x 15.5" x .125"
Case Qty: 12

Great for dry erase!



UN1013
2-Sided Gloss White MDF
Clipboard with Flat Clip
Size: 9" x 12.5" x .125"
Case Qty: 12



UN1014
2-Sided Gloss White MDF
Clipboard with Standard Clip
Size: 9" x 12.5" x .125"
Case Qty: 12



UN5545
2-Sided Gloss White
FRP Door Hanger
Size: 4" x 9" x .09"
Case Qty: 25



UN4844
White Textured MDF
Mouse Pad
Size: 7.5" x 9" x .156"
Case Qty: 20

Hardwood base features slots for business cards and pens.



UN5752
Mahogany Executive Desk Wedge
with Gloss White Aluminum Insert
Insert Size: 9.3" x 1.625" x .03"
Overall Size: 9.375" x 2.25"
Case Qty: 10





UN5767
1-Sided Gloss White
Aluminum Bookmark
Size: 2" x 3" x .03"
Case Qty: 25

Features a slot at the top to hold a book's page.



UN5646
1-Sided Gloss White
Aluminum Bookmark
Size: 1.25" x 5" x .03"
Case Qty: 25

Sublimation

Mirror Tag

2-sided flexible plastic.
Thickness: .030"
Case Qty: **50**



SBL528
Size: 2 3/4" x 4 3/4"

Door Hanger

2-sided flexible plastic.
Thickness: .030"
Case Qty: **25**




SBL530
Size: 3 1/2" x 8"

Subli-Tru® Products


Smooth white sublimatable fabric on the front with gray canvas back.

Case Qty: **4**





SBT039
Sketch Book with
Unlined Paper
Size: 5 1/4" x 8 1/4"



SBT041
Sketch Book with
Unlined Paper
Size: 7" x 9 3/4"



SBT040
Journal with
Lined Paper
Size: 7" x 9 3/4"

Subli-Tru®

Subli-Tru® (sub·li·troo) *noun*

Smooth, white, sublimatable fabric designed for producing beautiful full color designs. Brought to you exclusively by JDS Industries.



SBT035
Journal with
Lined Paper
Size: 5 1/4" x 8 1/4"

EXCLUSIVE

Subli-Tru® Products

Smooth white sublimatable fabric on the front with gray canvas back.

Case Qty: **4**


How-To Video!




SBT025
Portfolio with Full Front
Size: 7" x 9"



SBT026
Portfolio with
Fold over Flap Front
Size: 7" x 9"



SBT030
Portfolio with Full Front
Size: 9 1/2" x 12"



SBT031
Portfolio with
Fold over Flap Front
Size: 9 1/2" x 12"



SBT038
3-Ring Binder
Size: 10 1/2" x 11 1/2"
with a 1" Slant D Binder Clip

JDS EXCLUSIVE

Tape Measures with Insert Holders



Holds 1 1/2" insert on one side. Inserts sold separately.

GFT059
1-Sided 16-Foot Black/Silver Tape Measure with Belt Clip & 1 1/2" Insert Holder
Case Qty: 6

See pages 167-170 for sublimatable inserts.



back view



GFT058
2-Sided 6-Foot Black Tape Measure Keychain with 1" Insert Holder
Case Qty: 12

Holds 1" insert on both sides. Inserts sold separately.

Unisub® Clock

Requires assembly.

made in the USA

unisub®



UN5627
White Round Wall Clock Kit
Size: 8.125" Diameter
Thickness: .045"
Case Qty: 14

Kit includes a gloss white aluminum face, hands, motor and hanging hook.

Bar Products



NEW **SBL102**
2-Sided White Steel
Bottle Opener
Size: 1 1/2" x 7"
Case Qty: 10



SBL115
2-Sided Stainless Steel
Bottle Opener
Size: 1 1/2" x 7"
Case Qty: 10



SBL480
2-Sided Wood
Bottle Opener
Size: 1 1/2" x 7"
Case Qty: 25



EXCLUSIVE

SBT011
2-Sided Smooth White
Sublimatable Fabric
Bottle Opener
Size: 1 1/2" x 7"
Case Qty: 25

Subli-Tru



SBL116
2-Sided Stainless Steel
Bottle Opener Bottle Shape
Size: 1 7/16" x 5 3/4"
Case Qty: 10



NEW **SBL103**
2-Sided White Steel
Bottle Opener Rectangle
Size: 2 1/8" x 3 3/8"
Case Qty: 10



Includes 1/8" hole.

SBL117
2-Sided Stainless Steel
Bottle Opener Rectangle
Size: 2 1/8" x 3 3/8"
Case Qty: 10

Bar/Kitchen Products



Holds 2" insert on one side. Inserts sold separately.

GFT115
Black 2" Holder Magnetic Clip/Bottle Opener
Size: 2 1/4" x 3"
Case Qty: 25

Inserts on pages 167-170



GFT017
Black Bottle Cap Opener with 2" Holder & Magnets
Size: 3" Diameter
Case Qty: 25

Inserts sold separately.



reverse side



GFT006
1-Sided 1" Insert Holder Wine Glass Charm
Size: 1 1/4"
Case Qty: 6



Holds insert on both sides. Inserts sold separately.

GFT005
2-Sided 1 1/2" Insert Holder Wine Stopper
Size: 4 5/8"
Case Qty: 1

Bar/Kitchen Products



NEW

SBL485
Waffle Towel
Size: 16" x 25"
Case Qty: 12



SBL030
Bib Apron
Size: 28" x 31 1/2"
Case Qty: 10



SBL028
1-Sided Oven Mitt
Size: 7" x 11"
Case Qty: 25



SBL029
1-Sided Hot Pad
Size: 6 3/4" x 6 3/4"
Case Qty: 25

Glass Cutting Boards

Cutting boards are tempered glass, hand wash only and not microwavable.
Comes with four clear round self-adhesive plastic bumpers to be attached after sublimation.




SBL074
Wine Bottle
Size: 4 1/2" x 12 1/2" x 5/32"
Case Qty: 48



SBL075
Rectangle
Size: 8" x 11" x 5/32"
Case Qty: 24



SBL077
Round
Size: 11 7/8" Diameter x 5/32"
Case Qty: 24



SBL076
Rectangle
Size: 11 1/4" x 15 1/4" x 5/32"
Case Qty: 12

Sublimatable Products

SAMPLE SET #SMPSET1
3 of each SMP1 & SMP2



SMP1
Rectangle Neoprene Mouse Pad
Size: 9 1/4" x 7 3/4" x 1/8"
Case Qty: 50



SMP2
Round Neoprene Mouse Pad
Size: 8" Diameter x 1/8"
Case Qty: 50



SBL182
Luggage Handle Wrap
with Velcro
Size: 5 3/4" x 5 1/2"
Case Qty: 25





SBL035
Insulated Wine Bag
Size: 4 3/4" x 14 1/2"
Case Qty: 20

Gift Box

Includes a white sublimatable ceramic tile. The inside of the gift box is lined with white felt. Gift boxes are individually boxed.
Case Qty: **6**




SBL040
Gift Box with Ceramic Tile
Outside Dimensions: 5 1/2" x 5 1/2" x 2 1/4"
Inside Dimensions: 4 5/8" x 4 5/8" x 1 1/2"
Tile Size: 4 1/4" x 4 1/4"

Unisub® Puzzles

1-sided gloss white MDF jigsaw puzzles.
Thickness: .125"
Case Qty: **10**



UN4742
30-Piece Rectangle Puzzle
Size: 6.88" x 9.84" x .125"



UN4743
60-Piece Rectangle Puzzle
Size: 6.88" x 9.84" x .125"



UN4745
23-Piece Heart Puzzle
Size: 6.7" x .125"

Poker Chips

2-sided plastic/ceramic poker chips.
Case Qty: **25**



SBL078
White Edge
Poker Chip
Size: 1 1/2" Diameter



SBL079
Black Edge
Poker Chip
Size: 1 1/2" Diameter



Flex Sub

Flex Sub is a thin, flexible, 2-sided sheet stock with gloss on one side and matte on the other.
Thickness: .030"



FSUB101
Size: 12" x 24"

How-To Video!

Shear



CNC



Laser



Sublicrylic Sheet Stock

1-sided, acrylic
Thickness: 3/16"
Case Qty: **10**



SAC1224
Size: 12" x 24"

Sublimating large sizes may cause warping.

How-To Video!

Cut out your own shapes with a laser or CNC

MATES

MATES are sublimatable, flexible self-adhesive material.
Thickness: .005"
Case Qty: **10**



M00
Crystal (Clear)
Size: 8 1/2" x 11" Sheet

M62
White
Size: 8 1/2" x 11" Sheet

MATES can be sheer cut.



M62R10
White 2" Discs
Size: 7" x 12" Sheet
with 15 Discs

Unisub® Gloss White MDF Tiles

Thickness: .25"

Square



UN5682M
Square
Size: 4.25" x 4.25"
Case Qty: 26

Oval



UN5726M
Oval
Size: 4.219" x 5.969"
Case Qty: 20

Unisub®
MDF Sheet Stock

Thickness: .125"

- Can be laser vector cut -

UN60444
2-Sided Gloss White Sheet Stock
Size: 15.5" x 18.5"
Case Qty: 25

UN10124
1-Sided Gloss White Sheet Stock
Size: 15.5" x 18.5"
Case Qty: 25

UN8846
1-Sided Gloss White Sheet Stock
Size: 11.5" x 23.25"
Case Qty: 25




Fiber Reinforced Plastic (FRP) Sheet Stock

Thickness: .09"

UN5513
1-Sided Gloss White Sheet Stock
Size: 11.5" x 23.25"
Case Qty: 10

- Not for Lasering -



Steel Sheet Stock

Thickness: .023"

UN5960
1-Sided Gloss White Sheet Stock
Size: 11.875" x 23.875"
Case Qty: 10



DynaSub™ Aluminum Sheet Stock

1-sided aluminum sheet stock.

FREE SAMPLE SET #DYNASET2

ALUM361
Gloss White DynaSub™
Size: 12" x 24"
Thickness: .020"

ALUM362
Satin Gold DynaSub™
Size: 12" x 24"
Thickness: .020"

ALUM363
Satin Silver DynaSub™
Size: 12" x 24"
Thickness: .020"

ALUM364
Bronze DynaSub™
Size: 12" x 24"
Thickness: .020"



AP Customers get 100 sheet price when you order 25 mixed sheets.

For Brighter Colors & Blacker Blacks!

CUSTOM CUT ALUMINUM, BRASS & BRASS PLATED STEEL is available.
F.O.B. Sioux Falls, SD only. Normal production, 3-5 days. See the JDS Components Catalog.

- All Metal Sheet Stock is intended for indoor use only -

UltraSub™ Aluminum Sheet Stock

1-sided aluminum sheet stock.

FREE SAMPLE SET #ULTRASET

ULT101
Gloss White
UltraSub™
Size: 12" x 24"
Thickness: .020"

ULT102
Satin Gold
UltraSub™
Size: 12" x 24"
Thickness: .020"

ULT103
Satin Silver
UltraSub™
Size: 12" x 24"
Thickness: .020"

ULT104
Matte Gold
UltraSub™
Size: 12" x 24"
Thickness: .020"

ULT105
Matte Silver
UltraSub™
Size: 12" x 24"
Thickness: .020"



Peel off protective plastic before sublimating.

AP Customers get 100 sheet price when you order 25 mixed sheets.

Unisub®/ChromaLuxe® Aluminum Sheet Stock

1-Sided Unisub®/ChromaLuxe® Sublimatable Aluminum are 12" x 24".

Case Qty: **10**

UN5570
1-Sided Gloss White UniSub™
Size: 12" x 24"
Thickness: .03"

CLX5623
1-Sided Gloss White ChromaLuxe™
Size: 12" x 24"
Thickness: .045"

CLX4283
1-Sided Matte White ChromaLuxe™
Size: 12" x 24"
Thickness: .045"

CLX4284
1-Sided Gloss Silver ChromaLuxe™
Size: 12" x 24"
Thickness: .045"

CLX4285
1-Sided Matte Silver ChromaLuxe™
Size: 12" x 24"
Thickness: .045"



UVSub™ Aluminum Sheet Stock

FREE SAMPLE SET #UVSUBSET

UV1224025
1-Sided Gloss White UVSub™
Size: 12" x 24"
Thickness: .025"

UV1224032
1-Sided Gloss White UVSub™
Size: 12" x 24"
Thickness: .032"

AP Customers get 100 sheet price when you order 25 mixed sheets.

CUSTOM CUT ALUMINUM, BRASS & BRASS PLATED STEEL is available.
F.O.B. Sioux Falls, SD only. Normal production, 3-5 days. See the JDS Components Catalog.

- All Metal Sheet Stock is intended for indoor use only -

Medals

2-sided gloss white medals.
Thickness: 3/32"
Case Qty: **25**



SMD201
Medal
Size: 2" Diameter



SMD301
Medal
Size: 2 3/4" Diameter

MAKE YOUR OWN FULL COLOR MEDALS IN 1 STEP

How-To Video!



Shown Blank

Unisub® Aluminum Discs

1-sided aluminum discs.



UN5729
Gloss White Aluminum Disc
Size: 1" Diameter x .03"
Case Qty: 100



UN5572
Gloss White Aluminum Disc
Size: 2" Diameter x .03"
Case Qty: 100



Sublimated **UN5729** shown on **GFT058**



Sublimated **UN5572** shown on **SV31**

Sublimation

UltraSub™ & UVSub™ Aluminum Discs

1-sided aluminum discs.



544-70
Gloss White UltraSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100



Sublimated **544-70** shown on **GFT017**



544-71
Satin Gold UltraSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100



Sublimated **544-63** shown on **HR937B**



544-72
Satin Silver UltraSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100



Sublimated **545-60** shown on **HH103**



Sublimated **UV120** shown on **HH104**



UV120
Gloss White UVSub™
Aluminum Disc
Size: 2" Diameter x .025"
Case Qty: 100

made in the USA

Sublimatable Steel Disc



543-61
Gloss White Steel Disc
Size: 1" Diameter x .020"
Case Qty: 100

made in the USA



Sublimated **543-61** shown on **GFT205**

- All Metal Sheet Stock is intended for indoor use only -

DynaSub™ Aluminum Discs

1-sided aluminum discs.



543-60
Gloss White DynaSub™
Aluminum Disc
Size: 1" Diameter x .020"
Case Qty: 100



541-60
Gloss White DynaSub™
Aluminum Disc
Size: 1 1/8" Diameter x .020"
Case Qty: 100



542-60
Gloss White DynaSub™
Aluminum Disc
Size: 1 1/2" Diameter x .020"
Case Qty: 100



542-61
Satin Gold DynaSub™
Aluminum Disc
Size: 1 1/2" Diameter x .020"
Case Qty: 100



542-62
Satin Silver DynaSub™
Aluminum Disc
Size: 1 1/2" Diameter x .020"
Case Qty: 100



542-63
Bronze DynaSub™
Aluminum Disc
Size: 1 1/2" Diameter x .020"
Case Qty: 100



544-60
Gloss White DynaSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100



544-61
Satin Gold DynaSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100



544-62
Satin Silver DynaSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100




544-63
Bronze DynaSub™
Aluminum Disc
Size: 2" Diameter x .020"
Case Qty: 100



Sublimated **543-60**
shown on **GFT006**




Sublimated **544-61**
shown on **EC303G**



Sublimated **544-60**
shown in **PH79P**
on **GB27** base

DynaSub™ Aluminum Discs

1-sided aluminum discs.



545-81
Satin Gold DynaSub™
Aluminum Disc
Size: 3" Diameter x .025"
Case Qty: 100

545-60
Gloss White DynaSub™
Aluminum Disc
Size: 3" Diameter x .020"
Case Qty: 100

546-60
Gloss White DynaSub™
Aluminum Disc
Size: 4" Diameter x .020"
Case Qty: 25



Sublimated **547-60** shown on **AMGW1810**

547-60
Gloss White DynaSub™
Aluminum Disc
Size: 5" Diameter x .020"
Case Qty: 25



548-60
Gloss White DynaSub™
Aluminum Disc
Size: 6" Diameter x .020"
Case Qty: 25

Sublimated **548-60** shown on **WTL07**

DynaSub™ Aluminum Shapes & Ovals

1-sided aluminum shapes & ovals.




540-60
Gloss White DynaSub™
Aluminum Ring Insert
Size: 3/4" x 5/8" x .020"
Case Qty: 10



Sublimated **540-60** shown on **CHR33GH**



624-60
Gloss White DyanSub™
Aluminum Figure Insert
Size: 2 1/4" x 3" x .020"
Case Qty: 100



Sublimated **624-60** shown in **RP92296** on **WPBS1BK** base



623-60
Gloss White DynaSub™
Aluminum Oval
Size: 2" x 3" x .020"
Case Qty: 100



Sublimated **623-60** shown on **RP90064**



623-61
Satin Gold DynaSub™
Aluminum Oval
Size: 2" x 3" x .020"
Case Qty: 100



Sublimated **623-61** shown in **RP90075**



623-62
Satin Silver DynaSub™
Aluminum Oval
Size: 2" x 3" x .020"
Case Qty: 100

Gildan® Polyester Shirts

Gray and white sublimatable shirts at an excellent value.


GILDAN®



42000WHS Small White t-shirt
42000WHM Medium White t-shirt
42000WHL Large White t-shirt
42000WHXL XL White t-shirt
42000WHXXL 2XL White t-shirt
42000WHXXXL 3XL White t-shirt







42000GYS Small Gray t-shirt
42000GYM Medium Gray t-shirt
42000GYL Large Gray t-shirt
42000GYXL XL Gray t-shirt
42000GYXXL 2XL Gray t-shirt
42000GYXXXL 3XL Gray t-shirt





AP Customers get best price when ordering any 10 Gildan® Apparel items.

Youth Vapor Apparel™

Baby Onesie

Baby Onesie is made from 100% Spun Polyester. It features short sleeves and a finely ribbed trim at the round neckline and leg openings with a 3-button snap closure for enhanced durability during every wear.



Size	White Part #
3 Month	VAY100WH3M
6 Month	VAY100WH6M
12 Month	VAY100WH12M
18 Month	VAY100WH18M

White

VAPOR APPAREL

RECOMMENDED SKIN CANCER FOUNDATION

Youth Basic T

Materials: 100% Spun Polyester
Weight: 5.9 oz.
Description: Delivers look and feel of organic cotton with wickability of advanced poly-performance fibers.
Features: Wicking factor, sublimation-friendly colors, two needle double-stitch seams, four thread over-lock for extra strength in hem seams.



Size	White Part #	Ash Heather (Grey) Part #
24M	VA5SJBBWH24M	-
3T	VA5SJBBWH3T	-
4T	VA5SJBBWH4T	-
XS	VA3SJBBWH1	VA3SJBBAH1
S	VA3SJBBWH2	VA3SJBBAH2
M	VA3SJBBWH3	VA3SJBBAH3
L	VA3SJBBWH4	VA3SJBBAH4

White

Ash Heather



See page 205 for Vapor Foam Kits.

Mens Vapor Apparel™

Mens Basic T

Materials: 100% Spun Polyester
Weight: 5.9 oz.
Description: Delivers look and feel of organic cotton with wickability of advanced poly-performance fibers.
Features: Wicking factor, sublimation-friendly colors, two needle double-stitch seams, four thread over-lock for extra strength in hem seams.

SHORT SLEEVE

Size	White Part #	Ash Heather (Grey) Part #
XS	-	VA1SJBBAH1
S	VA1SJBBWH2	VA1SJBBAH2
M	VA1SJBBWH3	VA1SJBBAH3
L	VA1SJBBWH4	VA1SJBBAH4
XL	VA1SJBBWH5	VA1SJBBAH5
2XL	VA1SJBBWH6	VA1SJBBAH6
3XL	VA1SJBBWH7	VA1SJBBAH7
4XL	VA1SJBBWH8	VA1SJBBAH8
5XL	VA1SJBBWH9	VA1SJBBAH9

White

Ash Heather



Vapor Apparel™ Stocked in: Newark, NJ / Atlanta, GA / Sioux Falls, SD / Dallas, TX / Visalia, CA
Freight will be billed as if product shipped from your closest JDS warehouse.

Sublime® Sublimatable Socks

Soft and comfortable, these stretchy socks sublimate beautifully and come with a cardstock insert.

Case Qty: **20**



SCK101
Unisex Kids Crew Socks
1 Pair



SCK201
Unisex Adult No Show Socks
1 Pair

How-To Video!



SCK204
Unisex Adult Athletic Socks
1 Pair



SCK202
Unisex Adult Crew Socks
1 Pair



SCK203
Unisex Adult Knee High Socks
1 Pair

Unisex Size	Shoe
Kids	11-4
Womens	4-12
Mens	6-13

Sublimatable Slide Sandals

Walk in comfort with sandals featuring a memory foam footbed and a sublimatable strap. Replacement straps available.

Case Qty: **24**



- *Memory Foam Padded Footbed*
- *Rubber Outsole*
- *Adjustable Straps*



- *Sublimatable strap ships unattached*
- *Sublimate design on strap*
- *Use needle nose pliers to attach strap to bottom of slide*

Slide Sandals Sizing Chart

Part No.	Size	Kids Equivalant	Womens Equivalent	Mens Equivalent	CM Length
SBL204	XS	4	5	-	23.8 CM
SBL206	S	6	7	-	25.1 CM
SBL208	M	-	9	7	26.5 CM
SBL210	L	-	11	9	27.8 CM
SBL212	XL	-	-	11	29.1 CM
SBL214	2XL	-	-	13	30.9 CM

Replacement Straps

Size	Left Strap	Right Strap	Case Qty.
XS	**SBL204L**	**SBL204R**	10
S	**SBL206L**	**SBL206R**	10
M	**SBL208L**	**SBL208R**	10
L	**SBL210L**	**SBL210R**	10
XL	**SBL212L**	**SBL212R**	10
2XL	**SBL214L**	**SBL214R**	10

How-To Video!

JDS EXCLUSIVE

Sublimatable Face Masks

Face Masks not intended for medical use.

Case Qty: **25**



SBL320
3-Ply Large White Face Mask with Black Trim and Metal Nose Bridge
Size: 8" x 5 1/2"

SBL321
3-Ply Medium White Face Mask with Black Trim and Metal Nose Bridge
Size: 6" x 5"

SBL322
3-Ply Child Size White Face Mask with Black Trim and Metal Nose Bridge
Size: 6" x 4"



SBL300
3-Ply Large White Face Mask with Black Trim
Size: 8" x 5 1/2"

SBL301
3-Ply Medium White Face Mask with Black Trim
Size: 6" x 5"

SBL302
3-Ply Child Size White Face Mask with Black Trim
Size: 6" x 4"



SBL306
Single Layer Large White Face Mask
Size: 7 1/4" x 4 3/4"



SBL310
2-Ply Large White Face Mask
Size: 6 1/2" x 5 1/2"

SBL312
2-Ply Medium White Face Mask
Size: 6" x 5"

SBL314
2-Ply Child Size White Face Mask
Size: 6" x 4"



SBL311
2-Ply Large White Face Mask with Black Trim
Size: 6 1/2" x 5 1/2"

SBL313
2-Ply Medium White Face Mask with Black Trim
Size: 6" x 5"

SBL315
2-Ply Child Size White Face Mask with Black Trim
Size: 6" x 4"

Sublimatable Gaiters

White Fabric
Case Qty: **10**



USGT2
Size: 16" x 8"



USGT3
Size: 17 1/2" x 9 1/4"

Sublimatable Gaiters

White Vapor Solar Fabric
Case Qty: **6**

VAPOR APPAREL



VSBGAITER1
Size: 14" x 7"



VSBGAITER2
Size: 16" x 8"



VSBGAITER3
Size: 17 1/2" x 9 1/4"

Sublimatable Headband

Case Qty: **216**

VAPOR APPAREL



VHDBD8
Size: 8" x 9 1/2"

Vapor Apparel™ Stocked in: Newark, NJ / Atlanta, GA / Sioux Falls, SD / Dallas, TX / Visalia, CA
Freight will be billed as if product shipped from your closest JDS warehouse.

Sub TAG

Sublimatable Thermal Adhesive Graphic transfer material. Suitable for cotton, cotton-polyester and blends. It is not suitable for nylon and other coated textiles.

Case Qty: **10**

TAG1116
Sheet Size: 11.69" x 16.53"

Sub TAG is a production-friendly sublimation solution for decorating cotton and cotton/poly blended fabrics of any color including black.

- *Cut custom shapes with laser, plotter or by hand*
- *Decorate on dark fabrics*
- *Durable, Strong Adhesive*
- *Washer/Dryer friendly*



SUBLIMATION TAG
THERMO • ADHESIVE • GRAPHIC




3 Easy Steps!

1. *Sublimate the Sub TAG*
2. *Wait at least one hour*
3. *Press onto garment*

Did You Know

HEAT APPLICATION SPECIALISTS



FREE INDUSTRY LEADING TECH SUPPORT

855.782.4657
(855.SUB.INKS)

We are your heat application specialists and we're here to help!

We teach classes and offer hands-on-demonstrations at trade shows. We offer online tech specs and templates. We have countless YouTube videos and webinars so you can watch techniques and tips first hand. Often, we contribute articles and information to many of our industry's publications. We want to share our knowledge and expertise on color management, design software, heat pressing techniques and printer issues with you. We have been in the field, we know how frustrating it can be at times, so let us help you make life simpler.

FREQUENTLY ASKED QUESTIONS

What is sublimation, and what do I need to start sublimating?

Although the process of sublimation is somewhat unknown to the general public, it is everywhere. Sublimation is unlike any other printing process. It is not a topical application process and there are no adhesive qualities. The sublimation ink is actually a dye that is transferred through heat and direct contact with a polymer-coated item, or an item made of polyester. The ink is then chemically bonded to the product. Like dry ice, sublimation ink turns from a solid to a gas without going through the liquid phase. Unlike other printed products, the "ink" cannot be felt so it will not scratch off. Once a product is sublimated, the image remains indefinitely and can only be removed through prolonged exposure to UV light.

Sublimation is a relatively easy process for personalization. A printer is the heart of sublimation. You must use an inkjet printer compatible with this process. Our team is well-versed on desktop solutions for sublimation, including Sawgrass™ and Epson® printers.

Next, you will need a heat source. The heat press is used after the art is printed onto the paper (transfer), and ready to be transferred to the substrate. We currently offer Geo Knight & Co, Inc.®, Hix®, Hotronix® and Insta® brand heat presses. You will want a good quality heat press with a flat platen to sublimate most of your projects. There are some specialty presses for items such as caps, mugs and plates.

A graphics program is also very important. You will want a program such as CorelDraw®, Adobe Illustrator® or Adobe Photoshop®.

You will want to make sure you have sublimation ink and sublimation transfer paper. Standard inkjet paper will not work for this specialized process. Other supplies such as heat tape, non-stick sheets, heat conductive pads, repositionable sprays, heat-resistant foam pads and Nomex pads are items we supply and instruct you how to use. JDS Sublimation Specialists can assist throughout all of the steps in the process.

If you already have graphic software and equipment such as a heat press and other accessories, your initial investment in sublimation can be as little as $680, depending on your choice for equipment. We encourage you to reach out and ask questions about getting started. Any new investment requires research and a reputable supplier, like JDS, to walk you through the process. With a combination of years of hands-on experience and graphic design skills, the sublimation specialists can give you advice and assistance before and after your purchase.

1. Printer



2. Heat Press



3. Design Software



4. Ink



5. Paper



Can any product be sublimated?

No, only products with a polymer coating or made of polyester will sublimate. Sublimation ink does not bond to natural surfaces or fibers. You can sublimate fabrics made of a polyester blend, but the ink will not adhere to the part that is not polyester.



Why are the colors on my monitor so different from my sublimation?

A monitor creates colors using light and has a gamut beyond 10 million colors. Printers use ink to create color and are limited to a few thousand colors, depending on brand and model. Colors will vary from one monitor to another. Sublimating color palettes beforehand is the more efficient way to color match for a sublimation project. These color palettes also provide you with a useful tool that you can use with your customers to ensure accuracy. For more information on downloading these palettes from our website or creating your own, contact our sublimation support team.

855.782.4657

FREQUENTLY ASKED QUESTIONS

Can sublimated products be placed outdoors?

Yes and no. Most products for sublimation cannot withstand prolonged exposure to UV light and can fade within 6 months. New products have been created that have significantly changed the exposure time when placed outdoors. The Chromaluxe® aluminum panels & sheetstock are guaranteed to withstand UV exposure for up to 5 years.


Can I use the same paper for all products?

Yes. All of the paper that JDS carries for sublimation is multi-purpose, high-release paper and can be used on any product. There are some slight differences in the brands. TruePix works great on hard substrates due to its smooth coating and it releases large areas of ink very evenly. For soft substrates, such as fabric, TexPrint® works well because it releases larger percentages of ink necessary for fabric. JDSub paper is very comparable to TexPrint DT Heavy paper and is much less expensive than either TexPrint or TruePix brands. Sample packs are available for all 3 brands so you can decide which will work best for your products.

How long will my ink last?

We recommend you use sublimation ink within six months of installing it in your printer. After that period, the colors can start to shift. Using old ink can also shorten the life span of your printer. Sublimation inks do have an expiration date, so don't stock up. We reach over 82% of the US in one day and over 99% in two days via ground shipping. Just give us a call and we can ship you a new ink right away.





When I sublimate on metal, it results in a mottled finish. How do I prevent that?

A mottled appearance on sublimated metal is usually a sign of too much pressure or heat or a combination of both. The "mottled" finish is a result of the paper pressing into the coating of the metal, marring the surface. DynaSub™ and UltraSub™ have a softer coating that can become impressionable with too much heat and pressure. The softer coating allows for easier cutting, but it also requires lighter pressure and lower temperature in the heat press for achieving best results. Some metals, like Unisub® or Chromaluxe have a hard coating on them that is forgiving of more pressure in the heat press.

How do I know if my substrate has been in the heat press too long?

When blacks starts to yellow or brown or your image becomes blurred, that can mean your substrate has been in the heat press too long. This is called de-gassing. Also, the product may appear yellowed or the paper might stick when you are trying to remove it. If an item has not been in the heat press long enough, ink will not be transferred fully to the hard substrate. You want to have 90% of the ink evenly transferred off the paper for a hard substrate and less for fabrics.



ACCESSORIES TERMS & DEFINITIONS

√ *Indicates that JDS sells these items!*



Substrate √
This is the sublimation product or blank. This product must have a polymer coating or be made out of polyester.



Heat Tape √
Heat resistant tape is used to adhere the substrate to the transfer to prevent ghosting or double imaging during pressing. It is used primarily on hard substrates.



Teflon® & Non-Stick Sheets √
The most commonly used accessory when sublimating. They protect the pads on the press from wear and tear, prevent ink from transferring to the pad or the heat platen and prevent the substrate from sticking to the heat platen.



Transfer Paper √
Sublimation paper that releases the ink onto your substrate.



Repositionable Adhesive Spray √
Used to adhere the transfer to the substrate to prevent ghosting or double imaging during pressing. Spray lightly onto the transfer, not the substrate. This is used primarily on fabric substrates.



Nomex Pad √
A ½" thick heat resistant felt pad used to prevent breakage when pressing fragile items such as ceramic, stone or glass.



Vapor Foam Kit √
The 13 ½ sq. ft. of reuseable, heat resistant foam helps prevent permanent transfer lines.

The foam is cut to dimensions larger than the artwork but smaller than the dimensions of the paper itself. This allows most of the heat and pressure to be applied to the artwork and avoids heavy contact with the edges of the transfer paper on the substrate.



Butcher Paper
This teflon substitute is also referred to as end roll paper. End roll paper has no dyes or printing on it and absorbs stray ink and moisture from the transfer. Often used when sublimating apparel, it is good for one-time use only and must be thrown away after removing the items from the heat press.



Heat-Conductive Pads √
Also called thermal pads or heating pads, heat-conductive pads help aid in the even contact between the transfer and the substrate. When cut to the appropriate size, this material can also be used as a wrap for water bottles and other unconventional shaped items sublimated in a convection oven.



Butane Lighter Fluid, Citrus Cleaner, Isopropyl Alcohol
These products have a variety of uses including removing finger prints from products, tape residue and spray mount residue.



Heat Gloves
Protect yourself from the 400 degree temperature of the objects being removed from the heat press. They are especially handy if you are removing wrapped mugs from an oven.




Viva® Paper Towels
Several layers of soft paper towels under the substrate help distribute the pressure of the press and capture stray ink from any over printing or bleed edge. Viva is recommended because it does not have a pattern or design and is very soft.



Lint Roller
In the manufacturing process of some soft substrates like apparel and neoprene products, stray fibers (often containing dyes) can be caught in the fabric of the product. To eliminate or reduce the chances of sublimating stray fibers, lint roll the substrate before sublimating.


Derrick



Hats, Pre-Cut Patches & Sheet Stock

in this section:

HATS	184
LEATHERETTE® PATCHES	186
AMERICAN FLAG PVC PATCHES	191
GENUINE LEATHER PATCHES	191
LEATHERETTE® SHEET STOCK	192
KOTA PRO™ ADHESIVE ROLLS	197

BrimCo

NEW

Hats

One size with adjustable snap back

Case Qty: **25**

Classic Trucker



BC100-1
Black/Black
Classic Trucker



BC100-1
Back View



BC100-2
Black/Charcoal
Classic Trucker



BC100-3
Charcoal/Black
Classic Trucker



BC100-4
Heather Gray/Black
Classic Trucker



BC100-5
Army Green/Black
Classic Trucker

Performance



BC200-1
Black/Black
Performance



BC200-2
Light Gray/Light Gray
Performance



BC200-3
Dark Gray/Dark Gray
Performance

See pages 86-87 for Sublimatable Patches



BC200-4
Desert Tan/Black
Performance



BC200-5
Red/Red
Performance

BrimCo

NEW Hats

One size with adjustable snap back

Case Qty: **25**

Performance



BC200-6
Royal Blue/Royal Blue
Performance



BC200-6
Back View



BC200-7
Royal Blue/White
Performance



BC201-1
Black/Black
White & Black Rope
Performance



BC201-2
Light Gray/Light Gray
White & Black Rope
Performance



BC201-3
Dark Gray/Dark Gray
White & Black Rope
Performance

See pages 186-191 for Leatherette® Patches

See pages 192-196 for Leatherette® Sheet Stock



BC201-4
Desert Tan/Black
White & Black Rope Performance



BC201-5
Red/Red
White & Black Rope Performance



BC201-6
Royal Blue/Royal Blue
White & Black Rope Performance



BC201-5
Back View



BC201-7
Royal Blue/White
White & Black Rope Performance

Rectangle Laserable Leatherette® Patches

Heat apply patches come in two sizes with two types of adhesive.

Case Qty: **25**

Laserable Leatherette®



Heat Transfer



Direct to Film



Heat Transfer



Direct Print





NEW PREMIER CREEKSIDE COLLECTION

Kota Pro™ Adhesive - 1.57mm Thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH187**	**PTH287**
Medium Brown	**PTH188**	**PTH288**
Dark Brown	**PTH189**	**PTH289**
Blush	**PTH190**	**PTH290**
Light Gray	**PTH191**	**PTH291**
Gray	**PTH192**	**PTH292**
Dark Gray	**PTH193**	**PTH293**
Light Tan	**PTH194**	**PTH294**
Light Green	**PTH195**	**PTH295**
Sample Set 1 of each color	**PTHCSET1**	**PTHCSET2**

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH171**	**PTH271**
Rawhide	**PTH172**	**PTH272**
Black/Silver	**PTH173**	**PTH273**
Gray	**PTH174**	**PTH274**
Dark Brown	**PTH175**	**PTH275**
Black/Gold	**PTH176**	**PTH276**
Pink	**PTH177**	**PTH277**
Teal	**PTH178**	**PTH278**
Blue/Silver	**PTH179**	**PTH279**
Rustic/Gold	**PTH180**	**PTH280**
Red	**PTH181**	**PTH281**
White	**PTH183**	**PTH283**
Purple	**PTH184**	**PTH284**
Football	**PTH185**	**PTH285**
Basketball	**PTH186**	**PTH286**
Sample Set 1 of each color	**PTHSET51**	**PTHSET52**

Adhesive - 1.57mm Thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH101**	**PTH201**
Rawhide	**PTH102**	**PTH202**
Black/Silver	**PTH103**	**PTH203**
Gray	**PTH104**	**PTH204**
Dark Brown	**PTH105**	**PTH205**
Black/Gold	**PTH106**	**PTH206**
Pink	**PTH107**	**PTH207**
Teal	**PTH108**	**PTH208**
Blue/Silver	**PTH109**	**PTH209**
Rustic/Gold	**PTH110**	**PTH210**
Red	**PTH111**	**PTH211**
White	**PTH113**	**PTH213**
Purple	**PTH114**	**PTH214**
Football	**PTH115**	**PTH215**
Basketball	**PTH116**	**PTH216**
Sample Set 1 of each color	**PTHSET1C**	**PTHSET2C**

JDS EXCLUSIVE

Oval Laserable Leatherette® Patches

Heat apply patches come in two sizes with two types of adhesive.

Case Qty: **25**

Laserable Leatherette®

Heat Transfer



Direct to Film



Heat Transfer





Direct Print

EXCLUSIVE





NEW

PREMIER CREEKSIDE COLLECTION

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH567**	**PTH667**
Medium Brown	**PTH568**	**PTH668**
Dark Brown	**PTH569**	**PTH669**
Blush	**PTH570**	**PTH670**
Light Gray	**PTH571**	**PTH671**
Gray	**PTH572**	**PTH672**
Dark Gray	**PTH573**	**PTH673**
Light Tan	**PTH574**	**PTH674**
Light Green	**PTH575**	**PTH675**
Sample Set 1 of each color	**PTHCSET9**	**PTHCSET10**

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH551**	**PTH651**
Rawhide	**PTH552**	**PTH652**
Black/Silver	**PTH553**	**PTH653**
Gray	**PTH554**	**PTH654**
Dark Brown	**PTH555**	**PTH655**
Black/Gold	**PTH556**	**PTH656**
Pink	**PTH557**	**PTH657**
Teal	**PTH558**	**PTH658**
Blue/Silver	**PTH559**	**PTH659**
Rustic/Gold	**PTH560**	**PTH660**
Red	**PTH561**	**PTH661**
White	**PTH563**	**PTH663**
Purple	**PTH564**	**PTH664**
Football	**PTH565**	**PTH665**
Basketball	**PTH566**	**PTH666**
Sample Set 1 of each color	**PTHSET55**	**PTHSET56**

Adhesive - 1.57mm Thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH501**	**PTH601**
Rawhide	**PTH502**	**PTH602**
Black/Silver	**PTH503**	**PTH603**
Gray	**PTH504**	**PTH604**
Dark Brown	**PTH505**	**PTH605**
Black/Gold	**PTH506**	**PTH606**
Pink	**PTH507**	**PTH607**
Teal	**PTH508**	**PTH608**
Blue/Silver	**PTH509**	**PTH609**
Rustic/Gold	**PTH510**	**PTH610**
Red	**PTH511**	**PTH611**
White	**PTH513**	**PTH613**
Purple	**PTH514**	**PTH614**
Football	**PTH515**	**PTH615**
Basketball	**PTH516**	**PTH616**
Sample Set 1 of each color	**PTHSET5C**	**PTHSET6C**

Round Laserable Leatherette® Patches

Heat apply patches come in two sizes with two types of adhesive.

Case Qty: **25**

Laserable Leatherette

Direct to Film



Direct Print



Heat Transfer





Heat Transfer

EXCLUSIVE



NEW

PREMIER CREEKSIDE COLLECTION

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 2 1/2"**	**Size: 3"**
Light Brown	**PTH367**	**PTH467**
Medium Brown	**PTH368**	**PTH468**
Dark Brown	**PTH369**	**PTH469**
Blush	**PTH370**	**PTH470**
Light Gray	**PTH371**	**PTH471**
Gray	**PTH372**	**PTH472**
Dark Gray	**PTH373**	**PTH473**
Light Tan	**PTH374**	**PTH474**
Light Green	**PTH375**	**PTH475**
Sample Set 1 of each color	**PTHCSET3**	**PTHCSET4**



Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 2 1/2"**	**Size: 3"**
Light Brown	**PTH351**	**PTH451**
Rawhide	**PTH352**	**PTH452**
Black/Silver	**PTH353**	**PTH453**
Gray	**PTH354**	**PTH454**
Dark Brown	**PTH355**	**PTH455**
Black/Gold	**PTH356**	**PTH456**
Pink	**PTH357**	**PTH457**
Teal	**PTH358**	**PTH458**
Blue/Silver	**PTH359**	**PTH459**
Rustic/Gold	**PTH360**	**PTH460**
Red	**PTH361**	**PTH461**
White	**PTH363**	**PTH463**
Purple	**PTH364**	**PTH464**
Football	**PTH365**	**PTH465**
Basketball	**PTH366**	**PTH466**
Sample Set 1 of each color	**PTHSET53**	**PTHSET54**

Adhesive - 1.57mm Thick		
Color	**Size: 2 1/2"**	**Size: 3"**
Light Brown	**PTH301**	**PTH401**
Rawhide	**PTH302**	**PTH402**
Black/Silver	**PTH303**	**PTH403**
Gray	**PTH304**	**PTH404**
Dark Brown	**PTH305**	**PTH405**
Black/Gold	**PTH306**	**PTH406**
Pink	**PTH307**	**PTH407**
Teal	**PTH308**	**PTH408**
Blue/Silver	**PTH309**	**PTH409**
Rustic/Gold	**PTH310**	**PTH410**
Red	**PTH311**	**PTH411**
White	**PTH313**	**PTH413**
Purple	**PTH314**	**PTH414**
Football	**PTH315**	**PTH415**
Basketball	**PTH316**	**PTH416**
Sample Set 1 of each color	**PTHSET3C**	**PTHSET4C**

Square Laserable Leatherette® Patches

Heat apply patches come in two sizes with two types of adhesive.

Case Qty: **25**

Laserable Leatherette

Heat Transfer



Direct to Film



Heat Transfer



Direct Print





NEW PREMIER CREEKSIDE COLLECTION

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 2 1/2" x 2 1/2"**	**Size: 3" x 3"**
Light Brown	**PTH767**	**PTH867**
Medium Brown	**PTH768**	**PTH868**
Dark Brown	**PTH769**	**PTH869**
Blush	**PTH770**	**PTH870**
Light Gray	**PTH771**	**PTH871**
Gray	**PTH772**	**PTH872**
Dark Gray	**PTH773**	**PTH873**
Light Tan	**PTH774**	**PTH874**
Light Green	**PTH775**	**PTH875**
Sample Set 1 of each color	**PTHCSET7**	**PTHCSET8**

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 2 1/2" x 2 1/2"**	**Size: 3" x 3"**
Light Brown	**PTH751**	**PTH851**
Rawhide	**PTH752**	**PTH852**
Black/Silver	**PTH753**	**PTH853**
Gray	**PTH754**	**PTH854**
Dark Brown	**PTH755**	**PTH855**
Black/Gold	**PTH756**	**PTH856**
Pink	**PTH757**	**PTH857**
Teal	**PTH758**	**PTH858**
Blue/Silver	**PTH759**	**PTH859**
Rustic/Gold	**PTH760**	**PTH860**
Red	**PTH761**	**PTH861**
White	**PTH763**	**PTH863**
Purple	**PTH764**	**PTH864**
Football	**PTH765**	**PTH865**
Basketball	**PTH766**	**PTH866**
Sample Set 1 of each color	**PTHSET57**	**PTHSET58**

Adhesive - 1.57mm Thick		
Color	**Size: 2 1/2" x 2 1/2"**	**Size: 3" x 3"**
Light Brown	**PTH701**	**PTH801**
Rawhide	**PTH702**	**PTH802**
Black/Silver	**PTH703**	**PTH803**
Gray	**PTH704**	**PTH804**
Dark Brown	**PTH705**	**PTH805**
Black/Gold	**PTH706**	**PTH806**
Pink	**PTH707**	**PTH807**
Teal	**PTH708**	**PTH808**
Blue/Silver	**PTH709**	**PTH809**
Rustic/Gold	**PTH710**	**PTH810**
Red	**PTH711**	**PTH811**
White	**PTH713**	**PTH813**
Purple	**PTH714**	**PTH814**
Football	**PTH715**	**PTH815**
Basketball	**PTH716**	**PTH816**
Sample Set 1 of each color	**PTHSET7C**	**PTHSET8C**

Hex Laserable Leatherette® Patches

Heat apply patches come in two sizes with two types of adhesive.

Case Qty: **25**

Laserable Leatherette®

Heat Transfer





Direct to Film



Heat Transfer







EXCLUSIVE

Direct Print

Pre-Cut Patches

NEW

PREMIER CREEKSIDE COLLECTION

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH917**	**PTH967**
Medium Brown	**PTH918**	**PTH968**
Dark Brown	**PTH919**	**PTH969**
Blush	**PTH920**	**PTH970**
Light Gray	**PTH921**	**PTH971**
Gray	**PTH922**	**PTH972**
Dark Gray	**PTH923**	**PTH973**
Light Tan	**PTH924**	**PTH974**
Light Green	**PTH925**	**PTH975**
Sample Set 1 of each color	**PTHCSET5**	**PTHCSET6**

Kota Pro™ Adhesive - 1.57mm thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH901**	**PTH951**
Rawhide	**PTH902**	**PTH952**
Black/Silver	**PTH903**	**PTH953**
Gray	**PTH904**	**PTH954**
Dark Brown	**PTH905**	**PTH955**
Black/Gold	**PTH906**	**PTH956**
Pink	**PTH907**	**PTH957**
Teal	**PTH908**	**PTH958**
Blue/Silver	**PTH909**	**PTH959**
Rustic/Gold	**PTH910**	**PTH960**
Red	**PTH911**	**PTH961**
White	**PTH913**	**PTH963**
Purple	**PTH914**	**PTH964**
Football	**PTH915**	**PTH965**
Basketball	**PTH916**	**PTH966**
Sample Set 1 of each color	**PTHSET59**	**PTHSET60**

Adhesive - 1.57mm Thick		
Color	**Size: 3" x 2"**	**Size: 3 1/2" x 2 1/2"**
Light Brown	**PTH131**	**PTH231**
Rawhide	**PTH132**	**PTH232**
Black/Silver	**PTH133**	**PTH233**
Gray	**PTH134**	**PTH234**
Dark Brown	**PTH135**	**PTH235**
Black/Gold	**PTH136**	**PTH236**
Pink	**PTH137**	**PTH237**
Teal	**PTH138**	**PTH238**
Blue/Silver	**PTH139**	**PTH239**
Rustic/Gold	**PTH140**	**PTH240**
Red	**PTH141**	**PTH241**
White	**PTH143**	**PTH243**
Purple	**PTH144**	**PTH244**
Football	**PTH145**	**PTH245**
Basketball	**PTH146**	**PTH246**
Sample Set 1 of each color	**PTHSET13A**	**PTHSET23A**

NEW American Flag PVC Patches with Kota Pro™ Adhesive

PVC Patches have a strong Kota Pro Adhesive making applications durable and long-lasting. Patches are water and dirt resistant, 1/8" thick and ready to press.

Case Qty: **25**

SAMPLE SET #PTHPSET1
American Flag PVC Patch Set



PTHP101
Red, White & Blue
Size: 3 1/4" x 1 3/4"



PTHP102
Red Line
Size: 3 1/4" x 1 3/4"



PTHP103
Blue Line
Size: 3 1/4" x 1 3/4"

with KOTA PRO™ Adhesive



PTHP104
Green Line
Size: 3 1/4" x 1 3/4"



PTHP105
Black
Size: 3 1/4" x 1 3/4"



PTHP106
Red, White & Blue
Size: 2" x 1 1/4"

Genuine Bovine Leather Patches with Adhesive

Our custom Leather Patches are made from quality, natural leather. Slight variations in color and texture may be visible but are expected and add to the uniqueness of the leather.

Case Qty: **25**



LPTH101 *Heat Transfer*
Caramel
Size: 3" x 2"



LPTH102
Brown
Size: 3" x 2"



LPTH301
Caramel
Size" 2 1/2" Round

Direct to Film



LPTH302
Brown
Size: 2 1/2" Round


Football Laserable Leatherette® Patch

Heat apply patch.

Case Qty: **25**

Laserable Leatherette®

Direct Print



PTH010
Football shaped,
adhesive back
Size: 3 1/2" x 2"

PTH011
Football shaped,
Kota Pro™ adhesive back
Size: 3 1/2" x 2"

NEW Laserable Leatherette® Sheet Stock, Creekside Collection

Laserable Leatherette | KOTA PRO



No Adhesive

Laserable Leatherette® is also available with no adhesive. These 12" x 24" sheets are 1.19mm thick and are perfect when you're looking for a durable, decorative surface but adhesive is not required. You still get the same elegant finish in multiple colors that laser to a stunning contrast.

THICKNESS: 1.19 mm
SIZE: 12" x 24"
INITIAL TACK: No
COLORS: 42
CASE QTY: 10

LLS134 Light Brown/Black
LLS135 Medium Brown/Black
LLS136 Dark Brown/Black
LLS137 Blush/Black
LLS138 Light Gray/Black
LLS139 Gray/Black
LLS140 Dark Gray/Black
LLS141 Light Tan/Black
LLS142 Light Green/Black



LLDISPLAY10
Swatch Set of 9 Creekside colors



Premier with Kota Pro™ Adhesive

Premier Laserable Leatherette® with Kota Pro™ adhesive is our latest in the line of Laserable Leatherette® sheet stock. The 12" x 24" sheets are the thickest in the line at 1.57 mm and are backed with our advanced Kota Pro™ adhesive for exceptional durability and bonding strength. This high-quality adhesive is a non-tacky film that activates quickly under heat for a permanent bond, ensuring confidence in all your customization projects.

THICKNESS: 1.57 mm
SIZE: 12" x 24"
INITIAL TACK: No
COLORS: 40
CASE QTY: 10

LLA501 Light Brown/Black
LLA502 Medium Brown/Black
LLA503 Dark Brown/Black
LLA504 Blush/Black
LLA505 Light Gray/Black
LLA506 Gray/Black
LLA507 Dark Gray/Black
LLA508 Light Tan/Black
LLA509 Light Green/Black

Tips & Tricks!

NEW Premier Laserable Leatherette® Sheet Stock with Kota Pro™ Adhesive

Laserable Leatherette KOTA PRO



Premier with Kota Pro™ Adhesive

Premier Laserable Leatherette® with Kota Pro™ adhesive is our latest in the line of Laserable Leatherette® sheet stock. The 12" x 24" sheets are the thickest in the line at 1.57 mm and are backed with our advanced Kota Pro™ adhesive for exceptional durability and bonding strength. This high-quality adhesive is a non-tacky film that activates quickly under heat for a permanent bond, ensuring confidence in all your customization projects.

THICKNESS: 1.57 mm
SIZE: 12" x 24"
INITIAL TACK: No
COLORS: 40
CASE QTY: 10

LLA351 Light Brown	**LLA352** Dark Brown	**LLA353** Black/Gold	**LLA354** Rawhide	**LLA355** Gray	**LLA356** Pink
LLA357 Black/Silver	**LLA358** Rustic/Gold	**LLA359** Teal	**LLA360** Rustic/Silver	**LLA361** Cork	**LLA362** Blue/Silver
LLA363 Bamboo	**LLA364** White Marble	**LLA365** Red	**LLA366** White	**LLA367** Purple	**LLA368** Football
LL369 Basketball	**LLA370** Black Carbon Fiber/Black	**LLA371** Black Carbon Fiber/Silver	**LLA372** Gray Carbon Fiber/Black	**LLA373** Gold Carbon Fiber/Black	**LLA374** Silver Carbon Fiber/Black
LLA375 Yellow	**LLA376** Neon Green	**LLA377** Neon Orange	**LLA378** Sand	**LLA379** Lavender	**LLA380** Sky Blue	**LLA381** Olive Green

SHOP NOW!

Laserable Leatherette® Sheet Stock with Heat Apply Adhesive

12" x 18" sheet stock is 1/32" thick. Black & Rustic laser to either Gold or Silver. Blue lasers to Silver. Black Carbon Fiber lasers to either Black or Silver. All other colors laser to Black.

Case Qty: **10**

SAMPLE SET #LLASET3
1 of each 12" x 18" Laserable Leatherette® Sheet Stock. LLA201-LLA219, 19 total.

SAMPLE SET #LLASET5
1 of each 12" x 18" "New Colors" Laserable Leatherette® Sheet Stock. LLA220-LLA231, 12 total.

Laserable Leatherette® EXCLUSIVE

LLA201 Light Brown
LLA202 Dark Brown
LLA203 Black/Gold
LLA204 Rawhide
LLA205 Gray
LLA206 Pink
LLA207 Black/Silver
LLA208 Rustic/Gold
LLA209 Teal
LLA210 Rustic/Silver
LLA211 Cork
LLA212 Blue/Silver
LLA213 Bamboo
LLA214 White Marble
LLA215 Red
LLA216 White
LLA217 Purple
LLA218 Football
LLA219 Basketball
LLA220 Black Carbon Fiber/Black
LLA221 Black Carbon Fiber/Silver
LLA222 Gray Carbon Fiber/Black
LLA223 Gold Carbon Fiber/Black
LLA224 Silver Carbon Fiber/Black
LLA225 Yellow
LLA226 Neon Green
LLA227 Neon Orange
LLA228 Sand
LLA229 Lavender
LLA230 Sky Blue
LLA231 Olive Green



Tips & Tricks!
Cut with:
- *laser*
- *scissors*
- *hobby knife*



LLDISPLAY9
2 5/8" x 2 13/16"
Swatch Set
of 33 colors
Case Qty: 1

Laserable Leatherette® Sheet Stock with Kota Pro Adhesive

12" x 24" sheet stock is 1/32" thick. Kota Pro Adhesive is not sticky when the protective cover is removed. It will not adhere until heat is applied. Black & Rustic laser to either Gold or Silver. Blue lasers to Silver. Black Carbon Fiber lasers to either Black or Silver. All other colors laser to Black.

Case Qty: **10**

SAMPLE SET #LLASET4
1 of each 12" x 24" "Original Colors" Laserable Leatherette® Sheet Stock with Kota Pro Adhesive. LLA301-LLA319, 19 total.

SAMPLE SET #LLASET6
1 of each 12" x 24" "New Colors" Laserable Leatherette® Sheet Stock with Kota Pro Adhesive. LLA320-LLA331, 12 total.

KOTA PRO Laserable Leatherette

Original Colors

LLA301 Light Brown	**LLA302** Dark Brown	**LLA303** Black/Gold	**LLA304** Rawhide	**LLA305** Gray
LLA306 Pink	**LLA307** Black/Silver	**LLA308** Rustic/Gold	**LLA309** Teal	**LLA310** Rustic/Silver
LLA311 Cork	**LLA312** Blue/Silver	**LLA313** Bamboo	**LLA314** White Marble	**LLA315** Red
LLA316 White	**LLA317** Purple	**LLA318** Football	**LLA319** Basketball	



Thermal Activated Adhesive!

How-To for Optimal Bond

- ***100% Thermal Activated Adhesive***
- ***Enhanced Strength***
- ***Durable Bond***

New Colors

LLA320 Black Carbon Fiber/Black	**LLA321** Black Carbon Fiber/Silver	**LLA322** Gray Carbon Fiber/Black	**LLA323** Gold Carbon Fiber/Black	**LLA324** Silver Carbon Fiber/Black	**LLA325** Yellow
LLA326 Neon Green	**LLA327** Neon Orange	**LLA328** Sand	**LLA329** Lavender	**LLA330** Sky Blue	**LLA331** Olive Green

Laserable Leatherette® Sheet Stock

12" x 24" sheet stock is 3/64" thick. Black & Rustic laser to either Gold or Silver. Blue lasers to Black or Silver. Black Carbon Fiber lasers to either Black or Silver. All other colors laser to Black.

Case Qty: **10**

SAMPLE SET #LLSSET9
1 of each 12" x 24" Laserable Leatherette® Sheet Stock. LLS101-LLS121, 21 total.

SAMPLE SET #LLSSET10
1 of each 12" x 24" Laserable Leatherette® Sheet Stock. LLS122-LLS133, 12 total.

Laserable Leatherette®

LLS101 Light Brown	**LLS102** Dark Brown	**LLS103A** Black/Gold	**LLS104** Rawhide	**LLS105** Gray	**LLS106** Blue
LLS107 Rosé	**LLS108** Pink	**LLS109** Black/Silver	**LLS110** Rustic/Gold	**LLS111** Teal	**LLS112** Rustic/Silver
LLS113 Cork	**LLS114** Blue/Silver	**LLS115** Bamboo	**LLS116** White Marble	**LLS117** Red	**LLS118** White
LLS119 Purple	**LLS120** Football	**LLS121** Basketball	**LLS122** Black Carbon Fiber/Black	**LLS123** Black Carbon Fiber/Silver	**LLS124** Gray Carbon Fiber/Black
LLS125 Gold Carbon Fiber/Black	**LLS126** Silver Carbon Fiber/Black	**LLS127** Yellow	**LLS128** Neon Green	**LLS129** Neon Orange	**LLS130** Sand
LLS131 Lavender	**LLS132** Sky Blue	**LLS133** Olive Green			

LLDISPLAY9
2 5/8" x 2 13/16"
Swatch Set
of 33 colors
Case Qty: 1



EXCLUSIVE

Tips & Tricks!

Cut with:
- *laser*
- *scissors*
- *hobby knife*

NEW

Kota Pro™ Adhesive Rolls

The exceptional, 100% heat activated bonding strength of Kota Pro™ Adhesive is now available in rolls for you to apply to all of your projects.

KOTA PRO



Size	Part No.
12" x 1 yd	**KPA121**
12" x 5 yd	**KPA125**
12" x 10 yd	**KPA1210**
12" x 25 yd	**KPA1225**
24" x 1 yd	**KPA241**
24" x 5 yd	**KPA245**
24" x 10 yd	**KPA2410**
24" x 25 yd	**KPA2425**



Cut
Kota Pro™ Adhesive is easy to cut to any size to fit any of your projects.

Apply
Apply heat to adhere to your substrate using either a heat press or a simple iron.

Activate
Use your hat press or heat press to fully activate the adhesive and permanently bond to your hat, shirt, or other substrate.




Stahls
Hotronix



Equipment & Accessories

in this section:

SUBLIMATION PRINTERS & ACCESSORIES	200
SUBLIMATION INK & PAPER	203
FOAM KITS	205
HEAT PRESSES	206
HEAT PRESS ACCESSORIES & SUPPLIES	223

EPSON SureColor® F570 Pro Dye-Sublimation Printer

Strategic Partner with EPSON®



Wifi Capable





SCF570PE

- SureColor F570 Pro Printer
- Epson Edge Print PRO workflow software
- 2 sets of 140 mL CMYK Ink bottles
- 3 Rolls of Epson DS Multi-Use Transfer Paper
  - 1 - 24" x 100' roll
  - 2 - 17" x 100' rolls
- 2 Maintenance Tanks
- Power cable
- Job Accounting Software
- MacOS and Windows Print drivers
- 1 Year Epson Preferred Plus Limited Warranty

Software available for download at http://support.epson.com

FREE Freight • FREE Support

Prints up to 24" Wide

Sheet Media Handling
Single Sheet, Top Loading: Up to 24" wide
Auto Sheet Feeder: 11" x 17" Tabloid/A3
Minimum Sheet Size: (1 sheet and ASF) Letter/A4

Roll Media Handling
Single Top-loading Roll: 24" wide
Maximum Roll Diameter: Up to 4.3"
Media Thickness: Up to 8.6 mil

Maximum Resolution (dpi): 2400 x 1200 dpi

1-Year Manufacturer's Warranty

Operating Systems

Epson Edge Print PRO Software: Windows 10, Windows 8.1 (64-bit)
System Print Drivers macOS 10.7 – 11, Windows 10, Windows 8.1

To Learn More!

Epson™ Sublimation Ink

SureColor F570 Pro printer

Part No.	Description	Bottle
T49M120	Black - 140 mL	Standard
T49M220	Cyan - 140 mL	Standard
T49M320	Magenta - 140 mL	Standard
T49M420	Yellow - 140 mL	Standard



Accessories & Supplies

Part No.	Description
S450359A	17" X 100' DS Transfer Multi Use Paper Roll
S450360A	24" X 100' DS Transfer Multi Use Paper Roll
C12C935701	24" Roll Feed Spindle for SureColor® F570 Pro Printer
C13S210057	Epson F570 Maintenance Tank

Strategic Partner with EPSON®







Printer Stand



(Printer Sold Separately)



C12C933151
24" Printer Stand for F570
Easily move printer with large catch basket

Sawgrass Sublimation Printer Sets

SAWGRASS™

Available for sale in Canada, United States and Mexico only. Additional accessories sold separately.

Wifi Capable

SG500 Sawgrass Printer Sets

Prints up to 8 1/2" x 14" (legal).

SG500SET3
- SG500 Printer
- 4 Starter Ink Cartridges (20 mL)
- USB cable

SG500SET4
- SG500 Printer
- 4 Standard Ink Cartridges (31 mL)
- USB cable



Starter cartridges not for individual sale.

Print Speed:
High Speed: 15 secs, 600 x 600 dpi
High Quality: 29 secs, 600 x 600 dpi
Adv. Photo: 48 secs, 1200 x 600 dpi
Ultra Fine Photo: 4880 x 1200 dpi

Maximum Paper Size: 8 1/2" x 14"
Maximum Resolution (dpi): 4800 x 1200 dpi equivalent
Connectivity Standard: USB 2.0, 10/100Base-TX Ethernet

Input Capacity Standards: 250-Sheet Paper Tray
Input Capacity Max: 850 Sheets
Media Type: Sawgrass Recommended Transfer Papers

2-Year Manufacturer's Warranty

SG1000 Sawgrass Printer Sets

Prints up to 11" x 17" (tabloid).

SG1000SET3
- SG1000 Printer
- 4 Starter Ink Cartridges (20 mL)
- USB cable

SG1000SET4
- SG1000 Printer
- 4 Standard Ink Cartridges (31 mL)
- USB cable

SG1000SET5
- SG1000 Printer
- 4 Extended Ink Cartridges (70 mL)
- USB cable



Starter cartridges not for individual sale.

Print Speed:
High Speed: 15 secs, 600 x 600 dpi
High Quality: 29 secs, 600 x 600 dpi
Adv. Photo: 48 secs, 1200 x 600 dpi
Ultra Fine Photo: 4880 x 1200 dpi

Maximum Paper Size: 11" x 17"
12.99" x 51" (via Bypass)
Maximum Resolution (dpi):
4880 x 1200 dpi equivalent
Input Capacity Standards: 250-Sheet Paper Tray
Input Capacity Max: 600 Sheets
Media Type: Sawgrass Recommended Transfer Papers

2-Year Manufacturer's Warranty



13" x 19" Paper Bypass Tray
sold separately
Part #SG800TRAY1

Please Note: Print drivers not compatible with Windows 7. Only Windows 8-11

Accessories & Supplies

SAWGRASS™

Part No.	Description	Case Qty.
SG400TRAY1	Bypass Tray for SG400/SG500	1
SG400TRAY2	Option Tray for SG400/SG500	1
SGCOLL1	Waste Ink Collector for SG 400/500/800/1000 & Ricoh 3110/7100	1
SG800TRAY1	Bypass Tray for SG800/SG1000	1
SG800TRAY2	Option Tray for SG800/SG1000	1
SGINSTALLKIT3	SG500/SG1000 Ink Set (All 4 Starter Cartridges)	1
SGINSTALLKIT4	SG500/SG1000 Ink Set (All 4 Standard Cartridges)	1
SGINSTALLKIT5	SG1000 Ink Set (All 4 Extended Cartridges)	1
RICOH7000COLL1	Waste Ink Collector for Ricoh 7000	1
CBL1	6' 2.0 GB USB Cable *(for Ricoh 7000, 7700, 7100, 3300, 3110)*	1

Sawgrass™ Sublimation Ink



SAWGRASS SG500/SG1000

sublijet HD

Part No.	Description	Cartridge
SG609101	Black - 31 mL	Standard
SG609102	Cyan - 31 mL	Standard
SG609103	Magenta - 31 mL	Standard
SG609104	Yellow - 31 mL	Standard

SAWGRASS SG1000

sublijet HD

Part No.	Description	Cartridge
SG609231	Black - 70 mL	Extended
SG609232	Cyan - 70 mL	Extended
SG609233	Magenta - 70 mL	Extended
SG609234	Yellow - 70 mL	Extended



SAWGRASS SG400/SG800

sublijet hd

Part No.	Description	Cartridge
SG209091	Black - 42 ml	Standard
SG209092	Cyan - 29 ml	Standard
SG209093	Magenta - 29 ml	Standard
SG209094	Yellow - 29 ml	Standard

SAWGRASS SG800

sublijet hd

Part No.	Description	Cartridge
SG209111	Black - 75 ml	Extended
SG209112	Cyan - 68 ml	Extended
SG209113	Magenta - 68 ml	Extended
SG209114	Yellow - 68 ml	Extended



RICOH SG3110DN/7100DN

sublijet hd

Part No.	Description	Cartridge
SG209221	Black - 42 mL	Standard
SG209222	Cyan - 29 mL	Standard
SG209223	Magenta - 29 mL	Standard
SG209224	Yellow - 29 mL	Standard

RICOH GXe7700N

sublijet r

Part No.	Description	Cartridge
SG209051	Black - 68 mL	High Capacity
SG209052	Cyan - 60 mL	High Capacity
SG209053	Magenta - 60 mL	High Capacity
SG209054	Yellow - 60 mL	High Capacity

RICOH GXe3300N/7700N

sublijet r

Part No.	Description	Cartridge
SG209081	Black - 29 mL	Standard
SG209082	Cyan - 29 mL	Standard
SG209083	Magenta - 29 mL	Standard
SG209084	Yellow - 29 mL	Standard

Ricoh is a registered trademark of Ricoh America Corporation.
Sublijet HD and SubliJet R are registered trademarks of Sawgrass Technologies Inc.

Additional Sawgrass Inks are available by special order or drop ship. Drop ship charges apply.

JDS SUB Sublimation Paper



- Provides exceptional resistance to smudging and offsetting.
- Very high color transfer efficiency.
- Works in: EPSON RICOH SAWGRASS

Sheets

Part No.	Sheet Size	Case Qty.
JDSUB8511S	8 1/2" X 11"	100
JDSUB8514S	8 1/2" x 14"	100
JDSUB1117S	11" x 17"	100
JDSUB1319S	13" x 19"	100

Rolls

Part No.	Roll Size	Case Qty.
JDSUB13100R	13" X 100'	1
JDSUB17100R	17" x 100'	1
JDSUB24100R	24" x 100'	1

made in the USA

FREE Sample Set #JDSUBSAMPLE1
5 sheets of JDSUB8511S 8 1/2" x 11" Dye Sub Paper

High Quality Paper at Great Prices!

Works Great on Both Hard and Soft Substrates.

True Pix Sublimation Paper



- Provides exceptional resistance to smudging and offsetting.
- Very high color transfer efficiency.
- Works in: EPSON RICOH SAWGRASS

Sheets

Part No.	Sheet Size	Case Qty.
TPX8511S	8 1/2" X 11"	100
TPX8514S	8 1/2" x 14"	100
TPX1117S	11" x 17"	100
TPX1319S	13" x 19"	100

Rolls

Part No.	Roll Size	Case Qty.
TPX17100R	17" x 100'	1
TPX24100R	24" x 100'	1

made in the USA

True Pix CLASSIC

FREE Sample Set #TPXSAMPLE1
5 sheets of TPX8511S 8 1/2" x 11" Dye Sub Paper

Works Great on Both Hard and Soft Substrates.

TexPrint® DT Heavy Sublimation Paper



- Provides exceptional resistance to smudging and offsetting.
- Very high color transfer efficiency.
- Works in: RICOH SAWGRASS

Sheets

Part No.	Sheet Size	Case Qty.
TPR8511S	8 1/2" X 11"	110
TPR8514S	8 1/2" x 14"	110
TPR1117S	11" x 17"	110
TPR1319S	13" x 19"	110

Mug Sheets

Part No.	Sheet Size	For Mugs	Case Qty.
TPRMUG11	4" X 9 1/2"	11 oz.	110
TPRMUG15	4 3/4" x 9 1/2"	15 oz.	110

made in the USA

TexPrint® DT heavy

FREE Sample Set #TPRSAMPLE1
5 sheets of TPR8511S 8 1/2" x 11" Dye Sub Paper

Designed Exclusively for RICOH™ and SAWGRASS™ High Speed Sublimation Printers.

TexPrint® DT Light Sublimation Paper



- Provides consistent performance from the inkjet printer through to the thermal press.
- Renders the richest colors and maintains truest tone
- Soft surface application or hard
- Works in most EPSON *Not for SureColor Epson F570 Pro Printer*

Sheets

Part No.	Sheet Size	Case Qty.
TP8511S	8 1/2" X 11"	110
TP8514S	8 1/2" x 14"	110
TP1117S	11" x 17"	110
TP1319S	13" x 19"	110

Rolls

Part No.	Roll Size	Case Qty.
TP13115R	13" X 115'	4
TP17115R	17" x 115'	2
TP17280R	17" x 280'	2
TP24280R	24" x 280'	1

made in the USA

TexPrint® DT light

FREE Sample Set #TPSAMPLE1
5 sheets of TP8511S 8 1/2" x 11" Dye Sub Paper

New and Improved "Hybrid" formulation.

Vapor Apparel™ Foam Kits

Vapor Foam Kits help prevent heat press and paper lines when sublimating garments.

- Stocked in all 13 Warehouses -

How-To Video!



FOAMKIT1
- 13 1/2 square feet of foam
- 3 "second quality" shirts
- Colors may vary



FOAMKIT2
- 13 1/2 square feet of foam
- 1 Teflon Sheet - 18" x 22" 5 mil.
- 3 "second quality" shirts
- Colors may vary

Adhesives for Sublimation

made in the USA



H107
1-sided Heat Tape
for Sublimation
Size: 1/2" x 72 yd.
Thickness: 2 mil
Case Qty: 6



3M

3M6065 can only be shipped via ground.

3M6065
3M Repositionable Spray
Mount for Sublimation
Size: 10.25 oz.
Case Qty: 12

See jdsindustries.com for more adhesive options.

Geo Knight & Co, Inc. Heat Presses & Supplies

made in the USA

GEO Knight & CO, INC



GKDK14S
12" x 14" Swing-Away Press

FEATURES
- Compact Portable Table-Top Design
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Super-portable light machine weight - 62 lbs!
- Extreme high pressure capability
- Solid Steel framework
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5-year warranty on frame
- 3-year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 76 Lbs
- Electrical: 1200W / 10A / 110V
- Shipping Dims: 24"L x 20"W x 21"H
- (add $35 for 220V international)



GKDK25S
20" x 25" Swing-Away Press
Stand sold Separately

FEATURES
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- 70 Programmable presets
- Solid steel welded framework
- Interchangeable tables
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 1" thick
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 440 Lbs
- Electrical: 4500W / 21A / 220V(only)
- Dimensions: 36"D x 36"W x 48"H

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.

Geo Knight & Co, Inc. Heat Presses & Supplies



GKDK20S
16" x 20" Swing-Away Press

FEATURES
- All-Thread™ table loading design
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- 70 Programmable presets
- Solid steel welded framework
- Instantly interchangeable & rotatable tables
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 200 Lbs
- Electrical: 1800W / 15A / 120V
- Dimensions: 40"D x 18"W x 16"H
- (add $35 for 220V international)



GKDK20SP
16" x 20" Digital Knight Air Automatic

FEATURES
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Air regulator and gauge 20-100 PSI range (compressor req)
- Total applied force of 3000 lbs max
- 70 Programmable presets
- Solid steel welded framework
- Interchangeable tables
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Air Compressor Required (min): 7gal, 1cfm, 100psi, 1/4" line
- Weight: 220 Lbs
- Electrical: 1800W / 15A / 120V
- Dimensions: 32"D x 27"W x 18"H
- (add $35 for 220V international)



GKDKASTAND
Universal Heat Press Stand for:

- GKDK20S
- GKDK20SP
- GKDC16
- GKDC16AP
- GKDK20
- GKDK16

SPECS:
- Solid steel welded framework
- Lockable rolling casters
- Weight: 77 Lbs
- Shipped Dimensions: 26"D x 16"W x 8"H
- Assembled Dimensions: 36"D x 24"W x 29"H

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.

Geo Knight & Co, Inc. Heat Presses & Supplies



GKDK8
6" x 8" Label Press

FEATURES
- Fully digital temperature control (32°-600°F range)
- Automatic digital timer & dual pre-press timer
- 70 Programmable presets
- Hardened high-strength pivot points
- Solid steel framework
- **6" x 8", 3" x 5", 3" x 3" interchangeable tables included**
- Self lifting gas-spring & wide opening
- Temperature readout accuracy of ±2°F -- Can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Non-stick-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 65 Lbs
- Electrical: 600W / 5A / 110V
- Shipping Dimensions: 19"L x 12"W x 18"H
- (add $35 for 220V international)



GKDK7
4" x 7" Cap Press

FEATURES
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- 70 Programmable presets
- Hardened high-strength pivot points
- Solid steel framework
- **Both STANDARD *and* EURO (mid-sized) bottom forms included**
- Self lifting gas-spring, & wide opening
- Cap hold-down device
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 50 Lbs
- Electrical: 450W / 4A / 110V
- Dimensions: 19"L x 12"W x 18"H
- (add $35 for 220V international)

Interchangeable Tables for GKDK7



GKDKAYOUTH
Small Curved Cap Form
Size: 3" x 5"
Case Qty: 1

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.

Geo Knight & Co, Inc. Heat Presses & Supplies

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.



GKDK20
16" x 20" Clamshell Press

FEATURES
- All-Thread™ table loading design
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- Super-portable light machine weight - 103 lbs!
- Extreme high pressure capability
- Hardened high-strength pivot points
- Interchangeable tables
- Solid steel framework
- SuperCoil-Microwinding™ heater technology
- Self lifting gas-spring & wide opening
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 103 Lbs
- Electrical: 1800W / 15A / 110V
- Dimensions: 36"L x 17"W x 16"H
- (add $35 for 220V international)



GKDK16
14" x 16" Clamshell Press

FEATURES
- All-Thread™ table loading design
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- Super-portable light machine weight - 83 lbs!
- Extreme high pressure capability
- Hardened high-strength pivot points
- Interchangeable tables
- Solid steel framework
- SuperCoil-Microwinding™ heater technology
- Self-lifting gas-spring & wide opening
- Temperature readout accuracy +-2°F - can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Weight: 83 Lbs
- Electrical: 1500W / 12A / 110V
- Dimensions: 32"L x 17"W x 16"H
- (add $35 for 220V international)

Geo Knight Digital Combo Heat Presses




GKDC16
14" x 16" Manual Digital Combo Swing-Away Press

FEATURES
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- Interchangeable Heat Platens & Tables
- Solid steel welded framework
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F - can show °C or °F
- 70 Programmable presets
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Shirt & Tile attachments included
- Weight: 135 lbs
- Electrical: 1500W / 12A / 120V
- Dimensions: 22"W x 22"D x 22"H
- (add $35 for 220V international)

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.



GKDC16AP
14" x 16" Automatic Digital Combo Swing-Away Press

FEATURES
- Automatic air operated pressing
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Air regulator and gauge 20-100 PSI range (compressor req)
- Total applied force of 800 lbs max
- Interchangeable Heat Platens & Tables
- Solid steel welded framework
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F - can show °C or °F
- 70 Programmable presets
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY
- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Air Compressor Required (min): 5gal, .5cfm, 100psi, 1/4" line
- Weight: 140 Lbs
- Electrical: 1500W / 12A / 120V
- Dimensions: 23"L x 23"W x 23"H
- (add $35 for 220V international)

Geo Knight Digital Combo Press Attachments



For Drinkware up to 11 1/4" Circumference

GKDCMUGFULL
Mug Attachment

The full wrap mug attachment for the Digital Combo uses the same exact super-robust heater band & pressure adjustment as the GKDK3. The Digital Combo press controls the temperature and serves as a timer for this instant plug-in attachment.



Attachment shown installed on press. Press sold separately.

GKDCCAP
4" x 7" Cap Attachment

Caps are flawlessly printed with a curved heater block and curved bottom form with a special cap stretching device. Optional interchangeable bottom forms available.

Interchangeable Tables for GKDCCAP



GKDKAYOUTH
Small Curved Cap Form
Size: 3" x 5"
Case Qty: 1



GKDKAEURO
Medium Curved Cap Form
Size: 3 1/2" x 6 1/2"
Case Qty: 1



Attachment shown installed on press. Press sold separately.

GKDCPLATE
Plate Attachment

The plate die platens feature quickly inter-changeable components for allowing the circular heating element to press inside ceramic plates. Also included is a template tray and pad for centering the plate.



Digital Combo Press easily transforms from a standard press into a Mug Press, Cap Press or Plate Press using available attachments. (Attachments sold separately)



All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.

Geo Knight & Co, Inc. Heat Presses & Supplies

made in the USA

GEO Knight & CO, INC

Great for Water Bottles & will do two mugs at a time



For Drinkware up to 11 1/4" diameter

GKDK3D
Double Digital Mug Press

FEATURES
- Fully digital temperature control.
- Automatic digital timer.
- Programmable presets.
- Solid steel welded framework.
- SuperCoil-Microwinding™ heater technology.
- Soft heater liner for accommodating inconsistent mugs.
- Temperature readout accuracy +-2°F.
- User selectable end-of-cycle alarms.
- Records number of pressing cycles done.

WARRANTY
- FREE LIFETIME Tech Support!
- 5-year warranty on frame
- 3-year warranty on controller
- 1 year warranty on parts

SPECS
- Shipping weight: 45 Lbs
- Electrical: 900W / 8A / 120V
- Shipping Dims: 24"W x 13"H x 15"L
- (add $35 for 220V international)

Allows Full Color

Two Mugs at a Time



For Drinkware up to 11 1/4" diameter



GKDK3
Digital Mug Press

FEATURES
- Fully digital temperature control
- Automatic digital timer
- Programmable presets
- Solid steel welded framework
- SuperCoil-Microwinding™ heater technology
- Soft heater liner for accommodating inconsistent mugs
- Temperature readout accuracy +-2°F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done

WARRANTY
- FREE LIFETIME Tech Support!
- 3 year / 3,000 mug warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS
- Shipping weight: 30 Lbs
- Electrical: 450W / 4A / 120V
- Dimensions: 15"W x 13"H x 15"L
- (add $35 for 220V international)

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.

INSTA Graphic Systems Manual Heat Presses



INSTA GRAPHIC SYSTEMS

INSTA Presses feature interchangeable bottom platens.

INSTA256
16" x 20" Swing-Away Press

FEATURES
- Quick-Change™ Interchangable Accessory Platens
- Integrated digital controller which features controls for time, temperature (F or C) & auto-off
- Full dressability front and back
- One-piece ergonomic wrap-around stainless steel handle

WARRANTY
- Lifetime warranty on heat platen
- 1 year warranty on parts
- 90 days on labor

SPECS
- Weight: 121 Lbs
- Dimensions: 40"D x 32"W x 22"H
- Electrical: 1750W / 14.6A / 120V

All Insta Heat Presses will be drop shipped F.O.B. California. No Free Freight Available.

HIX® Heat Presses



HXSWNG20
16" x 20" Swing-Away Press

FEATURES
- Full color LCD touch screen
- Heavy duty, even heating, swing-away platen
- Digital pressure readout for consistent transfer pressure
- Digital timer (adjustable up to 99 minutes 59 seconds)
- Calibrated digital temperature control (up to 450°F)
- Full adjustable pressure control
- Self leveling lower platen
- Applies transfers to items up to 1 3/4" thick

WARRANTY
- Lifetime warranty on heat platen
- 1 year warranty on components

SPECS
- Weight: 119 Lbs
- Dimensions: 33"D x 21"W x 18"H



HXSWNG25
20" x 25" Swing-Away Press

FEATURES
- Full color LCD touch screen
- Heavy duty, even heating, swing-away platen
- Digital pressure readout for consistent transfer pressure
- Digital timer (adjustable up to 99 minutes 59 seconds)
- Calibrated digital temperature control (up to 450°F)
- Full adjustable pressure control
- Self leveling lower platen
- Applies transfers to items up to 1 3/4" thick

WARRANTY
- Lifetime warranty on heat platen
- 1 year warranty on components

SPECS
- Weight: 190 Lbs
- Dimensions: 34"D x 33"W x 24"H

All HIX® Heat Presses will be drop shipped F.O.B. Kansas. No Free Freight Available.

HIX® Heat Presses



HXHT400C
15" x 15" Clamshell Press

FEATURES
- Metal enclosure
- Full color LCD touch screen
- Calibrated digital temperature control up to 450°F
- Automatic digital timer
- Open/Close handle has spring assist
- Full range pressure adjustment
- ETL-US and ETL-Canada certified

WARRANTY
- Lifetime warranty on heat platen
- 1 year warranty on components

SPECS
- Weight: 84 Lbs
- Dimensions: 33"D x 21"W x 18"H



HXHT600C
16" x 20" Clamshell Press

FEATURES
- Metal enclosure
- Full color LCD touch screen
- Calibrated digital temperature control up to 450°F
- Automatic digital timer
- Open/Close handle has spring assist
- Full range pressure adjustment
- ETL-US and ETL-Canada certified

WARRANTY
- Lifetime warranty on heat platen
- 1 year warranty on components

SPECS
- Weight: 95 Lbs
- Dimensions: 33"D x 21"W x 18"H

All HIX® Heat Presses will be drop shipped F.O.B. Kansas. No Free Freight Available.

HOTRONIX® Heat Presses

Assembled in the USA

STAHLS' Hotronix®



XRF2-120 / XRF2-240

Dual Air Fusion IQ®

16" x 20"

This machine provides the functionality of two Air Fusion IQ® heat presses with smooth, effortless operation controlled by the push of a button and tap of a foot pedal. The upper platen moves between heat printing stations, allowing operators to prepare garments on one station while the other is being pressed.

FEATURES

- Online access to reporting, including total impressions, active/idle time, and average cycle time
- Self-diagnostics help with troubleshooting and maintenance
- Dual Quick Change 16" x 20" platens
- Auto Adjust Pressure™ with four different pressure and time settings that auto-adjust pressure for all recipes
- Die pressure cast, corrosion-free base and top assemblies
- Center-driven rodless transmission ensures smooth, quiet operation
- Operates in full-auto, semi-auto, or manual modes
- Threadability™ allows easy decorating of front, back, and sides of garments.
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 15 amps; 3500 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS

- Actual Weight: 260 lbs
- Ship Weight: 410 lbs
- Ship dim.: 45" x 45" x 35"

All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Heat Presses





XRF2-PP-120 / XRF2-PP-240

Dual Air Fusion ProPlace IQ™

16" x 20"

Experience unprecedented precision, speed, and efficiency with Hotronix® Dual Air Fusion ProPlace IQ™. Utilizing a patented projection alignment system, effortlessly upload your artwork to the Hotronix® Cloud and witness your design projected onto the lower platen, simplifying alignment, and minimizing misprints for speedier production.

FEATURES

- Online access to reporting, including total impressions, active/idle time, and average cycle time.
- Self-diagnostics help with troubleshooting and maintenance.
- Dual Quick Change 16" x 20" platens.
- Auto Adjust Pressure™ with four different pressure and time settings that auto-adjust pressure for all recipes.
- Die pressure cast, corrosion-free base and top assemblies.
- Center-driven rodless transmission ensures smooth, quiet operation.
- Operates in full-auto, semi-auto, or manual modes.
- Threadability™ allows easy decorating of front, back, and sides of garments.
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 15 amps; 3500 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS

- Actual Weight: 291 lbs
- Shipping Weight: 443 lbs
- Ship dim.: 45" x 45" x 35"

All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Heat Presses

Assembled in the USA

STAHLS' Hotronix®



XF

Fusion IQ®

16" x 20"

Functioning as either a swing-away or draw press, the 16" x 20" Fusion IQ offers a heat-free workspace, touch screen settings and live digital time, temperature and pressure readouts. Plus, with industry-exclusive Threadability™, you can position a garment once, rotate, and decorate any area.

FEATURES

- New Fusion IQ™ controller features troubleshooting and self-diagnostic capabilities
- Optional quick-change lower platens, no tools required
- Touch Screen Technology: program an unlimited number of frequently used application settings
- Production cycle counter, auto on/off settings, and eight optional language settings
- Program up to four different pressure and time settings
- Track performance and print productivity reports from anywhere with the new Hotronix online portal
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker
- Accommodates materials up to 3/8" thick with medium pressure

WARRANTY

- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS

- Actual weight: 137 lbs
- Ship weight: 150 lbs
- Ship dim. 37" x 25" x 24"



STXCP

360 IQ® Hat Press

6" x 5"

The innovative 360° print area lets you print the front, back, and sides of a cap without removing it from the press.

FEATURES

- Molded platen to reduce creasing and scorching
- One-size-fits-all platen - transition between cap sizes without having to change platens
- Independently controlled upper and lower heated platens
- Heated lower platen makes it easy to apply patches and emblems
- Wide opening offers a heat-free workspace
- Opens automatically, reducing risk of over-application
- Digital time, temperature, and pressure display
- Electrical Options:
  120 v; 10 amps; 800 w / 240 v; 5 amps; 800 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS

- Actual weight: 44 lbs
- Ship weight: 50 lbs
- Ship dim. 26" x 15" x 24"

All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Heat Presses



XRF
Air Fusion IQ®
16" x 20" Swing-Away Press

Perfect for high-volume shops, specialty decorators, and Direct-to-Garment applications, the air-powered Air Fusion IQ heat press features a 16" x 20" heated upper platen and swing motion, for a heat-free workspace. Available in tabletop or adjustable-height pedestal stand models.

FEATURES
- New Fusion IQ™ controller features troubleshooting and self-diagnostic capabilities
- Track performance and print productivity reports from anywhere with the new Hotronix Online Portal
- New larger, higher resolution screen with improved touchscreen response
- Exclusive Auto-Adjust Pressure™ automatically adjusts to the thickness of the item being printed
- Full Threadability™ on the lower platen: position the garment, rotate, and decorate any area
- Auto open, auto swing design, with a foot pedal reduces fatigue
- Touchscreen stores frequently used settings, production cycle counter, and auto on/off capability
- 120 PSI for high-pressure applications
- Optional quick-change platens; no tools required
- Optional Platens: 7" Round, 6" x 10", 8" x 10" & 11" x 15"
- Program up to four different pressure and time settings
- Requires air compressor (not included) with minimum: **½ horsepower and 2.5-gallon hold tank. Uses 2.3 CFM**
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker
- Accommodates materials up to 3/8" thick with medium pressure

WARRANTY
- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS
- Actual weight: 152 lbs
- Ship weight: 245 lbs
- Ship dim. 40" x 48" x 58"



XRF-TT
Table Top Air Fusion IQ®
16" x 20" Swing-Away Press

For Features & Warranty, refer to information listed above.

SPECS
- Actual weight: 126 lbs
- Ship weight: 180 lbs
- Ship dim. 37" x 24" x 24"

All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Heat Presses

Assembled in the USA

STAHLS' Hotronix®

Auto Open Clam

The Auto Clam opens automatically when time is up, preventing over-application and scorching, and allowing you to focus on more than one job at once.

FEATURES

- Easy-to read digital time, temperature, and pressure display for accurate, consistent printing
- Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure, regardless of substrate thickness
- Wide opening for easy layout
- Space-saving clamshell design
- Patented magnetic auto-open feature prevents over-application
- Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- Optional interchangeable lower platens available
- 11" x 15" Electrical Options: 120 v; 8.3 amps; 1000 w / 240 v; 4.5 amps; 1000 w
- 16" x 16", 16" x 20" Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker
- Accommodates materials up to 3/8" thick with medium pressure

WARRANTY

- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS

- Actual weight: 59-87 lbs
- Ship weight: 72-100 lbs
- Ship dim. 36" x 25" x 21"

STX20
16" x 20"



STX16
16" x 16"



STX11
11" x 15"



All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Heat Presses

Assembled in the USA

STAHLS' Hotronix®

STX20H
Hover
16" x 20"

With two modes — hover for curing or press for application — the 16" x 20" Hotronix Hover heat press is great for DTG and screen printing operations, as well as heat transfer applications.

FEATURES
- Hover mode cures DTG designs without smearing ink
- Opens automatically to prevent over-application
- Space-saving clamshell design
- Easy-to read digital time, temperature, and pressure readouts
- 3/4" flotation upper heat platen
- Optional Platens: 7" Round, 6" x 10", 8" x 10" & 11" x 15"
- Interchangeable lower platens available in a variety of sizes (sold separately)
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure regardless of substrate thickness
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker
- Accommodates materials up to 3/8" thick with medium pressure

WARRANTY
- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS
- Actual weight: 87 lbs
- Ship weight 100 lbs
- Ship dim. 36" x 25" x 21"



All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Heat Presses

Assembled in the USA

STAHLS' Hotronix®



STXC
Auto Cap
3 1/2" x 6"

Spur add-on sales and decorate the whole uniform with this easy-to-use cap heat press, designed to decorate caps of all sizes.

FEATURES
- Patented magnetic auto-open feature prevents over-application
- Hold-down device secures cap and creates a smooth surface
- Decorate head wear of all shapes, styles, and sizes with available optional platens
- Easy-to-read digital time, temperature, and pressure display for consistent printing
- Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- Under-the-Center Pressure Adjustment ensures even, edge-to-edge heat and pressure
- Optional Platens: 2 3/4" x 6 1/2", 3" x 5 3/4", 4" x 6 1/2" & 4" x 8"
- Space saving clam shell design
- Electrical Options: 120 v; 4 amps; 500 w / 240 v; 2 amps; 500 w
- Must have dedicated circuit breaker

WARRANTY
- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS
- Actual weight: 30 lbs
- Ship weight: 41 lbs
- Ship dim. 26" x 15" x 21"



STX6L
LowRider
6" x 6"

Heat apply collar labels, small patches, and other small designs with this compact heat press. Lightweight and portable for mobile heat-application opportunities.

FEATURES
- Patented magnetic auto-open feature prevents over-application
- Easy-to-read digital time, temperature, and pressure display for consistent printing
- Space-saving clam shell design
- Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure regardless of the substrate thickness
- Platens included: 6" x 6", 4" round, 6" x 1 7/8" x 5 7/8" (Y shaped)
- Electrical Options: 120 v; 3 amps; 360 w / 240 v; 1.5 amps; 360 w
- Must have dedicated circuit breaker
- Accommodates materials up to 3/8" thick with medium pressure

WARRANTY
- Heating Element - Lifetime
- Framework - 5 years
- Circuit Board - 2 years
- Parts & Labor - 1 year

SPECS
- Actual weight: 28 lbs
- Ship weight: 41 lbs
- Ship dim. 26" x 15" x 21"

All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Platen & Accessories



Power Platens & Accessories

Reduce the risk of scorching on heat-sensitive fabrics with this innovative heated lower platen.

Power Platens & Accessories	Part Number
16" x 20" Power Platen	LHP20
11" x 15" Power Platen	LHP11
6" x 6" Power Platen	LHP6

Requires the Power Platen Controller (sold separately)
Not compatible with the Hotronix Fusion IQ™ or draw presses.

LHPC

Power Platen Control Housing

Power Platen Control Housing is needed for any of the individual platens to work. You only need one controller, any of the individual platens can plug into it.



PLTAGA

Tag Along™ HP Platen

The Tag Along™ HP Platen, a patented design of Livingston Systems, allows you to thread your garment onto the platen and apply a full front and tagless label in one simple step. Works with select 16" x 20" heat presses.

FEATURES

- Design helps load shirts straight
- 16" x 15" full front print area
- 3 1/4" x 3 1/4" tag print area

SPECS

- Actual weight: 20 lbs
- Ship weight: 23 lbs
- Ship dim. 26" x 20" x 5"

Must be used with a threadable heat press.

All Hotronix® Heat Presses will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

HOTRONIX® Platen Accessories

Assembled in the USA

STAHLS' Hotronix®



Quick Change Platens

Description	Part Number
4" x 4" - for small garments & accessories	**PL4X4**
7" Round - for duffle bags	**PL7R**
8" x 10" - for tote bags	**PL8X10**
6" x 10" - for left chest & hoodie pockets	**PL6X10**
11" x 15" - for women & children's apparel	**PL11X15**
Best Value - Set of 3 (7" round, 8" x 10", 6" x 10")	**PLSET3**
16" x 20" Double Sleeve/Leg Platen - for long slender items	**PLDLS**
6" x 20" Fusion Sleeve/Leg Platen - for long slender items	**PLLS**
6" x 15" Shoe Platen - for athletic footware	**PLSHOE**
Can Cooler Platen - for 8 collapsible coolers	**PLCAN**
Hat Bill Platen - for underside or top	**PLHBILL**
Baby Cap Platen - Size: 2 1/2" x 3"	**PLCAP2X3**
Standard Cap Platen - Size: 3 1/2" x 6"	**PLCAP3X6**
A2Z - for left chest & hoodie pockets, Size: 6" x 10"	**PL6X10-A2Z**
6" x 6" Lower Platen	**PL6X6**

CHOOSING THE RIGHT PLATEN FOR YOUR JOB

	4" x 4"	7"	6" x 10"	8" x 10"	11" x 15"	Hat Bill	Shoe	Can Cooler	Sleeve/Leg	Double Sleeve/Leg	Tag Along™ HP Platen
DUAL AIR FUSION IQ®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
AIR FUSION IQ®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FUSION IQ®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HOVER PRESS™ (16" x 20")	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
AUTO OPEN CLAM (16" x 20")	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
AUTO OPEN CLAM (16" x 16")	✓	✓	✓	✓	✓	✓	✓				
AUTO OPEN CLAM (11" x 15")	✓	✓	✓	✓	✓		✓				
THE MAXX® CLAM (16" x 20")	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
THE MAXX® CLAM (15" x 15")	✓	✓	✓	✓	✓	✓	✓				
THE MAXX® CLAM (11" x 15")	✓	✓	✓	✓	✓		✓				
BEST FOR:	Youth apparel and accessories with seams, zippers and buttons.	Gym bags and items requiring a round print surface.	Youth apparel and smaller items.	Items that require a smaller surface.	Youth or smaller women's apparel. Also great for longer names and designs.	Underside or top of a hat bill.	Shoes with a printable area of 2" x 4".	Up to eight can coolers.	Sleeves, legs, and other long, slender items. Also used for oversized billboard prints.	Faster decoration of two sleeves or legs at a time.	Quickly applying shirt fronts and tagless labels at the same time.

HOTRONIX® Platen Accessories

STAHLS' Hotronix®



Interchangeable Cap Platens

Assembled in the USA

Interchangeable Cap Platens	Part Number	Size
All Star	**PLCAP2X6**	2 3/4" x 6 1/2"
Rookie	**PLCAP3X5**	3" x 5 3/4"
Slugger	**PLCAP4X6**	4" x 6 1/2"
Champ	**PLCAP4X8**	4" x 8"
Best Value - Set of 4 (1 each)	**PLCAPS4**	1 of each size

Only to be used with Auto Cap and Maxx Cap heat presses, not the 360 IQ Hat press

Platen Covers

Increase the life and productivity of your heat press. Our Quick Slip pad protectors reduce wear and tear on the lower platen of your heat press and make garment placement quicker and easier.

Quick Slip Lower Platen Protectors

Part Number	Size
1-2375	6" x 10"
1-2374	8" x 10"
1-2153	11" x 15"
1-2154	15" x 15"
1-2155	16" x 16"
1-2156	16" x 20"
1-2465	7" round
1-2378	6" x 20"





Upper Platen Covers

Part Number	Size
1-2180	16" x 20"

Silicone Upper Platen Cover

Part Number	Size
1-2334	16" x 20"

**All Hotronix® Accessories will be drop shipped F.O.B. Pennsylvania No Free Freight Available.*

HOTRONIX® Accessories

STAHLS' Hotronix®



KIT3-1298

Laser Alignment System

The Laser alignment system is designed to increase efficiency when decorating apparel. Use the 4 lasers to show exactly where the logo or design needs to be placed. Set up is easy with the Layout Alignment Wizard™. Turn on the lasers, place the wizard on the lower platen and manually adjust the lasers to match the lines. Perfect placement every time.

- 4 individual lasers are flexible and can be aligned manually.
- Compatible with any heat press, including Hotronix or MAXX.
- Layout Alignment Wizard is included.
- 3 Ft. electrical cord with A/C adaptor is included.
- Requires 18-inch table space.



1-2310-2

Heat Press Caddie Stand

Heat Press Caddie gives the ability to add industry-exclusive Threadability™ to any Hotronix® Auto Open Clam, Hover press, or MAXX® Clam heat press. This stand is not compatible with the Fusion IQ.

SPECS

- Size: 32" x 32" x 34" - 39"
- Weight: 61 lbs



1-2410-1

Heat Press Counter Caddie

This countertop version of our Heat Press Caddie sits on a flat work surface. It adds industry-exclusive Threadability™ to any Hotronix® Auto Open Clam, Hover press, or MAXX® Clam heat press. This stand is not compatible with the Fusion IQ.

SPECS

- Size: 22" x 12" x 6"
- Table Height: 30" Recommended
- Weight: 26 lbs

**All Hotronix® Accessories will be drop shipped F.O.B. Pennsylvania No Free Freight Available.*

HOTRONIX® Accessories

STAHLS' Hotronix®



1-2364

Printing Equipment Cart

Adjustable, portable cart for a heat press, vinyl cutter, laser cutter, or DTG. It can also double as an extra layout table.

- Heavy duty steel cart.
- Crank raises the cart to a maximum height of 35" or lowers to 17".
- Comes fully assembled.
- Holds up to 600 lbs.
- Casters allow the cart to be moved

SPECS

- Table top: 37.6"L x 24"W x 17.3"H
- Adjustable Height from: 17" to 35"
- Actual weight: 122 lbs.
- Ship weight: 126lbs.
- Ship dim. 38.2" x 24.8" x 18.11"



TK-STAHLS

Heat Seal Machine Test Kit

The leading cause for ruined garments is a heat press with cold spots. This test kit makes sure your heat press has accurate temperature.

- Includes 5 strips
- Designed to check temperature accuracy of your heat press machine

**All Hotronix® Accessories will be drop shipped F.O.B. Pennsylvania No Free Freight Available.*

HOTRONIX® Accessories



WT-1000-110
Stahls' EZ Weeding Table

The Stahls' EZ Weeding™ Table warms heat transfer vinyl, saving an average of 60% weeding time.

DIMENSIONS
- 39"L x 27 1/2"W x 4"H (Closed)
- 39"L x 27 1/2"W x 17"H (Open)
- Shipping dimensions: 31" x 43" x 8"
- Weight: 27 lbs



CLWP-STAHLS
CAD-CUT Weeding Panel

This lightweight, portable panel heats to 130° F to soften your heat transfer vinyl's adhesive and make weeding easier. Its low cost and sturdy construction make it a valuable tool for any shop. Includes mini adhesive pads to keep panel stable.

SPECS
- Size: 16" x 22"
- Weight: 9 lbs



EZW-STAHLS
Easy Weeder

The EZ Weeder® makes it easy to weed detailed design cavities from heat transfer materials and printable heat transfer materials.



HE-STAHLS
Heat Eraser

Cool your designs faster with a heat eraser. Great tool to use when you're working with cold peel materials.



T-STAHLS
Thermo Tape™

Size: 3/8" x 72 yd

Use this heat resistant tape to keep graphics and lettering in place before and during heat press application.



TH-STAHLS
Thermo Tape™ Dispenser

Slip resistant dispenser with a rubber base.

HOTRONIX® Accessories



Cover Sheets

TSL-STAHLS

Reusable Cover Sheet

Size: 18" x 20" x 6 mil

This reusable cover sheet leaves a smooth semi-gloss finish on heat transfer materials.

KP1620

Kraft Paper

(25 pack)
Size: 16" x 20"

Protect the upper platen of your heat press and leave a matte finish on heat transfer material.



Heat Press Pillows

The right heat press accessories allow you to offer more hard-to-decorate items. Heat Press Pillows raise the print area around thick seams, zippers, and pockets to ensure even pressure and perfect application every time.

Made with a 3/4" foam pad inside a non-stick Teflon cover for easily sliding in and out of items, Heat Press Pillows are the perfect alternative if Threadability™ isn't an option. They come in a variety of sizes great for heat pressing sleeves, legs, hoodies, youth, and women's apparel.

Part Number	Size
TPS-STAHLS	6" x 8"
TPY-STAHLS	10" x 10"
TPL-STAHLS	5" x 18"
TPD-STAHLS	12" x 14"
TP-STAHLS	16" x 20"



Print Perfect Pads*

Print perfect pads have a similar purpose as heat printing pillows but work differently. While heat printing pillows allow the zippers and seams to depress into the pillow, print perfect pads actually raise the printing area to work around these elements. They are also the recommended accessory for screen printed or digital transfers because they maintain even pressure.

Part Number	Size
KIT3-1315	8" x 10"
KIT3-1316	5" x 6"
KIT3-1319	3 1/2" x 15"



RP22-STAHLS

Flexible Application Pad

Size: 18" x 22"



Foam Cover Pads*

Part Number	Size
1-2581	4" x 8" x 1/8"
1-2583	4" x 8" x 1/4"
1-2657	16" x 20" x 1/8"

All Hotronix® Accessories will be drop shipped F.O.B. Pennsylvania No Free Freight Available.

Heat Press Supplies

Case Qty: **1**



JDSTEF1416
Non-Stick Sheet
Size: 14" x 16"



JDSTEF1620
Non-Stick Sheet
Size: 16" x 20"



GKTEF1416
Teflon® Sheet
Size: 14" x 16"



GKTEF1620
Teflon® Sheet
Size: 16" x 20"

Sheets to protect your heat press.



GKTEFW1416
Teflon® Bottom
Table Wrap
Size: 14" x 16"




GKTEFW1620
Teflon® Bottom
Table Wrap
Size: 16" x 20"

Pads for pressing products such as water bottles, acrylics and ceramic ornaments.



GKHCR18510
Heat Conductive Pad
Size: 1/8" x 5" x 9 7/8"



GKHCR181416
Heat Conductive Pad
Size: 1/8" x 14" x 16"



THERM1620
Heat Conductive Pad
Size: 1/16" x 16" x 20"

Soft pads for pressing fragile products such as ceramic tiles and sublistones.



GKNOM1416
White Nomex Pad
Size: 1/2" x 14" x 16"



GKNOM1620
White Nomex Pad
Size: 1/2" x 16" x 20"

Direct to Film (DTF)

Aries 124 UV-DTF....16-17
Aries 213 UV-DTF....18-19
Prestige R2 Pro....10-11
Prestige XL2....12-13
Prestige XL3....14-15
PrintPro Tables....20

Equipment & Accessories

Foam Kits....205
George Knight....206-212
Heat Presses & Supplies....206-230
Hotronix....216-229
  Other Accessories....226-229
  Platen & Accessories....223-225
Sublimation Adhesives....205
Sublimation Ink & Paper....200-204
Sublimation Printers & Accessories....200-203

Hats, Pre-Cut Patches & Sheet Stock

Hats....184-185
Leatherette Patches....186-191
American Flag PVC Patches....191
Genuine Leather Patches....191
Kota Pro Adhesive....197
Leatherette Sheet Stock....192-196

Heat Transfer Material

Cut....24-46
  Kota Pro....24
  CAD-CUT....28-46
PRE-CUT Numbers....27
Print....25-26,47-51
  Kota Pro....25-26
  CAD-COLOR....47-51
Masks....25,51

Sublimation

Acrylic....118-120,126,129,138-140,163
Apparel
  Face Masks....176
  Gaiters....177
  Headband....177
  Sandals....175
  Socks....174
  T-Shirts & Onesies....172-173
Bags....76-81
Bag Tags & Wraps....82,124-127,161
Banners & Pennants....150-151
Beverage Holders....73
Bookmarks....137,152
Burlap Items....78,81-86
Business Cards....122,124
Buttons & Pins....135
Canvas Products....76-77,79-80
Car Accessories....124,136-137,153
Ceramic Tiles & Stones....88-89
ChromaLuxe....96-107,109-111
Clipboards....152
Clock....156
Coasters....70-72,83
Containers....74-75
Discs....94,167-170
Door Hangers....152-153
Drinkware....56-73, 157-158,161
  Bar Products....83,157-158,161
  Beverage Holders....73
  Bottle Openers....157-158
  Coasters....70-72,83
  Displays....64-65
  Polar Camel....56-63
Flex Sub....163
Games....113
Garden....112

Sublimation

Glass 117,160
Golf 148-149
Holiday 137-145
  Ornaments 138-145
  Stocking 137
I.D. Tags 132-133
Impress Acrylics 119
Inserts 94,164,167-171
  Metal Discs & Shapes 94,167-171
  MDF Tiles 164
  Steel Discs 168
Journals & Portfolios 84-85,154-155
Keychains 82,124,128-131
Kitchen Products 158-161
  Accessories 159
  Cutting Boards 160
Lanyard 135
Magnets 134,158
Mouse Pads 152,161
Name Badges 122-124
Paperweights 118,120
Patches 86-87
Pet Items 132,146-147
Photo Frames 85,114-115
Photo Panels 96-111
  Displays 106
  Duo-Panel Set 109
  French Cleat Hanging System 107
  High Definition 96-101
  Outdoor 103-104
  Self-Standing 108-111
  Textured 102,108
  Wall Tiles 109
  Wood 105,108
Pickleball 146
Pillow Wraps 77,82
Plaques & Awards 90-95,137,167
  Medals 167
  Ribbons 137
Puzzles 162
Self-Adhesive Material 164
Sheet Stock 163-166
Signs & Message Boards 116
Sub TAG 178
Sublicrylic 118
Tape Measures 156
Tech Accessories 121

Resources

DTF 21
Heat Transfer 52-53
Sublimation 178-181

TERMS & CONDITIONS

CLAIMS, RETURNS & SHIPPING

ALL CLAIMS AND DISCREPANCIES MUST BE REPORTED WITHIN 10 DAYS OF RECEIPT OF SHIPMENT

CLAIMS: Deductions from remittances will not be allowed unless authorized by JDS Industries in writing. All claims for lost or damaged merchandise can be filed with JDS Industries, Inc. JDS Industries' liability ceases upon freight carriers receipt of shipment in good order. TRUCK SHIPMENTS - Count and inspect packages for damage BEFORE signing the freight bill. Describe any damage or carton shortages on the bill and file a claim with the carrier.

RETURNS: All products to be returned due to incorrect item shipped or defective merchandise must receive prior approval by JDS Industries. Return of customer error stock merchandise will be subject to a **15%** restocking charge minimum. Credit will not be given for products received in unsellable condition. Credit for returned merchandise will be applied upon receipt and inspection of products. Discontinued/clearance, custom and cut merchandise is nonreturnable. All requests to return goods must be received within **30 days** of receipt of original purchase. Any replacement items shipped on Net Terms will be charged to the credit card on file if not returned within 30 days.

BACKORDERS: All backorders will be shipped as merchandise is available unless previously cancelled by customer.

SHIPPING: All orders will be shipped UPS, FedEx or truck unless otherwise specified. Truck shipments are sent freight collect, unless other arrangements have been made. Truck shipments can be sent prepaid and we will bill your account for an additional **$10** fee. A charge may be added for shipments that require delivery to the post office. Some services are not available from all warehouses.

DROPSHIP: A minimum order of **$99** per vendor/per order is required to qualify for free freight on dropship items. If the minimum is not met, a shipping freight of **$10.50** will be applied.

DOUBLE BOXING: A **$2.50** fee will be charged for each box when double boxing is requested.

BLANK LABEL: A **$2.50** fee will be charged for each box when a blank label is requested.

SHIPPING MARBLE: JDS is not liable for damage when marble is sent by any method other than truck or will call.

PAYMENT OPTIONS

ACH: Electronic Payment directly from a bank account. Payments can be made at the time of order or as a payment on your account to avoid the **2%** credit card convenience fee.

CASH ON DELIVERY (COD):
Payment is made at time of delivery. COD charges apply.

CREDIT CARD: Payments are made at the time of order. Payments made by credit card after the date of invoice will be accepted for a **2%** convenience fee.

WIRES: Wires under $500.00 will be assessed a $25.00 wire fee charge. JDS will waive the $25.00 wire fee for wires over $500.00. Any fees charged by the customer's bank or by intermediate banks are the responsibility of the customer.

TERMS: Net 30 days from date of invoice to customers with approved credit. Credit application required and available upon request. Please allow **7-10** days for credit processing to be completed.


PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

CONDITIONS

Any non-sufficient funds payments (NSF) will be subject to terms change and a **$50.00** NSF fee.

Late payments will result in interest charges at the rate of **1.5%** per month (**18%** per annum). Customers whose accounts are 30 days past due will be shipped credit card or ACH.

Standard Ground Delivery



Headquarters • 605.339.4010
JDS Industries • 1800 E 57th St N • PO Box 84806 • Sioux Falls, SD 57104-4806

800.843.8853

Customer Service Is Open
7:00 a.m. to 7:00 p.m. CST

linea de español directa 855.661.2387



13
Warehouses
Over 1.3 Million Sq Ft
Nationwide

Same Day Shipping
on Orders Placed by 4 PM!

$99 FREE FREIGHT

Newark, NJ
220 Meadow Rd
Edison, NJ
08817-6011

Charlotte, NC
200 Forsyth Hall Dr
STE 200C-1
Charlotte, NC
28273-5797

Jacksonville, FL
4102 Bulls Bay Hwy
Unit 2A
Jacksonville, Fl
32219-3232

Atlanta, GA
3105 Sweetwater Road
Bldg 300, STE W
Lawrenceville, GA
30044-2447

Detroit, MI
20001 Brownstown Center Dr
STE 1060
Brownstown, MI
48183-1679

Chicago, IL
350 S Church St
Addison, IL
60101-3750

St. Louis, MO
13781 Rider Trail N
Earth City, MO
63045-1205

Houston, TX
9254 Park South View
STE 400
Houston, TX
77051-3063

Dallas, TX
2535 Gifford St
Suite 200
Grand Prairie, TX
75050-4448

Sioux Falls, SD
1800 E 57th St N
Sioux Falls, SD
57104-7115

Phoenix, AZ
9191 W. Buckeye Rd.
Suite 125
Tolleson, AZ 85353

Visalia, CA
9111 W Riggin Ave
Visalia, CA
93291-9263

Seattle, WA
9713 233rd Ave E STE E
Bonney Lake, WA
98391-2902

HEAT26